


You can't lose! A money-back guarantee protects you!

THE RADIO AMATEUR COURSE REPRESENTS THE GREATEST EVER OFFERED TO



O convince you that there isn't a better book buy today the publishers of the RADIO AMATEUR COURSE make the sensational offer of a money-back guarantee on such a low-priced book. Stop in at any of the many dealers listed below and examine this volume. See for yourself if the RADIO AMATEUR COURSE isn't just the book you've always wanted.

61/4 x 91/2 INCHES 148 PAGES OVER 150 DIAGRAMS AND PHOTOGRAPHS

Printed on the finest quality paper-well illustratedattractive 4-color cover-complete with radio information you must have. It contains a step-by-step program for obtaining a short-wave radio education.

Written by George W. Shuart, W2AMN, foremost short-wave authority

FOLLOWING DEALERS ON SALE

ARIZONA

Sam's Cigar Store. 127 N. First Ave., Phoenix, CALIFORNIA

Scott Wholesale Radio Co. 344 E. Fourth Street, Long Beach, Offenhach Electric Co., Ltd., 1452 Market Street, San Francisco, Zack Radio Supply Co., 1454 Market Street, San Francisco,

COLORADO

CONNECTICUT

Radio Inspection Service Co., 2º7 Asylum Street, Hartford, Stern Wholesale Parts, Inc., GEORGIA

Wholesale Radio Service Co., Inc., 430 W. Peachtree St., N. W., Atlanta, ILLINOIS

Allied Radio Corporation. 8C3 West Jackson Blvd. Chicago. Newark Electric Company. 226 W. Madison Street, Chicago. Wholesale Radio Service Co., Inc., 901 W. Jackson Blvd. Chicago.

INDIANA

Van Siekle Radio, Inc., 31 West Ohio Street, In MASSACHUSETTS

Greater Roston Distributors.
40 Waltham St., Boston.
11. Jappe Co., 46 Cornhill, Roston.
Wholesale Radio Service Co., Inc.,
110 Federal Street, Boston.
Springfield Radio Co.
397 Dwight Street, Springfield.
11. Jappe Co.,
27 Mechanic Street, Worcester.

Rissi Rrothers, Inc., 5027 Hamilton Ave., Detroit,

MISSOURI

Modern Radio Company. 409 No. Third Street, Hannibal. Burstein Applebee Co.. 1012-14 McGee Street, Kansas City. Van Sickle Radio Co.. 1113 Pine Street, St. Louis.

NEBRASKA

NEW HAMPSHIRE
dio Service Laboratory.
87 Elm Street, Manchester.

NEW JERSEY

Arco Radio Co., 227 Central Avenue, Newark, Wholesale Radio Service Co., Inc., 219 Central Avenue, Newark,

NEW YORK NEW YORK
Wholesale Radio Service Co., Inc.,
542 E. Fordham Rd., Bronx,
Wholesale Radio Service Co., Inc.,
90-08 166th Street, Jamalea, L. I.
Flan, The Radio Man, Inc.,
64 Dey Street, New York City.
Fagle Radio Co.,
84 Cortlandt Street, New York City.
Federated, Purchaser, Inc.,
25 Fark Place, New York City.
Harrison Radio Co.,
12 West Broadway, New York City.
Sun Radio Co., 12 West Broadway. New York City.
Sun Railo Os.
212 Fullon Street, New York City.
Terminal Bailo Gorp.
80 Cortland: Street, New York City.
81 Cortland: Street, New York City.
82 Cortland: Street, New York City.
83 Cortland: Street, New York City.
84 Cortland: Street, New York City.
85 Cortland: Street, New York City.
85 Cortland: Street, New York City.
86 Cortland: Street, New York City.
87 Cortland: Street, New York City.
88 Cortland: Street, New York City.
89 Cortland: Street, New York City.
89 Cortland: Street, New York City.
80 Cortland: Street, New York City.
81 Cortland: Street, New York City.
82 Cortland: Street, New York City.
83 Cortland: Street, New York City.
84 Cortland: Street, New York City.
85 Cortland: Street, New York City.
86 Cortland: Street, New York City.
87 Cortland: Street, New York City.
87 Cortland: Street, New York City.
88 Cortland: Street, New York City.
88 Cortland: Street, New York City.
89 Cortland: Street, New York City.
89 Cortland: Street, New York City.
80 Cortland: Street, New York City.
80 Cortland: Street, New York City.
80 Cortland: Street, New York City.
81 Cortland: Street, New York City.
81 Cortland: Street, New York City.
82 Cortland: Street, New York City.
83 Cortland: Street, New York City.
84 Cortland: Street, New York City.
85 Cortland: Street, New York City.
86 Cortland: Street, New York City.
86 Cortland: Street, New York City.
87 Cortland: Street, New York City.
87 Cortland: Street, New York City.
88 Cortland: Street, New York City.
89 Cortland: Street, New York City.
80 Cortland: Street, New York City.

News Exchang News Exchange,
51 So. Main Street, Akron.
Canton Radio & Supply Co.,
1110 Tuscaravas Street, W., Canton.
Finited Radio, Inc.,
1103 Vine Street, Uncinnati,
The Hughes-Peters Electric Corp.,
178-180 N. Third Street, Columbus,
Standard Radio Parts Co.,
135 East Second Street, Dayton.

OREGON

Portland Radio Supply C 1300 W. Burnside Street

PENNSYLVANIA

Radio Distributing Co., 1124-26 Market Street, Harrisburg, M. & H. Sporting Goods Co., 512 Market Street, Philadelphia, Cameradio Co., 963 Liberty Ave., Pittsburgh.

RHODE ISLAND

W. II. Edwards Co., 32 Broadway, Providence, R. I.

UTAH

O'Loughlin's Wholesale Radio Supply, 315 South Maln Street, Salt Lake City, Radio Supply, Inc., 46 Exchange Place, Salt Lake City,

WASHINGTON

Spokane Radio Co., Inc., 611 First Avenue, Spokane.

WISCONSIN

MEXICO

American Rock Store, S. A., Avenida Madero 25, Mexico City, Central De Publicaciones, Avenida Juarez, 4, Apartado 2430, Mexico, D. F.

TEXAS

The T. Eaton Co., Ltd., Winnipeg. Manitoba. Canadian Electrical Supply Co., Limited, 285 Craig Street W., Montreal. Que. Metropolitian News Ascence. 1248 Feel Street. Montreal. Que. CUBA

The Diamond News Co., Palario Asturimo, Por San Jose, Habana.

Gorringe's
9a. Green Street, Leading W.C.2.
HOLLAND
Van Wovstra Gorringe's American News Agency, 9a, Green Street, Leicester Square,

ENGLAND

Radio Peeters, Van Wovstraat, Amsterdam, Z.

INDIA

Melliourne.

Amarillo Electric Co., 111 East 8th Avenue, Amarillo. **AUSTRALIA**

McGill's Agency. 183-184 Elizabeth Street. A CANADA

NEW ZEALAND

Te Aro Isook Depot, Ltd., 64 Courtenay Place, Wellington SOUTH AFRICA

Radio Parts Co., Inc., 536-538 W. State Street, Milwaukce. Technical Book Co., 147 Longmarket Street, Cape Town. If this book is not at your dealer's, send your order directly to us. We will credit your dealer with the sale of this book. To order your copy of RADIO AMATEUR (OURSE, fill in coupon below and mail.

| RADIO AND Gentlemen: 1 please send m (Remit by che U.S. Postage | TELEVISION. 9 enclose herewith in POSTPAID, in eck or money orderstamps.) | ny remittance of Fif- my remittance of Fif- ny copy of the RADI er; register letter if | t, NEW YORK, N. Y. by Cents (50c) for which to AMATEUR COURSE, you send cash or unused |
|---|---|---|--|
| Name | | | |
| Address | | | |
| City | | st | ate |

RADIO AND TELEVISION

Bc sure to see all future copies of RADIO AND TELEVISION for additional listings of dealers handling the RADIO AMATEUR

COURSE.

NEW YORK CITY



I WILL TRAIN YOU

TO START A SPARE TIME OR FULL TIME RADIO SERVICE BUSINESS WITHOUT CAPITAL

President
National Radio
institute
Established 1914
The man who has
directed the
home attudy rainfor the Radio
dustry than any
other man in
America

HERE ARE A FEW EXAMPLES OF THE KIND OF MONEY I TRAIN MY MEN TO MAKE



\$200 TO \$300 A MONTH IN OWN BUSINESS

"For the last 18 months 1 have been In business for myself, making between \$200 and \$300 a month. I have N.B.I. to thank for my start in this field."—ARLIE J. FROEHNER. 224 W. Texas Ave., Goose Creek, Texas.

\$10 TO \$25 A WEEK IN SPARE TIME

I am making from \$10 to \$25 a week in the street while still holding my regular b as a machinist. I owe my success to R. I."—WM. F. RUPP, 203 W. Front ... West Consholiocken, Pa.



CHIEF OPERATOR BROADCASTING STATION
"When I completed 20 lessons, I obtained my Radio Broadcast Operator's Liceuse and immediately joined Station WMFr', where I my now Chief Operator,"—HOLLIS F. HAVES, 85 Madison St., Labeer, Mich.

EARNINGS TRIPLED BY
N.R.I. TRAINING
"I have been doing nicely, thanks to
N.R.I. Training, Bly present earnings are
about three times what they were before I took the Course, I consider N.R.I.
Training the finest in the world,"—BERNARD COSTA. 952 Manhattan Ave.,
Brooklyn, N. Y.





OVER \$1.000 BEFORE GRADUATING

"Before completing half the N.R.I. Course I was servicing sets, and I made \$1,000 to \$1,200 before graduating. I am doing Radio service work for nuyself now."— Assillery G. Allikilder, 1228 Shepherd St., Petersburg, Va.

Get My LESSON on Radio

Servicing Tips FREE

I want to prove my Training gives practical, money-making information, that it is easy to understand—what you need to master Radio. My sample lesson text, "Radio Receiver Troubles—Their Cause and Remedy," covers a long list of Radio receiver troubles in A.C., D.C., battery, universal, auto, T. R. F., superheterodyne, all-wave, and other types of sets. And a cross reference system gives you the probable cause and a quick way to locate and remedy these set troubles. A spe-



set troubles. A spe-cial section is de-voted to receiver check-up, alignment, balancing, neutralizing, testing, You can get this lesson Free by mailing the coupon.

The Tested WAY to BETTER PAY

NAME

ADDRESS

Do you want to make more money? The world-wide use of Radio has maile many opportunities for you to have a spare time or full time Radio service business of your own. Four out of every five homes in the United States have Radio sets which regularly need repairs, new tubes, etc. Servicemen can earn good commissions selling new sets to owners of old models. Even if you have no knowledge of Radio or electricity, I will train you at home in your spare time to start your own Radio business and build it up on money you make in your spare time while learning. Mail coupon for my 64-page book. It's Free—it shows what I have done for others—what I am ready to do for you.

Many Make \$5, \$10, \$15 a Week Extra in Spare Time While Learning

The day you enroll I start sending you Extra Money Job Sheets. They show you how to do Radio repair jobs, how to cash in quickly. Throughout your training I send you plans and ideas that have made good spare time money-from \$200 to \$500 a year—for hundreds of fellows. I send you special Radio equipment, show you how to conduct experiments, build circuits, illustrating important Radio principles. You get PRACTICAL EXPERIENCE while learning. learning.

There's a Real Future in Radio for Well-Trained Men

Radio today is young—yet it's one of our large industries. More than 28,000,000 homes have one or more Radios. There are more Radios than telephones. Each year millions of Radios ket out of date, need replacing or new tubes, repairs. Millions are sient each year for Radio repairs. More than 5,000,000 auto Radios are in use; more are being sold every day, offering more profit-making opportunities for Radio experts. And RADIO IS STILL YOUNG—GROWING. Radio is expanding into other fields. The few hundred \$30, \$50, \$75 a week jobs of 20 years ago have known to thousands. Yes, Radio offers opportunities—now and in the future!

Get Ready Now for Your Own Radio Business and for Jobs Like These

and for Jobs Like These
Radio broadcasting stations employ engineers, operators, station managers and pay up to \$5,000 a year. Fixing Radio sets in spare time pays as much as \$200 to \$500 a year—full time repair jobs with Radio jobbers, manufacturers and dealers, as much as \$30, \$50, \$75 a week. Many Radio Experts open their own full time or part time Radio sales and repair businesses. Radio manufacturers and jobbers employ testers, inspectors, foremen, engineers, servicemen, paying up to

J. E. SMITH, President, National Radio Institute, Dept. 8KB3, Washington, D. C.

\$6,000 a year. Automobile, police, aviation, commercial Radio, loud speaker systems are newer fields offering good opportunities. Television promises to open many good jobs soon. Men I have trained are holding good jobs in these branches of Radio. Read their statements in my 64-page book. Mail the coupon.

I ALSO GIVE YOU A **PROFESSIONAL** SERVICING INSTRUMENT

Here is the instrument every ladio expert needs and wants—an All-Wave, All-Purpose, Set Servicing Instrument, It contains every-thing necessary to measure A.C. and D.C. voltages and current; to test tubes, resistance; arijust and alikn any set, old or new. It satisfies your needs for professional servicing after you graduate—can help you make extra money lixing sets while training.



Save Money-Learn At Home Money Back Agreement Protects You

I am sure I can train you at home successfully. I will agree in writing to refund every penny you pay if you are not satisfied with my Lessons and Instruction Service when you finish. You get a copy of this agreement with my Book.

Find Out What Radio Offers You Get My 64-Page Book Free Now

Act Today. Mail the coupon now for my Free Lesson and my book, "Rich Rewards in Radio." Both are free to anyone over 16 years old. My book points out Radio's spare time and full time opportunities and those coming in Television; tells about my Training in Radio and Television; shows you letters from men I have trained, telling what they are doing and earning. Find out what Radio offers YOU! MAIL THE COUPON in an envelope, or paste it on a penny post card—NOW!

J. E. SMITH, President National Radio Institute, Dept. 8KB3 Washington, D. C. REE BOOK HAS HELPED **HUNDREDS OF** MEN MAKE MORE MONEY RICH REWARDS GOOD FOR BOTH 64 PAGE BOOK FREE Without obligating me, send your Lesson 'Radio Receiver Troubles—Their Cause and Remedy and free book about spare time and full time Radio that the Radio Land to the Land for the Radio Radio Relations of Radio checked below. () Loud Speaker Systems, Installations and Service () Auto Radio Installation and Service () Service Expert with Radio Pactory () Commercial Radio Station Operator () All-amound Servicing Expert

Please say you saw it in RADIO & TELEVISION

RADIO & TELEVISION

The Popular Radio Alagazine

OCTOBER-1938

Vol. IX

HUGO GERNSBACK, Editor H. WINFIELD SECOR, Manag. Editor M. HARVEY GERNSBACK, Assoc. Editor

In This Issue

| FEATURES | |
|---|------------|
| "Radio & Television"—Hugo Gernspack | 325 |
| Famous Radio Experts Salute the Amateur | 326 |
| The Phone HAM and What He Does—Llewellyn Bates Keim, W2IKV | 328 |
| Back in the Days of Crashing Spark-Gaps—E. T. Jones | 330 |
| Radio Amateurs Record Bird Calls | 332 |
| Metal Horn Focuses Ultra Short Waves | 332 |
| Dem Was the Happy Days-Austin C. Lescarboura | 333 |
| How HAM Radio Saved Shawneetown!—Robert T. Anderson's Own Story | 334 |
| The "YI" in Amateur Radio—Beatrice Holman, WIND | 335 336 |
| The World Comes to My Room—via HAM Radio—John Top Carvey | 338 |
| A Day in the Life of a Busy HAM—E. E. C. England, YE3QL | 341 |
| Want to Learn Foreign Languages? Michael Norton, B.A. | 371 |
| S-W STATIONS - HOW TO FIND THEM | |
| Short Wave League—On the Ham Bands | 342 |
| World Short Wave Stations | 346 |
| Let's Listen In with Joe Miller | 347 |
| CONSTRUCTOR | |
| An Advanced High-Frequency Receiver—Howard G. McEntee, W2FHP | 352 |
| Five Mater Super-Regenerative Receiver—Herman Yellin, WZAJL | 356 |
| Modulator for the 35 Watt Transmitter—Harry D. Hooton, W8KPX | 360 |
| MISCELLANEOUS | |
| What Price HAM Radio?—H. W. Secor | 337 |
| Rapid Growth of Radio Amateurs | 340 |
| Local HAM Gossip—Lee R. Kemberling | 343 |
| What Do You Think? | 344 |
| Fourth Silver Trophy Award for Best HAM Station Photo | 345 |
| Padia "Kinks"—Monthly Prizes | 349 |
| Question Box | 351 |
| New Short-Wave Apparatus | 354 |

Cover composition by H. Gernsback and Thomas D. Pentz. Photos: HAM Stations, top-C. A. Kowalski, W9KHC: right—Max Otto: left—Eric W. Vogeler, WIJXV. Antennas, top— W. S. Burkhart, W4DLH; others—C. A. Kowalski.

RADIO & TELEVISION—Published monthly on the tenth of the month. Entered as second-class matter Feb. 15.

1938. at the post office at Springfield, Mass., under the act of March 3, 1879. Trademarks and copyrights by permission of H. Gernsback. Text and illustrations are copyright and may not be reproduced without permission. Subscription price \$2.50 a year in the United States and possessions and Canada, \$3.00 in foreign countries. Make all subscription checks payable to Popular Book Corporation.

Published by Popular Book Corporation. Publication Office—29 Worthington St., Springfield, Mass. Editorial and Executive Offices—99 Hudson St., New York, N.Y. HUGO GERNSBACK, President; H. W. SECOR, Vice-President; EMIL GROSSMAN, Director of Advertising. European Agents: Atlas Publishing and Distributing Co., Ltd., 18 Bride Lane, Fleet St., London, England; Brentano's—London and Paris. Australian Agents: McGill's Agency, 179 Elizabeth St., Melbourne.

Copyright 1938 by H. Gernsback

In the Nov. Issue

- A 110 Volt D.C. Transmitter—Herman A. Yellin, W2AJL.
- A Versatile Cathode-Ray Monitor for the HAM Station—A De Luxe In-strument of Low Cost—C. Walter Palmer, E.E.
- A DX Aerial for Short-Wave Fans-Tom Aso.
- A 5 to 50 Meter 6-Tube Super-Harry D. Hooton, W8KPX.
- One Mater Transmitter—Nelson G. Haas and Carl A. Erbacher.
- Reception with the Flat-Top Beam Antenna—John D. Kraus, W8JK.



Here's a glimpse of the cathode-ray de luxe monitor to be described in the next issue by C. Walter Palmer. E.E. A demonstration proved that it is indeed an instrument of many uses.



Certified Circuits

When you see this seal on a set it is a guarantee that it has been tested and certified in our laboratories.

as well as privately in different parts of

the country. Only constructional—experimental sets are certified.

You need not hesitate to spend money on parts because the set and circuit are bona fide.

This is the only magazine that renders such a service.

TRAIN FOR RADIO IN 12 WEEKS

BY MY QUICK, EASY "LEARN BY DOING" METHOD



Prepare today to enter a real money-making field by my quick, easy way to learn Radio. Here in my school you are trained in 12 weeks for your start for a better job and a real future. You do actual work on a great outlay of Radio equipment. The remarkable "Learn-By-Doing" methods used in the great Coyne Shops train you in Radio, Television and sound equipment servicing. Not by books . . . Not by Correspondence . . . But all under the individual guidance of skilled instructors, and only on similar kind of work you will meet out on a real job. My methods make it easy to learn—First you are told how to do a thing — then you are **shown how** to do it—then you do the work yourself. WHERE ELSE CAN YOU FIND SO OUICK AND EASY A WAY TO GET PRACTICAL TRAINING IN THIS GIANT INDUSTRY?

I'LL FINANCE YOUR TRAINING

DON'T LET LACK OF MONEY keep you from sending in the Coupon TODAY. Learn how you can get training first and take more than a year to pay for it after graduation. Make your first payment 60 days after your regular 12 weeks' training period ends. Then take over a year to pay the balance of your tuition in easy monthly payments. Hundreds of ambitious fellows have used this method to get Coyne Training. FILL IN THE COUPON AND MAIL IT TODAY. It will bring you the details of this amazingly quick and easy way to get your start towards a good pay job.

St. C. Lewis



Radio — Television — Sound Equipment

Your training at Coyne is in wonderful, modern daylight shops on the finest kind of RADIO, TELEVISION and SOUND EQUIPMENT. Television is sure to come as a commercial industry, whether this year or next. Talking Picture and Public Address Systems offer opportunities for the trained man. Everything possible has been done to make your stay at Coyne happy and healthful as well as profitable.

Electric Refrigeration Training Included at No Extra Cost

This combination Training (Radio and Refrigeration) can be of great value to you. Whether you go into business for yourself or get a job working for a Radio Sales and Service organization, the fact that you are trained in servicing Electric Refrigerators should be profitable to you. Many Radio Manufacturers also make Electric Refrigerators and men with this combination training are much more valuable to these employers. You can NOW get this training without extra cost.

No Advanced Education or Previous Experience Needed

If you can read and write simple English and are ambitious you can be trained the Coyne way—by actual experience on a wide variety of up-to-date Superheterodyne sets, oscillators, analyzers, and test instruments. You learn how to operate television receiving and transmitting equipment and how to install, test and service public address systems and sound picture equipment. Coyne training also helps prepare you to qualify for a government license examination as Amateur Broadcast or Telegraph Radio Operator and to know Code and Department of Commerce rules. Send coupon for all details.

H. C. LEWIS, President RADIO DIVISION Founded 1899
COYNE ELECTRICAL SCHOOL
500 S. Paulina St., Dept. 78-2K, Chicago, III.

Part Time Work While Learning Employment Service after Graduation

If you need part time work to help pay living expenses while training, my Employment Department will help you get it. They will also give you Lifetime Employment Service after you graduate.

Mail Coupon Today I'll Send You All the Facts


Get the new "Coyne Opportunity Catalog," giving all facts about Coyne Training. Photographs of Shops showing students at work on modern radio equipment under the personal supervision of Coyne Expert Instructors. Also details of my Part Time Employment Offer, Pay After Graduation Plan and Graduate Employment Service. Yours without cost. Simply Mail the Coupon.



| | H. C. LEWIS, President, Radio Division, Coyne Electrical School, 500 S. Paulina St., Dept. 78-2K, Chicago, III. Send me your big FREE Book about Coyne Training and give me all details regarding your "Part Time Employment Offer" and "Pay After Graduation Plan" of easy, monthly payments. |
|---|--|
| , | NAMEAGE |
| 4 | ADDRESS |
| | CITYSTATE |

... THESE OUTSTANDING SHORT WAVE BOOKS ARE Now Available AT YOUR DEALE

YOU buy parts, tubes, kits, accessories from your local radio dealer—that's what countless thousands of short-wave fans do. Now through a nation-wide distribution service our numerous books are available at your favorite radio dealer-right where you buy other radio equipment. It's more convenient, saves time and you can inspect the books before you buy. Ask your dealer to show you all the books advertised on this page—they're always in stock.



HOW TO BUILD AND OPERATE SHORT WAVE RECEIVERS

This is the best and most up-to-date book on the subject. It is edited and prepared by the editors of RADIO & TELEVISION and contains a weaith of material on the build-ing and operation, not only of typical short wave precivers, but short wave converters

as well. 150 Illustrations 72 Pages



TEN MOST POPULAR SHORT WAVE RECEIVERS HOW TO MAKE AND WORK THEM

101 SHORT WAVE HOOK-UPS Compiled by the Editors of

RADIO & TELEVISION

Here is a worthwhile book that every short wave listener, every short wave fan, and every short wave amateur has wanted for a long time. It gives you the 101 best short wave hook-ups which have appeared heretofore.

100 Illustrations

MOW TO MAKE AND WORK THEM
The editors of RADIO & TELESTANDION have selected ten outstanding short wave receivers and
these are described in the new voiume. Each receiver is fully illustrated with a complete layout, pictorial representation, photographs of
the set complete, hook-up and all
worthwhile specifications.

75 Illustrations 40 Pages

25c

50c

HOW TO BUILD OPERATE

HORTWAVE

RECEIVERS

SPORT

CAT


NEW YORK

HOW TO GET BEST SHORT WAVE RECEPTION

M. HARVEY GERNBBACK tells you everything you have ever wanted to know about short wave reception. The author, a professional radio listener and radio fan for many years, gives you his long experience in radio reception and all that goes with it.

10 Illustrations

50c





HOW TO BECOME AN AMATEUR RADIO OPERATOR

By Lieut, Myron F. Eddy, whose experience in the amateur field has made him pre-eminent in the amate this line.

this line.

If you intend to become a licensed code operator, if you wish to take up phone work eventually—this is the book you must get.

150 Illustrations 72 Pages

50c


THE SHORT WAVE BEGINNER'S BOOK

Here is a book that solves your short wave problems—leading you in easy stakes from the simplest fundamentals to the present stage of the art as it is known today. It is the only low-priced reference book on short waves for the beginner.

75 Hustandians.

75 Illustrations

25c



LOOK FOR YOUR NEAREST DEALER

For convenience the publishers list below dealers in all parts of the world where our books are available. On your next shopping trip be certain to examine these volumes. You're sure to want them for your technical library.

ALABAMA

Walther Bros., Montgomery
ARIZONA
Sam's Cigar Store, Phoenix
CALIFORNIA
Electric Supply Co., Oakland
Raddo Supply Company, Los Angeles
Raddo Television Supply Co., Los Angeles
Raddo Faddo Exchange, Inc., Los Angeles

recevision Surply Co.. Los Angeles Pacific Radio Exchange, Inc.. Los Angeles Western Auto Supply Co.. Los Angeles Verner Radio & Elec. Co.. San Diego Offenbach Electric Co.. San Francisco Technicai Book Co.. San Francisco Radio Specialtes Co., San Francisco Radio Specialtes Co., San Jose

COLORADO

Auto Equipment Co., Denver Interstate Radio Supply, Denver

CONNECTICUT
The Edward P. Judd Co., New Haven
DELAWARE Wilmington Elec. Spec. Co., Inc., Wil-

FLORIOA

Radio Accessories Co., Orlando
GEORGIA
Wholesale
Atlanta
Radio Service Co., Inc.,

ILLINOIS

Allied Radio Corporation, Chicago
Walter C. Braun. Inc., Chicago
Chicago Radio Apparatus Co., Chicago
Chicago Radio Apparatus Co., Chicago
Micowa Radio Marc, Chicago
Newark Electric Co., Chicago
Newark Electric Co., Chicago
Max Stein & Co., Chicago
Max Stein & Co., Chicago
Wholesale Radio Service Co., Inc., Chicago
Wholesale Radio Service Co., Inc., Chicago

Van Siekle Radio, Indianapolis

MASSACHUSETTS

DeWolfe & Fiske Co., Boston
The Personal Book Shop, Boston
Wholesale Radio Service Co., Inc., Bostion
Dook House, Springfield
Tremont Elec, Supply Co., Boston
MICHIGAN

MICHIGAN
Rissi Brothers, Detroit
MINNESOTA
St. Paul Book & Stat. Co., St. Paul

MISSOURI Burstein-Applebee Co.. Kansas City Radio Labs.. Kansas City Walter Ashe Radio Co.. St. Louis Van Sickle Radio Co.. St. Louis Radio Apparatus Co., Newark
United Radio Co., Newark
Wholesale Radio Service Co., Inc.,
Newark

Wholesale Radio Service Co., Inc., Newark
Newark
New Rady ODK
Fort Oranke Radio Dist. Co., Albany
Wholesale Radio Service Co., Inc.,
Bronx
Wholesale Radio Service Co., Inc.,
City
Hartison Radio Co., New York City
Hartison Radio Co., New York City
Baker & Taylor Co., New York City
Blan, the Radio Man, New York City
David Bosen & Co., New York City
David Bosen & Co., New York City
Toylor City
Radio Co., New York City
Sun Radio Co., New York City
The Steehert & Co., New York City
The Steehert & Co., New York City
Try-Mo Radio Co., New York City
Wholesale Radio Service Co., Inc., New
York City
H. W. Wilson Co., New York City
Radio Paris & Equipment Co., Rochester
M. Schwartz & Son. Scheneciady

OHIO
Colleke Book Exchange, Toledo
OREGON
J. K. Gill Co., Portland
PENNSYLVANIA
Radio Electric Service Co., Philadelphia
Cameradio Co., Pittsburgh
WASHINGTON
Scattle Radio Supply Co., Seattl
Wedel Co., Inc., Seattle
Spokane Radio Co., Spokane
WISCOMSIN
Radio Parts Co., Milwaukee
ARGENTINA

Radio Revista, Buenos Aires AUSTRALIA McGill's Authorized Agency, Melbourne BELGIUM Emil Arens, Brussels

Emil Arens. Brussels

CANAOA

T. Eaton & Co.. Winnipeg,
Electrical Supplies. Ltd., Winnipeg,
Man.
Wholesale Radio Supply, Winnipeg,
Man.
Canadian Electrical Supply Co.. Ltd.,
Radio Trade Supply Co.. Ltd., Toronto.
Canadian Electrical Supply Co., Ltd.,
Montreal, P. Q.

Agencia Soave. Sao Paulo China News Co.. Shanghai International Booksellers, Ltd., Shanghai

Diamond News Co., Havana Gorringe's Amer. News Agency, London
FRANCE
Toute La Radio. Faris

Rehr G.M.B.H. SW15. Berlin NW No. 7

Radio Peeters, Amsterdam, Z. Empire Book Mart. Bombay

American Book Mart. Bombay

American Book Store, Mexico, D. F.
Central De Publicaciones, S. A., Mexico, D. F.
Jaques Salvo, Mexico, D. F.
NEW ZEALAND
Johns. Ltd., Auckland
James Johnston, Ltd., Dunedin
Te Aro Book Depot. Ltd., Wellington
South African
Technical Book Co., Cape
Technical Book Co., Cape
Internation News Agreem, Johannesburg
Internation African Hadio Publications,
Johannesburg
Suphameeburg
Technical Martin Hadio Publications,
Johannesburg

IF YOUR DEALER DOES NOT CARRY THESE BOOKS, ORDER DIRECT FROM US. FILL OUT COUPON BELOW. SHIPMENT WILL BE MADE IMMEDIATELY.

| 21 | er | ĈE | 2 | f | o | г | | | | | | | | | | £ | O | ٢ | A | v] | ni | c | 11 | 2 | p | le | y | 54 | P | 61 | n | it |
|----|-----|----|----|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----|----|---|----|---|---|----|---|----|---|----|---|----|
| | | | | | | i | | | | | | | * | | · | | | | | | | | | P | | | | | | + | | |
| | | | | | | | | | | | | | | 9 | 4 | | | d | 9 | | | | | | | | | | | | | |
| | | 4 | | 4 | | | | * | | | ٠ | | | * | 4 | | | | | | | | | | | 4 | | | | 4 | | |
| 1 | ia | m | e | | | | 4 | | 4 | 4 | | | | 4 | 4 | | | | | | | | | | | | | | | * | | |
| , | ١d | dı | re | 5 | 5 | | | | | | | | | | | , | | | | , | | , | | | , | 4 | | | | | | |
| < | 211 | У | | | | | | | 4 | | 9 | 4 | | | | | | | 4 | | S | t | nt | e | | | | | , | | | |

99 HUDSON STREET . NEW YORK, N. Y. POPULAR BOOK CORPORATION Publishers

HUGO GERNSBACK, EDITOR

H. WINFIELD SECOR, MANAGING EDITOR

"RADIO & TELEVISION"

HUGO GERNSBACK, Editor

WHEN in June, 1930. I published the first issue of this magazine under the name of Short Wave Craft, the short wave art had just gotten under way and its wonders attracted many thousands of individuals. Particularly was this true of the radio experimenters and constructors who were intensely interested in building one and two tube short wave receivers, with which it was perfectly possible, even in those days, to receive radio programs from foreign countries.

As the art progressed, during the next few years, the incentive to build short wave receivers by private individuals slowed down, for the reason that commercial sets were appearing in ever increasing numbers and it became possible to buy such sets at constantly lower prices.

When a few short years ago the all-wave radio receivers made their appearance, the incentive to build one, two and three tube short wave sets was still further diminished, while today practically all radio sets that you may purchase in the open market are built for broadcast and short wave reception.

History repeated itself in this respect, duplicating the pioneer days of broadcasting. In the early 20's when you could not buy a complete radio set, the experimenter and builder had a paradise of his own. Then about 1925 the commercial radio sets made their appearance, which spelled the doom of over one million home radio set-builders—except for a group of about 100.000 builders who still continued to construct radio sets for the mere enjoyment of it. It was this class who, about 1930, graduated into Short Waves and who were kept busy constructing receivers up to the past few years, when again the commercial sets overtook them and reduced the incentive for building purely short wave sets.

By all this I do not mean that there are no radio setbuilders left in the United States today. Quite to the contrary I believe their name is still legion and I know there are even today between 75,000 and 100,000 individuals left who are interested in radio building and radio experimentation.

Changing times and changing conditions naturally influence these builders. Many go into other lines, become engineers, engage in the manufacture of radio material themselves, become servicemen, etc. But in their place you

will find every year a new crop of radio enthusiasts, who as yet have not had a taste of radio experimentation and to whom the entire field is still new.

During the past few years we have not had a vital reduction in radio enthusiasts, but to the contrary there has often been a healthy increase. This may best be shown by the continuous and steady growth of those radio experimenters called *radio amateurs*, who now have rolled up A GREATER TOTAL THAN HAS EXISTED AT ANY TIME IN THE HISTORY OF AMATEUR RADIO IN THIS COUNTRY.

Changing conditions in radio make necessary other changes within the industry. One of the minor changes—in order to keep abreast of the times—has been the change of the name of this magazine.

For some time we felt that the name Short Wave & Television was not broad enough to cover this fast growing industry. Moreover, the distinction between short waves and other radio waves is no longer as marked as it was eight years ago when this magazine was launched. For this reason it was felt that the change of the title to Radio & Television would be more in keeping with the changing times and would not impede the progress of the magazine.

On the other hand, the new title will broaden the field of the magazine, particularly the field of radio experimentation and amateur radio.

No radical change of editorial policy is contemplated in RADIO & TELEVISION. The magazine will continue to serve the thousands of radio experimenters and radio amateurs and particularly the new-comer in radio experimentation, as well as the man who hopes to break into amateur radio.

Particular attention will be paid, as of old, to the radio beginner, that is the young man who knows nothing of radio today and who will be one of the countless thousands of radio experts of tomorrow.

There is no other magazine today in the United States which serves the radio beginner and Radio & Television will continue in helping to shape the radio destiny of those serious-minded young people, who are just getting under way in radio and who, ten years hence, will be the backbone of the radio industry itself.

FAMOUS RADIO EXPERTS

DR. LEE DE FOREST, Ph.D., Sc.D.



Dr. de Forest-world-famous for his invention of the audion, which included a grid in the vacuum tube. This made possible our present marvelous Y.T. amplifiers, modulators and transmitters. He was also a pioneer in radio telephony.

 AT this time it is fitting to recall briefly the part played by the "Ham" and amateur in Radio's development. The early amateurs, between 1906 and

The early amateurs, between 1906 and 12, were usually considered by all professional operators, commercial and naval, simply as unmitigated pests, to be legislatively suppressed. How often was a ship operator told by some small boy (location unknown) whom he had just asked to "Shut up"—"G.T.H. this is a free country. Ain't the air free?" Then came the Radio Act of 1912, the irksome license requirements, and all Hams thrust tyrannically into the cellar (or attic) below 200 meters, considered then as a hleak and unprofitable ethereal

Siheria.

The World War first demonstrated the priceless value to the nation of the radio amateur, as has every crisis of flood, storm, or earthquake since. While the "commercials" were struggling for dependable trans-oceanic communication with cumbersome alternators, are generators, and even spark transmitters, using thousands of watts of power on the "very valuable" wavelengths from 600 to 20,000 meters, (Continued on page 358)

DR. FRANK CONRAD

Assistant Chief Engineer, Westinghouse Electrie & Manufacturing Co.



Dr. Conrad—the "father of short waves" in America. He carried out extensive tests in the early days of short waves which laid the ground-work for our present structure.

• LIKE many others, my first experiences in radio came when I was an amateur. The first call letters assigned are in 1925 signed me in 1915 were 8XK. I worked under this call for many years.

My first radio set was hand-built so

that I might obtain, for my own personal information. Arlington Time Signals. After this first set was constructed and ready to operate, instead of getting Washington, I actually received the signals from another amateur. John Coleman, who lived a few squares distant from me in Pittsburgh.

Later as my experience in radio grew and equipment became more extensive, I corresponded with many amateurs in various parts of the country. Some of the pioneering testing was reported by these correspondents. They aided the art in those early days hy keeping in touch with those who were engaged in trying out

new ideas, many of them revolutionary at the time.

I remember, too, that after broadcasting began and the commercial stations became powerful, that the amateurs whose spark sets often blasted early programs were quick to respond to requests that they shift their hours of operation to wavelengths bands that did not interfere.

Many executives, prominent in radio today, began their careers as amateurs whose experience became their springboard to commercial jobs with broadcasting concerns and radio manufacturers.

I feel even today a strong bond of fellowship with all radio amateurs who now, just as in the old days, carry on their own individual experimenting and their communications, not only in this country but with other amateurs in all parts of the world.

One of the most important developments of radio has been in the so-called short-wave field. Prior to 1921 it was believed that these high frequencies could carry only a few miles as the skip-distance effect had not, at that time been thoroughly investigated. The common wavelength for radio communication was somewhere around 300 meters, except for government stations such as Arlington.

Now these short waves, in which the modern amateur operates, carry to every part of the globe and in this band are the inture

possibilities for an expansion of radio's service.

There will always be a definite place in radio for the amateur. As an individual and as a group my experience with him has been worthwhile. My heartiest wishes are that long may he continue to be a part of the radio world.

DR. E. F. W. ALEXANDERSON Consulting Engineer, General Electric Company

Dr. Alexanderson—famous radio research engineer and one of America's radio pioneers. Designed early high frequency generators and basic antennas. Demonstrated 'large screen' television ten years ago.

• THE amateur has always been a pioneer exploring the latest developments in radio. When we did our first experimental broadcasting from Schenectady in 1916, we received many letters from amounts received many letters from amateurs reporting on



the quality of the reception. Radio telephony was then new and these reports served us both as a guide in our technical endeavor and as encouragement in our efforts along new lines. Later, when broadcasting was well established, the amateurs were among the first to explore the use of short waves over long distances; thus again when we broadcast television regularly from Schenectady in 1928 we had to depend largely upon the amateur for forming an opinion on the value and practicability of long distance television. Among the amateurs who sent us regular reports were one in Los Angeles and another in Germany. The fact that clear images could be received occasionally was interesting and encouraging, but we concluded that the results were too unreliable for regular broadcasting and these tests were discontinued.

It is my sincere hope that the amateurs will continue their pioneer work. The wavelengths below one meter is a large and unexplored field and even if it is found that reliable communication is limited to the visual horizon, there are interesting possibilities for amateurs to form chains to relay such waves over long distances. The amateurs may also do valuable work in popularizing new developments in radio transmitters and receivers, such as the Armstrong system of frequency modulation,

RALPH R. BEAL

Research Director, Radio Corporation of America

Ralph Beal holds the important post of Research Director of RCA and he has had an extensive career in American radio, As a practical engineer, his word to the American radio amateur is very welcome.

 THE American radio amateur occupies a position that is fast becoming unique in the field of world radio. Here, we look upon the radio amateur as an American institution, and it is apparent that in a comparatively short



time he will be limited almost completely to the Americas. An indication of this is to be found in estimates which show that out of a world total of 70,000 licenses, the United States has

approximately 48,000.

The American amateur's status is based upon two fundamentals. He has at his disposal the knowledge and the material with which he performs a service of value to himself, to the public, and to the radio industry; and he has the personal freedom to perform this service, privately or publicly. He lives under a democratic form of government that recognizes the right to individual freedom, while in other sections of the world the amateur is permitted to exist only under restricting regulations. if at all.

Both the public and the radio industry owe debts of gratitude to the American amateur. He stands (Continued on page 358)

O. B. HANSON

Vice-president and Chief Engineer, National Broadcasting Company



Mr. Hanson—chief engineer of the NBC, is responsible for the many new and valuable engineering achievements put into practice over the vast network operated by his company.

 MOST of us who now control the technical operations of radio broad-casting began our careers as "hams." Some of us still tinker in the amateur bands, trying our hands at new circuits and testing the (Continued on page 358)

SALUTE THE AMATEUR

JOHN V. L. HOGAN Consulting Engineer



Allied News-Photo.

Mr. Hogan is well known to American amateurs for his work in radio, particularly in television and facsimile. Also his "high fidelity" transmitting station now in operation near New York City, marks a new departure in broadcasting.

• IT seems to me that the present status of the radio amateur is vastly improved, in comparison to his standing in "the old days," and that there is little or no uncertainty as to his future. Because the radio amateur

is one who loves radio, and who works in a communication field closely parallel to that of commercial radio, he generally is able to contribute usefully to the service of radio. His contribution may be in his experienced and skilful work, it may be by way of invention, or it may simply be the use of his own equipment to provide a valuable communication link in some emergency. In any event, amateur radio operations always have been (and always should be) encouraged, for they are good for the science, the art and the business of radio. Better yet, they are good for the amateur himself.

Looking back to my own amateur days, from 1904 to 1909, I feel that what I then learned by practical experience in the use of radio apparatus has been of inestimable value in my later professional work. There is perhaps no better way to learn what radio is about and how it works than to study the literature of the art and to apply its teachings in one's over amateurs extricts. the art and to apply its teachings in one's own amateur station. Today the amateur has the benefit of finer apparatus, better books and periodicals, and greater communication opportunities than existed in the early 1900's. In those days one could not find hundreds of fellow hams to talk with over the air, and we had no radiotelephony and no vacuum tubes. There were so few stations that no licensing system was needed to limit interference. and, while we had almost infinite opportunity to copy messages from nearby or distant ship and shore stations, we usually could

find only a few friends to whom we might transmit.

Amateur conditions have changed for the better since those times, but the old excitement of improving one's apparatus and the old romance of receiving over great distances remain the same. And so does the opportunity for the progressive amateur to move forward into a successful professional career.

C. W. HORN
Director of Research & Development, National Broadcasting Company

Mr. Horn, like Dr. Conrad, has been responsible for a great deal of our short-wave engineering triumphs. Thousands of tests were made with transmitters, receivers and antennas by Mr. Horn when short waves were believed to be practically useless.

 THE average person thinks of the radio amateur as something of a "bug" who loves to operate his station to communicate with his friends both far and near. In doing so he sometimes causes some interference to broadcast




reception, which results in occasional letters to broadcasting stations or the United States Radio Supervisor. I feel that the true worth of the amateur is not usually understood, sometimes even by the amateur himself,

In the old days when the amateurs were using spark sets, they caused a great deal of interference to broadcast reception, but when the problem became serious the amateurs cooperatively undertook to cure the evil, and succeeded almost 100 per cent. As a pioneer in the broadcasting game, I received many complaints, and there was even action taken to restrict the amateur. Instead of forwarding these complaints to the governmental authorities, I usually referred them directly back to the amateur, and frequently to the Amateur Radio Relay League, because I knew that many of the complaints were unjustified, and also that the amateurs themselves would correct their apparatus and eliminate the difficulty. I am happy to state that not one of the thousands of complaints that I received was ever forwarded to a government inspector.

Perhaps my attitude was due to my having been one of the old pioneer amateurs. (Continued on page 358)

JAMES MILLEN

"Jim" Millen, as he is known affectionately to thousands of "hams," is well known for his development of high-class "ham" transmitting and receiving equipment. He has also written many valuable articles and books on short waves, and his personality and engineering ability have been a powerful factor in amateur radio development.





rigs, type of antennas, and the weather. Amateur radio affords too great an opportunity for the exchange of opinions, information, and ideas on worth-while subjects of mutual interest. If one's hobby is amateur radio, and he wants to confine his transmissions to a discussion of amateur equipment, certainly there is ample material for worth-while discussion other than the endless repetition of a highly condensed station description.

On the other hand, amateur radio affords such an unusual opportunity to discuss other hobbies and subjects such as photography, stamp collecting, model airplane construction, gardening, etc., that it is a shame that more of us do not use this modern communication system as an entering medium to other new, interesting, and educational fields.

R. A. HEISING Bell Telephone Laboratories

The name of Heising is known to every radio amateur. The famous Bell Telephone Laboratories are to be congratulated on having associated with them a man of such far-sighted engineering introspection as Mr. Heising, His researches have greatly benefited American radio development.

 IT has been said that the radio amateur has made many of the important technical advances in radio. That certainly is true. It is very often the man who can bring a new point of view into a problem who can find a successful answer.



But who is an amateur? It might surprise one to think of the Bell System being a radio amateur at one time, but that is the case. In 1914 the American Telephone and Telegraph Company put into commercial use as wire telephone amplifiers the high vacuum tubes that had been developed in its laboratory. Telephone executives began to think they might experiment in radio to see what there was to it. They hired a number of young men right out of college, including the writer, and began active work. None of the new men, nor the directing engineers, were radio men, nor did they have any practical knowledge of radio. They were all rank amateurs in that respect.

all rank amateurs in that respect.

They worked in the laboratory first, They built a transmitter at Montauk and a receiver at Wilmington and made their first radio telephone tests. They built a transmitter at Arlington and sent out receivers to remote places and made longer radio telephone tests. Then they made other sets at the request of the Navy Department for experimental use. All this time there was no plan for commercial exploitation. It was all to see what could be done. be done.

But, like all amateurs, their experience was valuable to the government when we got into the war. The radio telephone experience of the Bell System was called upon immediately to provide something of military value and use. As a result, radio telephones were made for submarine chasers to give instant communication in convoy service, and radio telephones were made for airplane spotting service and formation flying. These were the first practical radio telephones in history. They contained new circuits that were so much more efficient than those in previous radio telephones and so much simpler in construction and operation, that they were instantly adopted and continued to be used for many years. Because the engineers who developed them had a substantial background of telephone principles and practices, the purely radio part was backed up by the important wire part of properly designed telephone accessories for satisfactory reproduction of speech. It was the happy combination of the fresh viewpoint of the amateur backed up by the seasoned judgment of the expert that made the radio telephone possible, and which brought the broadcasting art to its present high quality.

(Article by Condr. R. II. G. Matthews appears on page 358)


for October, 1938

More "Salutes" Next Month

The PHONE HAM and What He

Llewellyn Bates Keim,

Many people ask —"What does a phone ham do?" Mr. Keim is an outstanding American radio amateur who carries on phone contacts with stations both in this country and abroad; he here tells many unusual things about the "phone



W2BTP. A neat and effective 20 meter station, particularly interesting because of the rotating antenna installation. The large map pointer turns with the antenna, indicating the direction in which the signal is traveling.

and hundreds of others like them, have by their interest and devotion to their hobby, made possible this whole thing known as broadcasting, and it will ever be a lasting tribute to the amateur, that hardly a broadcast station exists in this or any other country which does not number at least one amateur on its staff. The so-called short waves were once considered useless for commercial use, so the amateur was told to play there, and, to the consternation of his more learned elders, he turned this part of the ether spectrum into the most valuable of all the com-


• HAVE you ever stopped to wonder, while tuning on the short wave bands of your broadcast receiver, just what sort of "Genus Homo" is this thing known as a radio amateur, and just why is he there? Though the amateur fraternity is divided into two groups, those who communicate by the Continental Morse code and its language of dots and dashes, and those who use telephony, this latter group—although smaller in number—is the more important. Important, I repeat, for it is through them that the public has largely learned of this vast army of experimenters with Hertzian waves.

Popular misconception has associated the radio amateur with a performer on a broadcast hour involving non-professional talent as its entertainment vehicle. But the genuine "ham" dates back many years before the war, when the amateurs gave the Brooklyn Navy Yard keen competition, before the days of licensing authorities or the Federal Communications Commission. The art of wireless communication has made great strides in the last thirty years, and ever in the vanguard of this march of progress has been the amateur, with his omnipresent tubes, coils, and condensers.

Early Phone Hams Gave Us Broadcasting

Lest you may wonder why there is a spot on the dials of your receiver, devoted to this activity, instead of providing an operatic or educational program, for your entertainment, let me trace a little of the history of the *phone ham* as a class. All of our present-day broadcasting is due directly to the activities of some of the earliest *hams*, and among them the names of de Forest, Cannon and Conrad are ranked as the *pioneers*. These,

Below—Radio Amateur Station, W8KXN, Plattsburgh, New York. Located deep in the Adirondack Mountains, Mr. Lambert is well known on 75 meters, throughout the Eastern part of the U.S. and in England.




RADIO & TELEVISION

Does

W2IKV

Boy, what an amateur phone station! The call letters are W5HDK and the equipment includes professional type receivers and a transmitter designed and built by W5JC.

In the photo below of the transmitter, note the neon call letters above the modulator rack. The r.f. rack contains two transmitters of one kilowatt each, for operation on 10 and 160 meters.




munication frequencies. As a pioneer, the radio amateur has no master.

As we mentioned above, there are telegraph devotees, and those to whom the radio telephone is the more interesting. It is with this latter group that we are more concerned for the moment.

Phone Ham May Be 16 or 60

Let us never lose sight of the fact that all phone hams are also telegraphers, and the amateur who follows along this track



is an equally important part of the fraternity, providing a great number of skilled operators ever ready to serve their country in time of emergency. But the general public knows little of them and their activities, since the average household receiver is not equipped to render code signals intelligible, and even fewer average householders can read the dots and dashes. This does not hold true of the daily conversations of the phone ham, and it is this fellow in whom we are interested.

Statistics show that he may be sixteen or sixty, a wealthy corporation executive or a young lad striving hard to save enough to acquire that new piece of apparatus so badly needed in his rig, yet all of them meet on one common ground—they are brother hams. The friendships they make over the air are far, wide and lifelong, and all that each knows of his friend is the way he handles his key, or the sound of his voice, and the personality behind the microphone.

Ranging from the amateur who has purchased his equipment completely assembled, to the lad who builds his all, there is every possible stage in between. To each one the hobby holds forth a different interest. Some wish constantly to try out a new circuit by arranging their available gear into a new combination, claimed by a brother ham to give more power and a louder signal at the far end; others wish only to develop their operating ability and prowess at contacting the more elusive of dx stations. Still others are chiefly interested in the way the several bands available for amateur communications behave throughout the year, experimenting with various antennas until they can foretell what type of conditions to expect. This study of the propagation of electric waves is perhaps the most interesting of problems an amateur

can set for himself, the field is the largest and least crowded, and in the end, the results may be the most interesting. No matter what else he may be doing, however, the true phone ham is constantly delving into some problem, and the desire for knowledge is enormous.

5 Bands Open to Phone Hams

What goes on inside of a ham station during a typical day's operating would be hard to relate, as there are so many activities that a short article could hardly do them all justice. There are five hands open to radiotelephone operation, provided the amateur holds the Class A license, and each of these has its devotees, but this does not say that an amateur may not operate on all bands. Many do, and advisedly so, thereby covering the widest scope of activity and making the most of their hobby. The wise amateur selects his operating frequency to cover the distance he wishes to work, and, transmitting conditions being favorable, he contacts his station with the least interference to his brother hams. Local contacts, those within a radius of about twenty-five miles, now take place mostly on five meters, a beehive of phone activity in the metropolitan centers, and at times this band, too, offers signals from surprisingly great

One never knows what thrills lie in store in this great indoor pastime. Because of the simpler nature of equipment needed to set up a station on five meters, many newcomers make their bow to the air waves here, and even the more seasoned amateur finds pleasure in outfitting his auto or even his boat, if he is fortunate enough to own one, with a complete station, so that he may try his skill in mobile operation. This

(Continued on page 364)



Experimenter-Amateur 5QW (until 1915). Author, Inventor, Engineer, Chief Radio Operator "WNU"—signed "Z." First Editor "Radio News"—Member Institute Radio Engineers, Sales Executive and presently Manager, Advertising and Sales Promotion—Engineering Products, RCA Manufacturing Co., Camden, N. J.

• AFTER I tell you that I have been searching twenty-nine years for the radio bug that bit me during the latter part of 1909, you'll be disappointed when you fail to find me hiding behind a set of long gray whiskers. While I have not as yet seen this strange yet fascinating creature, he must look something like an octopus with about forty times the number of tentacles because once he grabs you there is no "letting go."

It was during the autumn of 1909 when I first felt its pleasant bite. I had just listened to telegraph signals coming from apparently nowhere—right out of the air—without the aid of connecting wires between the point of transmission and reception. Unbelievable—but there the signals were, loud and clear. My hair stood on end—it was like receiving a great shock—it registered a long-lasting impression that is just as realistic today as it was then—29 years ago.

Back in the CRASHING

E. T. Jones

The "First"

The only book on the subject available to me at the time was Hugo Gernsback's MODERN ELECTRICS. I read each issue at




What's the duster for? Don't esk! Anyhow, it's an honest-to-goodness "ham" station—vintage of 1910—and it appeared in the "Wireless Telegraph" contest department in the December 1910 issue of "Modern Electrics" magazine. (Published and edited by Hugo Gernsback; first issue May, 1908!)

least one dozen times, while waiting patiently for the next issue to arrive. I read interesting accounts of extremely successful Amateurs who were able to copy ships and radio stations from tremendous distances up to and including 75 miles! Of course they employed super receiving stations—especially the antennae—4 to 8 wires, 200 to 300 feet in length, supported by two 80 foot masts. Then I would gaze on their pictures—garbed in white coats (for scientific atmosphere, I guess)—comfortably perched in front of their equipment with their noses pointed skyward, as though they had Steinmetz, Edison and Marconi in the palms of their hands. For one most distinguished pose I refer you to page 527, December issue 1910 of MODERN ELECTRICS.

When the modern hams of today learn from the following, how I constructed my first radio receiving set, they'll probably page Mr. Ripley, but it's the truth! Fortunately in those days even the electric street cars employed dry cells to ring the bell announcing your desire to "take leave" of the contraption (and it was a relief, I assure you). I resided but three squares from a central car-barn where these crates were overhauled. That barn became the most important building in the U.S.A. insofar as I was concerned. It supplied me with numerous partially dead dry cells. In those days flat carbons were used for the positive electrodes in dry cells. By removing the carbon strips, cutting and drilling them as required, an excellent carbon detector was constructed with the aid of a sewing needle, a porcelain knob, and a few pieces of hardware. (See figure No. 1.) Another of the partially dead dry cells furnished the small amount of current required for the proper operation of the detector, in series with the highly sensitive (???) 75 ohm watch-case telephone receiver. Diagram of connection is shown in figure No. 2.

The rig appeared to work perfectly. Stations were coming in from all over the world, so it seemed. This belief continued until I finally reached the point where I could copy 25 words per minute, at which time I discovered, to my great embarrassment, that most of these supposed signals were nothing more than mechanical vibrations being picked up by the ultra sensitive (or should I say ultra microphonic?) carbon detector. At least it proved one thingit worked! Believe it or not, I was picking up signals from a 25 kw. station located about 2 miles from my home! Station HB-United Fruit Company, New Orleans, La. I made another great discovery which was as embarrassing as the microphonic re-

E. T. Jones' first real attempt at building a "ham radio station."




Days of SPARK-GAPS

Says E. T. J.—"When the radio 'ham bug' bites you, you stay bit!"

ceptions. I found that I could read the signals from that station without the aid of a radio receiver—when the wind was blowing in the right direction—by merely sticking my head out of the window. (And I didn't get Chile—Bah!) Station HB was using a 25 kw. Fessenden 500 cycle rotary gap, without mufflers, which—at the station proper—sounded like an earthquake every time a spark jumped the gap. Some fun, eh keed? Ask good old "Dot" how loud it was!

of both ends of the primary tubing, and would have tried another if we could have gotten it out of the side.

It is this kind of so-called shenannigans which was and still is happening daily and deep into the night in thousands of homes in America that stamps Amateurs as the real pioneers of the radio industry. Without their spirit of stick-to-itiveness and their dogged determination to succeed under the most trying and heart-rending conditions, I doubt very much if the radio art would



The extremely simple carbon-steel needle microphone detector used back in those palmy days by E. T. Jones.

We Strike "Pay Dirt"!

We amateurs had been hearing strange rumors about a mysterious crystal which would supplant the carbon (microphonic) detector. This precious crystal was known as Silicon. From what little information we gathered, it appeared as though it would cost a king's ransom to take even as much as a peek at it under lock and key. It was soon learned that a local iron foundry used great quantities of this material in the treatment of metals. I won't take up valuable space telling you about the tremendous problem this company had on their hands from that time on. Sooooo-to make a long story short-they gave us enough of the crystals to last us a life-time in order to get rid of us. This marked the beginning of all future nervous breakdown cases-the cat-whisker era I call it. This ancient art was revived in 1922-remember?

With the aid and encouragement of Hugo Gernsback, the Father of Amateur Radio, we tried everything under the sun, from sticking needles in a spud (potato to you. Oswald) to the use of carbide enclosed in glass tubes. We made permanently adjusted crystal detectors, sealed in beeswax, that when dropped on the floor would retain their precious adjustments! We made loose couplers with secondaries coming out

1W. E. Beakes-who signed "E"-now Vice President and General Manager, Tropical Radio Tel. Co., Boston,


have progressed to the lofty heights it has reached today.

Wavelength-An Unknown Quantity

Then began the era of all-wave transmitters-from 10 to 40,000 meters-all at the same time!! Nice coverage-if you can get it today. Better see F.C.C. first though. Our transmitters were about as wide open as Tony Galento is when he approaches his opponent. Wavelength?—let me see—what on earth could that have been at that time? No one paid any attention to it-the amateur who had the longest and largest antenna and the largest tuning helix was the nertz. The race was on, loose couplers that could have tuned to 100,000 meters were built and the champion of them all was Johnny Dobbinsnow at WNU, New Orleans-who used a hat shipping container for the primary of his loose coupler! It measured about two feet in diameter and four feet in lengthwound full of No. 22 DCC wire with a double slider-E. I. Co.'s famous ball bearing sliders.

Then came the race for POWER (did I hear anyone paging a broadcast station in the lobby of the F.C.C. office?). My contribution consisted of a One Kilowatt OPEN CORE transformer floating in a bath of oil to prevent FIRE! The boiling oil came in handy during the winter months—it kept the shack warm. With (Continued on page 370)





One of the radio amateurs who helped to trap wild bird calls is seen standing beside the parabolic microphone. Speech amplifier and standard "mike" used by the expedition are seen at the right.

 ONE of the unique projects attempted at Kent's Island (by the Bowdoin Scientific Expedition) was the recording of bird songs by means of radio. The recordings were made possible by the cooperation of Mr. Albert R. Brand of the Laboratory of Ornithology, Cornell University, Ithaca, New York.


Since it was impracticable to transport the heavy Ford sound truck to Kent's Island, it was driven to Eastport, thence carried by steamship to Grand Manan, the nearest accessible point to Kent's Island. From Kent's Island the bird songs were transmitted by the Station's short wave amateur radio and picked up by the sound truck stationed at Seal Cove, Grand Manan, eight miles distant

To the pet raven "Croaky" went the distinction of being the

Radio Amateurs Help to Record Bird Calls

first bird to transmit his harsh sonorous voice over the air to be permanently recorded. Calls from the gull colony nearly a mile away were also picked up with the aid of a parabolic reflector in the focus of which a microphone was placed.

The recordings of the petrel presented a more difficult problem. It was necessary to set up a sensitive microphone very near the burrows of the nesting colony. The petrel utters its song at very uncertain and irregular intervals. The best performances are given only at night between ten in the evening and three o'clock in the morning. Furthermore, the birds are most active when the (Continued on page 380)



Metal Horn Focuses Ultra Short Waves


• A SIMPLE and efficient means of producing a beam of ultra-high frequency radio waves in which a flared metal horn is used as an antenna to project the waves into space in much the same manner as acoustical horns can concentrate sound waves into a beam. has been developed in the communication laboratories of the Massachusetts Institute of Technology by Dr. Wilmer L. Barrow. This new development in directive "antennas" was described by Dr. Barrow in a paper presented at the joint meeting of the Institute of Radio Engineers and the International Scientific

Radio Union and aroused great interest.

The electromagnetic horn or trumpet should find early application to micro-ray communication, in which the intelligence is sent over a narrow pencil-like radio beam at wavelengths only about a tenth of a meter long. Other applications may be to airplane and ship navigation, and similar problems to which these very short waves are adapted. This range of wavelengths, roughly below one meter in length, is rapidly being explored and being put to practical use. For example, several microwave communication channels have been


in use in Europe for three or four years. The one across the English Channel is perhaps the best known. These micro-waves and the horn antenna appear to be almost ideally suited for application to the "blind" landing of airplanes under conditions of fog, snow or rain, although a further increase in the reliability and ruggedness of the sending and receiving apparatus is needed before the shorter micro-waves can be safely employed here.

The possibilities of radiating waves from electromagnetic horns was first described (Continued on page 380)



Left.—Metal horn recently devised and successfully used by Prof. Wilmer L. Barrow in focusing ultra short waves; waves in the region of 300 to 4300 megacycles (wavelengths of from 1 meter to 7 centimeters).

Right—Detail of wave focusing horn developed by Prof. Barrow at the Massachusetts Institute of Technology. The receiver may be fitted with a corresponding focusing horn.



Dem was the HAPPY DAYS

Austin C. Lescarboura

Mr. Lescarboura, one of the real early "hams" in this country, gives us some very interesting side-lights on the experiences he encountered while operating one of the first "spark-coil" and "crystal-detector" stations.

• IF that Marconi operator hadn't made such an impression on my young mind as he sat before a huge spark coil emitting its dazzling sparks, this story wouldn't have been written. However, upon the occasion of the first electrical exposition in New York City back in 1907, which featured a Marconi wireless demonstration from one end of the old Madison Square Garden to the other, Yours Truly decided then and there upon an amateur wireless career.

There wasn't much choice of equipment in those early days, thirty years ago. The commercial stations, particularly ship installations, were using spark coils mainly, although power transformers were beginning to be used at the leading shore stations. The coherer-decoherer had already given way to the carbon-granule coherer and earphones, as well as the Marconi

The November issue of

RADIO & TELEVISION

will be an

"Advanced Radio Amateur Number."

It will contain valuable articles for
the beginner as well as the advanced
HAM.

magnetic detector, but the latter, with its elaborate spring motor, grooved wheels and moving belt of iron wire, was too ambitious for the amateur to tackle. So the choice was usually the carbon-granule auto-coherer, soon to be replaced by the electrolytic detector, the needle resting on knife-edge carbons, and the various forms of crystal detectors.

Late in 1907 I began receiving signals on a carbon-granule detector, connected with a couple of dry cells and an ordinary 75-ohm watch-case telephone receiver. For an aerial, I used the fire-escape of our apartment house. On several occasions I was rewarded by very weak dots and dashes. The whole family had to listen in on this wonder of the ages. My reputation was duly established as another Marconi in the making.

Worked with Hugo Gernsback

Years passed, 1910. My meagre spending money went into a 2-inch spark coil, purchased at the inside factory price because I happened to be working for dear old Mesco at the time. Meanwhile, I had been serving as assistant engineer of the Telefunken Wireless Telegraph Company of America, learning much about the more practical side of wireless. Also, I had worked with Hugo Gernsback in the pioneer days of the old E. I. Co. But, not getting enough wireless during working hours, I spent most of my evenings rigging up a lofty aerial on the apartment-house roof, and wiring and rewiring the spark coil, key, condensers made of ordinary window glass and tinfoil, changeover switch, two-slide tuning coil, silicon detector, and earphones.

The power problem was really the main hitch. The two-inch coil drew at least 6 amperes. My early efforts with dry battery proved very costly, for a set of cells wouldn't last more than a week. And so I turned to a storage battery, bought, painfully, cell by cell. Being blessed with D.C. supply, and having an old-fashioned linkfuse panel board available in the kitchen, I proceeded to connect my storage battery in series with our electric lights, so that the more lights used by the family the greater the charging rate. In this way I obtained a good source of power at no extra cost.

Later came a Wehnelt electrolytic interrupter, so that the two-inch coil could be operated directly off the 110 volts D.C. This interrupter consisted of a piece of heavy glass tubing with bottom end fused about a length of platinum wire. The inside of the tube was filled with mercury to make contact between the platinum wire and the lead wire. Rapid interruption of the current produced a steady spark or really an arc from the coil secondary, resulting in a great step-up in transmitting power. Also a higher pitched signal which was so much more "professional" than the ragged buzz I had been using.

But whom to talk to? That was the question. There were other amateurs on the air, some of the fellows whose names (Continued on page 365)



How HAM RADIO Saved Shawneetown!

Robert T. Anderson's Own Story

Mr. Anderson was awarded the second Paley trophy for an outstanding radio amateur performance. The exciting events which led to this award are described in this exclusive article.

JANUARY 20, 1937, one of the early days of the flood, nearly caught me without a transmitter. I had just built a rack and panel job consisting of a L6 tritet. 10 buffer driving P P 10's operating on 3920

Finally arriving at the scene of operations, Mr. Anderson proceeded to "set up" his transmitting and receiving equipment, the only illumination being furnished by a flashlight.

kc., but the final had a bad case of parasitic oscillation, and I had never tried the outfit. However, I had remarked that it should be easy to use the exciter as a portable, and considered building up power supplies to enable me to do so, but put it off until the main rig was working satisfactorily.

My emergency work actually started at noon Thursday, Jan. 21, 1937, when K. E. Schonert, W9HQD, and I discussed the situation, decided it looked serious and placed our stations at the service of the Red Cross and other relief agencies.

At 3 p. m. when the heavy rain began changing to sleet and freezing on suspended wires, we realized that conditions were becoming very serious and that communications would be disrupted by morning, so I took the rest of the day off and went home to start work on the "rig." By midnight the rig was on the air. By this time there was considerable ice on the ground as well as suspended objects, and the precipitation

was still heavy, principally in the form of sleet, with some rain and snow.

An Urgent Message

When I arrived at the shop the next morning I found an urgent telephone call waiting for me from the authorities wanting to know how soon I could leave for Shawneetown, 23 miles away, with enough "gear" to establish and maintain communication. Since I had no emergency equipment ready, and had to obtain supplies, arrangements were made to leave at noon.

At 12:30 p. m. we loaded my equipment consisting of the exciter unit, a Crosley Model 636 allwave, 6V battery receiver; a set of spare tubes for transmitter and receiver; an adequate tool kit; a flashlight, 6 Eveready 486 B-batteries, a box of incidental parts and a tent.

By this time the road between Harrisburg and Shawneetown was flooded and impassable in four places. We were able to detour around the first flooded area, and crossed the second in a small boat over water so rough that the men had refused to take a reporter over an hour before at any price! Since I had a radio set they took me across for nothing.

A Hazardous Trip

A three mile ride in a farm wagon took me to the third gap at a coal mine within

KEED TO PRICHAYES

Many times Mr. Anderson and his short wave radio equipment were nearly thrown overboard by the rough water encountered during the flood period in Illinois.

nine miles of Shawneetown. I found the telephone at the mine still working to Shawneetown, contacted the authorities there and prepared to set up and handle messages. However, the authorities insisted that I continue across the next gap by boat and promised to meet me in a boat and take me across the last gap. They told me of their plight: that provisions of all kinds were low and they were entirely out of bread. At this time I joined forces with a bread salesman who was trying to deliver several hundred loaves of bread and some meat to Shawneetown. About dark we secured a small boat and pushed off.

We were so badly overloaded that we would have been swamped immediately if the man nearest the bank had not jumped overboard. The water was not deep but the temperature was about 20° Fahr. and the blizzard was at its height. We later found another boat, split our load and reached the railroad crossing and the last gap of water. Here we found ourselves unable to go farther or return. Our motorboat failed to arrive, the current in the last gap was terrific, and it would have been suicidal to have attempted crossing in our small boats without oars. Since we had no adequate oars it was impossible to return to the mine against the northwest gale. So we "set up" by light from the

(Continued on page 373)

Exclusive photo showing Mr. Anderson and the emergency short wave transmitter and receiver which he used in calling help to rescue the inhabitants of Shawneetown.



The "YL" in Amateur Radio



Photo by Boris

Beatrice Holman, WIKTG. licensed radio amateur of Belmont, Mass. The number of young lady "Ham" operators is increasing each year.

A dandy Ham station we'll say! It is operated by the author of the accompanying article. If you're a Ham, you've probably head this station "on

Photo by Chandler

• THE YL in amateur radio leads a way, any technical advice which she recharmed existence. She is a mystery to her other YL friends, a problem to her family and the delight (she hopes) of her brother amateurs. She would rather wear ear-phones than a Paris hat; she would rather stay up till three OSO-ing her boy friend in Sydney or Brisbane than dance at the Ritz; she subscribes to radio magazines and would rather read Terman on antennas than the latest novel about the younger set. She may live in a pent-house in a big city, with the latest type commercial equipment under her control, or she may have her shack in a lonely outpost with battery or windmill power and a make-shift rig; in any event, the world is at her feet! So is the postal service, for her daily mail in time is likely to become a major item in the carrier's routine.

Hams Are Gallant

She likes the friendly spirit of amateur radio, finding it one of the best influences in the world today. It breaks down borders and barriers; it spans the high seas and the long trek to make communication possible between people who would otherwise never know each other; it creates pleasant and lasting friendships; it knows no distinctions of nationality, politics or class.

Because women radio operators are still in the minority, the YL in amateur radio has an unusually interesting time. If she needs assistance in putting up masts or rhombics, she gets it promptly through the gallantry of her brother hams; in the same

quests is promptly and freely offered. (In the case of my own station, I speak from experience, because one amateur has not only given his time, help and advice but actually built my transmitters as well.)

Sweet Voice-Quick Response

Probably there are more YL amateurs who operate phone than cw. transmitters. Their voices become as well known on the

The November issue of

RADIO & TELEVISION

will be an

"Advanced Radio Amateur Number." It will contain valuable articles, both general and constructional, for the beginner as well as the advanced HAM.

air as the broadcasting stars. In fact, amateur radio activities are good preparation for broadcasting. For DX phone work, one must think quickly and speak clearly in order that the foreign contact may be complete. Familiarity with the operation of an amateur phone station helps develop confidence and poise; the operator knows that a pleasing voice brings a quick response, and that is where the YL has an advantage. In this respect, I think particu-

larly of Eileen, the XYL at G6DH, whose cheery greeting on ten meter phone is known to hams the world over! Then in this country on ten and twenty meters there are many outstanding YL personalities, including Eunice at W5ZA and Jean at W4DGO.

Although I enjoy phone contacts very much indeed, I prefer to operate cw. In many countries today phone operation is forbidden; there amateurs are allowed to use only code transmitters. The YL who can handle a key or bug, then, has an almost unlimited possibility of contacts in every continent, all over the globe, from the Arctic circle through all the zones. In some cases, owing to atmospheric difficulties or interference, the QSO's may be short-a mere exchange of greetings and reports on signal strength; more often, however, they are an interesting exchange of facts and the beginning of many schedules.

Your Geography Begins to "Live"!

Places on the map that were just memories of school geography become very real when one establishes contact with them by air. And the wonder and speed of radio are all the more impressive when the resulting QSL or letter arrives with the foreign stamps after a long journey by boat or plane. I have learned interesting facts about people and places in my own country through radio contacts-about the oil industry in Oklahoma, farming in the South and West, the occupations and ideas of

(Continued on page 363)

Amateur Radio brings the world to the bedside of "Pop" Garvey's room. The transmitter was built by "ham" friends.

The WORLD COMES To My Room—

Via Amateur Radio

John "Pop" Garvey, W8RID, tells Michael Hrehocik all about it.



• ARE you looking for an inexpensive hobby that takes a comparatively short time to master? A hobby that will bring the outside world to your room—to your bedside. One that will create an outlet for your repressed feelings and one that will make it possible for you to make hundreds of friends. Smiling John "Pop" E. Garvey of Cleveland, Ohio, bed-ridden with arthritis for over ten years, was searching for one and found it—a short wave amateur station. "CO...CO...W8RID, Cleveland,

"CQ...CQ...W8RII), Cleveland, Ohio...calling CQ...CQ...," Pop sharply spoke into his "Mike" a second after I had entered his room. Pop. a jolly, round faced individual, with laughing blue eyes, pudgy nose and

a big black cigar at a cocky angle, was lying in his bed—a portable bed equipped with balloon tire wheels. He had just snapped on a switch that is attached to his microphone line. This line leads to his transmitting cabinet that stands two or three feet to the side of the bed. Repeating the call CQ...—a general inquiry in the vernacular of the amateur operators indicating that he wished to contact someone—he got in touch with a chap in Michigan. After talking to him for a half hour, he signed off with a rousing 73—goodbye.



Not many of us relish the thought of not eating for a day. "But," comments Pop, "most amateurs will gladly pass up their victuals in order that they may put in a few more hours on the air. Why, the young fellow I just talked to is really a fanatic. He's up to three or four o'clock every morning chewing the rag. His wife doesn't permit him to stay up later than 11 or 12 o'clock. She believes that he abides by this ruling, for she can check up on him in his log book. Every amateur is required to keep a log book into which he records the station he contacts, the time he begins and signs off and various other details. But he fools her, for he keeps two log books—one for her to peer into and one for the government inspector. Yes sir, once you get this disease of being an amateur radio operator, it's less curable and more deadly than arthritis."


"I always thought that it took a radio engineer or someone in his category to run an amateur station. How did you ever get mixed up in this?" I questioned.

"Being a victim of arthritis, I was confined to my bed and had plenty of time on my hands. A larger portion of this time I devoted to listening to my short-wave set and this was the factor that led me into my thrilling hobby. I began corresponding with a few out of town amateurs and through them I became acquainted with a few hams in Cleveland. I was curious to get as much information about short wave as possible, and as these local amateurs would call on me I would pepper them with hundreds of questions. Seeing my interest develop rapidly, quite a number of the local hams formed a club at my home and decided to build me a set. When the boys had a few hours to spare they would work on it and in this way my transmitter was completed in six months.

Cost of Set Nominal

Mr. and Mrs. John E. Garvey "at home." By means of a mirror, "Pop" can see what is going on all about him.

"While my set did cost more than the average, one can either buy or build a receiving set for about \$50 and a transmitter from \$75 to \$100. If one has the necessary background, he can build it (Continued on page 378)



What Price HAM Radio?

How much money do American Hams spend annually for radio apparatus?

Do they buy more ready-made receivers than they do transmitters?

How many battery sets are used?

How much do Hams spend for tube replacements?

• THE editors of this magazine were greatly interested in determining a number of interesting facts about the American Radio Amateur or "Ham," as he is more popularly called. There was only one way to find out and that was to mail questionnaires to a great number of leading Hams all over the United States—and this was done.

What Hams Do for a Living

Probably the most interesting fact about the average Ham station owner and operator concerns his occupation. The answers to the questionnaires disclosed that 10% of the amateurs are licensed radio operators, occupied either in the commercial field or as police and marine operators. Six per cent of the amateurs are graduate electrical engineers, while 31/2% are radio engineers. Radio service-men figured in the answers to the questionnaires to the extent of 5%. radio technicians 21/2%, telegraphers 3%, radio broadcast engineers 21/4. Among the professional men who are licensed, according to the questionnaires, 2% are ministers, writers, 5% dentists, 7% physicians and surgeons, 3% lawyers, and 1% musicians. Other interesting figures show 5% teachers, 5% business executives, 8% office workers, officers and salesmen, 5% merchants, 41/2% college students, 15% unemployed, and even the housewife showed up as 1%.

A further analysis of the occupations of radio amateurs indicates that quite a num-

H. W. Secor

ber occupy Government positions, either with the Army. Navy, Marines or in the Government service. Quite a few Hams are airplane pilots. 2% farmers, 1% newspaper reporters, while others are sprinkled through the various professions of optometrist, librarian, the advertising profession, statisticians, printers, bank tellers, restaurant workers, express messengers, time-keepers, telephone engineers, signal engineers, radio editors, radio communications experts, movie sound engineers, motion picture projection operators.

Education

A highly important factor in any profession, including data on the radio amateur, is education. The answers to the questionnaires disclosed that 21/2% of the Hams have taken a college electrical engineering course and 71/2% have pursued technical radio courses at some one of America's well-known colleges or universities. About 30% had taken, either resident or correspondent, courses in some one of the numerous radio schools that are scattered across the country, 51% had no formal radio training or background, but simply educated themselves by reading books and technical magazines such as RADIO & TELEVISION.

Money Spent Annually on Ham Stations

When it comes to the amount of money spent by the individual Ham annually on his station, either for new apparatus or for tube replacements, this, of course, varies a great deal and the figure obtained by checking an average of the amounts mentioned in the answers given to the questionnaires does not show what the amateur with the small station spent. Naturally, if he only has a small station and has been in the Ham game for only a short time, he will probably not spend as much annually for apparatus or tubes as would those who have been in the game for 5 or 10 years and who have built up elaborate stations.

The questionnaires were sent to representative amateur operators, as nearly as could be judged, and the average amount spent by this representative class of amateur operators on new equipment each year is \$150.00; for tube replacements, the average is \$27.00 per year.

The radio dealer or manufacturer should not take this as a representative figure for all operators, as the only way to reach such a figure bearing on the whole membership of 46,000 licensed Hams would be to send a questionnaire to every one of them. This must be understood for the very good reason that among some of the reports handed in by the radio amateurs, we find those who spent as much as \$3,000 during the past year on new equipment,

(Continued on page 374)

for October, 1938



Here's the smiling face of VE3QL—E. E. C. England of Walkerville, Ont., Can., a real live "ham".

 THE following episode is taken from a day during the last amateur phone contest. The time, 7:00 P.M., E.S.T., Friday evening, March 18th. Everything was in readiness waiting for the one minute to roll around. Everything had been checked over and over to avoid disappointments. The beam antenna had been oiled, greased, and calibrated to make it twirl around at the touch of the wheel. The receiver was all tuned, waiting for the DX to roll in-one minute more-just sixty seconds-there-7:01 and just listen to the DX rolling in. A pair of earphones bought specially for the occasion were installed in case of too much QRM. At last through the jumble of voices came a CQ, fading a little, but at least readable; would he never sign his call, here it is-GM6WD-and on the other end of the band. Up from the chair and around the back of the transmitter to change crystals, just hoping he wouldn't "sign his call" and look over the band before I changed frequency.

Three Visitors—and What a Time!

My hope was granted and he later signed, listening for W stations. Well, I took the chance, and lo and behold, he came back to VE3QL the first GM station (Scotland) I had ever contacted. We exchanged our serial numbers and signed. I was off to a good start at least. Then came disaster, a knock at the door and in walked three short wave listeners (SWL's). Of all the times to pick, when DX was just pounding in, and me trying to listen to DX stations and answer their questions at the same time. It proved to be a bigger job than I had anticipated.

Silence once again and eight o'clock striking, one hour of good DX gone, and also a slight increase of QRM (interference). Another CQ—very faint—but the signal slowly climbing up. P.AOFB—was I hearing right—the Netherlands calling CQ; so back I went to the old frequency. I gave him a long and bellowing call and back he came to VE3QL, with a 4R7 signal fairly good. I had just signed off


A Day in the of a

E. E. C. England, VE3QL

The accompanying article gives a new slant for the layman on what a busy "ham" can do with 24 hours. How does he eat, sleep and carry on "day" and "night" schedules?

Read on . . .

with him when QRM from one end of the band to the other just smothered the DX out of the picture. Somebody would put an electric razor on, as if he couldn't pick



Mr. England is seen standing on the tower supporting his beam antenna. More than once he had to crawl up that ladder and see what was wrong with the antenna on a "dark and stormy night."

some other time to shave! It was only on about five minutes and I made up for lost time by working six G's and another GM which was the last up to nine o'clock. Not too bad, considering the delays.

French Contact

Another hour on its way and no idea of what it held. The French stations were beginning to come through—maybe I could work a couple to boost my score. I slowly tuned down the band and VP6MR calling CQ Canada, that sounded easy, and after a short call I finally contacted him. I got my number from him, but we still continued the QSO (contact). After a description of his "rig." he continued on the location of Barbados and a rough description of the West Indies—from the type of weather to his own kind of work. We had quite a QSO with no QRM for either of us. Time


flew by and no real difficulties had transpired, which was something to be thankful for. A few G (English) stations were worked and then time was called. Even hams have to eat, and with a big night ahead of me, I felt the need of something energizing.

Ten after ten, and back I went to the receiver, ready to call them when they called CQ. My DX included, up to this time, the West Indies, Netherlands, England, France and Scotland—not too bad. I only needed an Asiatic contact for my WAC (worked all continents), but so far I had heard nothing from that part of the world. Of course there was a whole week ahead of me, and a lot could happen before then. During the hour I got my French stations, five in all, plus a Belgian station.

The Family Retire

Ten forty-five, and the family having been in and out of the room since the contest started, they finally went to bed, leaving the house in silence and the cat and me to keep each other company. The CW (code) was starting to come through heavy

Another view of the rotary beam antenna tower; the operator is repairing one of the wires.



RADIO & TELEVISION

Life Busy HAM

but the earphones helped a little. The wind was coming up and the wheel of the beam antenna was beginning to turn back and forth slowly. A lot of *local* stations which were not in the contest signed off, sleep being the better proposition, and this also improved the listening part of my problem. I had the usual run of luck in contacting stations, but had heard nothing in the line of DX for ten minutes. The favorite pastime seemed to be tuning from one end of the band to the other, over and over. A path was worn from the chair to the back of the transmitter, from changing frequencies so often.

Down over the band again and T12AV was calling CQ with an R8 signal; success at last, if I could hook him.

Beam Antenna Out of Control!

A short call and back he came, but not receiving me so well, so I got up to turn the antenna and snap, off came the chain—a very unpleasant situation. The QSO was completed, with lots of tough listening at the other station. Then came the problem of climbing up on the roof and repairing the damage at eleven-thirty at night, a slight wind, and nobody to hold the light for me! Out came the ladder and up I went, fixing pulleys, straightening wires. Back to the room and exactly twelve o'clock, Everything and everybody was on the air! So far I hadn't heard an Asiatic—if it were only my luck to contact one.

I started off the hour with an HK (Colombia, S.A.) and an ON in Belgium, From twelve o'clock on to five o'clock in the morning I just sat in my chair and worked the stations on the average of four or five an hour.

A Fine "Log"


Five o'clock and quite a nice report "log" to show for my hours of patient listening and talking on the air. It became impossible to keep my eyes open, and the stations seemed to fade away as I slowly began to get drowsy. I shut off the transmitter and receiver, wound up the clock, set the alarm for eleven that morning, and dropped down on the couch, falling asleep immediately.

Eleven o'clock and the sun brightly shining, the sky was as clear as could be with no signs of rain for the present. I turned on the receiver and listened across the band, but there wasn't much on. Ten meters seemed to be quite alive, if only the antenna would work down there. It was worth a try at least. I got the rig all in working order after a few delays and tried to work somebody. I called CQ until I was hoarse and then tried calling other stations; but it just wouldn't work. I finally decided it was the antenna, and went outside to look over the problem. It wouldn't work no matter how hard I tried to fix it, so that meant keeping on twenty meters. By this time lunch was ready and I was summoned for it.

Foreign Contacts Galore!

Ten after one and I again went downstairs. The desk had to be cleaned up a little bit after the night before. Papers and books, pencils and pens, paper that had been torn into small pieces while trying to get a call letter through. Clear at last; now to try and work somebody. I began by working England, four in succession, followed by an HK, and then France. A couple of (Continued on page 377)








Drawings above show some of the incidents in the daily life of a busy "ham".

for October, 1988

Rapid Growth of Radio Amateurs



Want to Learn Foreign Languages?

Hon. Michael Norton, B. A.

Mr. Norton has worked out a system, whichwhen used in conjunction with a short-wave receiver-enables you to learn a foreign language easily.


• THE short waves are bringing many foreign language programs to the United States. The American citizen seems to be more enterprising than the European. He wants to learn foreign languages so that he will miss nothing.

Over here in Europe, we miss about 60 per cent of what is on the air, some of us even more. I have learned four foreign languages and have used various methods. The fourth language I learned was Italian, and I did this mostly by listening to radio programs from Italy. I feel sure that if you want to learn to speak a language and to understand it when spoken, then learn by radio. But learn by a system! In teaching myself, I have found the following method the soundest.

Spend the first week in just getting to know the sound of the language. Just listen to the language over the radio for as long a time as possible every day! Don't try and understand it at first, but try and imitate it as if you were a child mimicking a grown-up person. You will soon be able to repeat little words to yourself. You may not know what you are saying, but you will be saying it correctly, more correctly than others who have been learning much longer by other methods.

At this stage, you can begin to learn just the elementary rules of the language from a self-tuition book giving the imitated pronunciation. The grammar need not be closely studied, hut a knowledge of the construction of the language will be a great help in guessing it from the radio, The first step in disentangling a language is to be able to identify the parts of speech. When you can do this, you will be able to use a dictionary. During the first week of listening, there will have been some words which you have heard several times. Those that you remember, you can look up in a dictionary. You can guess some of them. When you know a few words, you can guess a lot more.

The subject matter that you will have to deal with will be the weather forecast, the news and possibly advertisements. When you can understand a sentence here and there, try and get an idea of the subject matter, and don't bother about details. If you concentrate on any detail, you lose



By fitting a simple switch attachment to your receiver, headphone reception may be enjoyed and is a great aid in studying "foreign" languages.


Left—A pair of good head-phones and a switch and cable like that shown pro-vide "private" reception.

about three sentences that come after.

From the beginning practice repeating to yourself any sentences that you have remembered. You will soon be able to anticipate call signs, advertisements, and parts of the weather forecast. Now you should practice saying them over in unison with the announcer. When you can understand most of the news, you will be able to understand only some of the talks. Broadcast talks may be divided into two classes: elementary and advanced. When you have mastered all the news, you will be able to understand all the elementary talks, for they will be delivered slowly and with a good deal of explanation.

The talks which are not elementary are usually technical; though not so technical that you, as a student of the language, should ignore them. They deal with the topics most discussed in the country from

The diagram below shows how to connect the simple switching system, whereby headphone or loudspeaker reception is available.



which they come. To understand these talks, you must read the language, but it is best if you read what is of current interest. After reading newspapers and then periodicals, a light novel need not prove too difficult, provided that you keep your mind on the plot and do not bother too much about details-just as you have been doing in your listening.

The reading of stories and novels will help you to master the abstract words that you will not have met much in the news. You should therefore pay special attention to these. Having learned to understand the different styles of different writers on various subjects, you will find that you can now follow the most difficult talks. When you can easily understand all the talks given by all the varying types of people, you can claim a very good knowledge of the language.

Some people might think that you could gain only a limited knowledge of a language from listening in. On the contrary, an extensive knowledge will be yours. Starting with the most simple and ordinary topics of the time and the weather, you progress step by step to the arts and to all sorts of branches of modern technical development. You will hear many different voices and accents. But remember that anyone speaking with the accent of an announcer is most likely to be understood by the largest number of people in the country to which the announcer belongs. You will have copied the right man.

Now you want to begin listening. Remember to turn up the volume control of your radio for foreign languages. You must do this because you want to copy what you hear. When an artist copies a picture, he

(Continued on page 372)

for October, 1938

The Short Wave League



HONORARY MEMBERS

Hugo Gernsback, Executive Secretary

Dr. Lee de Forest D. E. Replogle John L. Reinartz

Manfred von Ardenne E. T. Somerset Hollis Baird

Edited by

Elmer R. Fuller

On the Ham Bands

(with the Listening Post Observers)

 WELL, another month has rolled by and here we are again with the second edition of this department. "Yours truly" is wondering just how this column is being received by the radio hams and fans; but I'll probably hear about it soon enough if it isn't what we intended it to be. About twenty-three reports on reception during the past month (July) have been received. All of these, I regret to say, are not usable. On every report it is necessary to include certain things and many of you have not done this.

In every report include the station call, approximate frequency, readability, and signal strength. This is not hard to follow,

but it is very important. I know that many have homebuilt and other types of receivers which are not calibrated as accurately as they might be. This need not stop you from giving the approximate frequency. You can certainly make a frequency graph to cover the ten and twenty meter amateur bands, and these are the ones most frequently used for getting real, good DX. LIST ONLY AMA-TEURS! This department does not care a thing about the commercial phones nor the short wave broadcast stations. We are interested only in the amateurs and matters concerning them and their stations.

Each month pictures of Listening Post Observers and their equipment will be published in these pages. Why not send in yours now? This month, because this is a new feature, we had to skip this procedure, but we do not wish to do it again. So, dig out the camera, get into the picture yourself, and then have someone else snap it for you. (Or trip the shutter with a string.—Editor) Let's see who will be the first to get his picture into print. First here, first served.

Now let's get down to the reports of the month. From them I find that conditions were about the same all over the country. During July it was very rare that any real good ox came

through. But from the reports, I find that there were some, and some that were rather good.

Harry Honda, out there on the l'acific coast, reports the following on twenty meter phone:-

| Call | Freq. | R | S |
|-------|--------|-------------|-------------|
| VR6AY | 14.35 | _ | - |
| VK2NS | 14.02 | _ | _ |
| AC4AN | 14.20 | 5 | 5 7 |
| TIIAF | 14.09 | 5 | 7 |
| HH5PA | 14.05 | 5 5 5 | 8 |
| ZS1AX | 14.04 | 5 | |
| ZS5AW | 14.08 | 5 | 5 5 6 |
| ZS6AD | 14.01 | - | 5 |
| ZS2AZ | 14.11 | _ | 6 |
| ZS6ED | 14.005 | - | 6 |

| E. H. | Walker-O | bserver | for England |
|--------|------------|---------------------|---------------------------------|
| | (All on 20 | meter | fone) |
| LU1QI | ` | 5 | 7 |
| LU8ÃB | | 5 | 7 |
| VE5ACN | | 5 | 4 |
| HK3LC | | 5 | 5 |
| TIIAF | | 5 | 6 |
| CO2RQ | | 5 | 5 |
| CO2SV | | 5 | 6 5 5 7 |
| PYIFR | | 5 | 7 |
| PY2CK | | 5 | 7 |
| PY2LM | | 5 | 6 5 6 9 4 5 4 |
| PY4CT | | 5 | 5 |
| SUIJM | | 5 | 6 |
| SUIKG | | 5 | 9 |
| W5BYS | | 5 | 4 |
| W6AM | | 5 | 5 |
| W6GRL | | 5 | 4 |
| W6GVM | | 5555555555555555555 | 7 5 |
| W6NTX | | 5 | 5 |
| W7BVO | | 5 | 4 |
| | | | |

| W7BVO | |) | ** | | |
|--------|-------------|--------|----------------------------|-----|------|
| Roger | Legge, JrOt | server | for | New | York |
| LXIAI | 14.03 | 5 | 6 | | |
| | | 9 | ~ | | |
| HA4A | 14.13 | _ | - 5 | | |
| ZS1AX | 14.03 | _ | - 2 | | |
| TG9AA | 14.06 | _ | 7 | | |
| GW2IP | 14.03 | _ | - 7 | | |
| GM6SR | 14.02 | _ | 677787677777 | | |
| GI8UW | 14.08 | _ | 7 | | |
| | | _ | 6 | | |
| PK6XX | 14.01 | _ | 0 | | |
| HA8Q | 14.06 | _ | - 2 | | |
| CN8ĀR | 14.28 | _ | 7 | | |
| CN8AM | 14.08 | _ | 7 | | |
| CN8MA | 14.08 | _ | 7 | | |
| FA3QV | 14.32 | _ | 7 | | |
| FASTIC | 14.09 | _ | - 6 | | |
| FA3ĤC | | _ | 2 | | |
| VP7NR | 14.14 | _ | 0 | | |
| SM7UC | 14.05 | _ | - 7 | | |
| EA8AE | 7.16 | _ | - 6 | | |
| EA8AK | 7.12 | _ | - 5 | | |
| EA8AS | 7.27 | _ | 6 6 7 6 5 7 | | |
| | | _ | - 6 | | |
| I1MY_ | 14.32 | | 6 5 | | |
| VS2AE | 14.37 | _ | 3 | | |
| | | | | | |

| V SZAE | 14.37 | _ | J | |
|---------------------------------|--------------|------------------|--------------------|-------------------------|
| Wally K6OQE K6CMC G6ID | Hallgren—O | 5 5 4 | for 7 7 5 | California 20 meters |
| Star | ley Clarke—(|)bserver | for | Canada |
| U1FC | 14.400 | 3 | 4 | CW |
| PY2CK | 14.090 | 5 | 7 | |
| PY2GC | 14.105 | 5 5 5 5 | 6 | |
| OK1PZ | 14.405 | 5 | 6 | CW |
| PI3CO | 14.400 | 5 | 8 | CW |
| YR5CF | 14.390 | 5 | - 7 | CW. |
| FM8AD | 14.270 | 5 | - 8 | CW |
| UIAD | 14.420 | 5 | 5 | cw |
| SPIRG | 14.400 | 3 | 5 | cw |
| | | | | C 11.0 - |

Richard A. Rush—Observer for California 2AK 28.200 - -(Continued on page 377)

Three good examples of short wave listener cards; some are printed in colors.

| | | | AATE GLATINE | |
|--|--|---------------------|--|--------------|
| BEST DX CATCH | - FRBVX ILE REUN | ON: ON:20 | STATE AND ASSESSED. | |
| ANIS | THIS WILL ACKNOWN | | TO HOME CONT. | 50 |
| NON SPECKBER | HY RECENT MER | SHOHE | MERS & 25-10 | 17.13 |
| STARLE TO ATTICA | SECRETION A SIL | | SUPPRISONER : | |
| A TADE SELECT VI | ACKNOWLEDGEMEN | T. FROM | SECTION SECTION | 1 |
| DEAH NEG WAT | ACIT, MET SE VIDER | CHIED I | THE RESERVE TO SERVE THE PARTY OF THE PARTY | 3.00 |
| A STATE OF THE PARTY OF THE PAR | STA DATE | | 100 July 1998 | TO S |
| STED SERVICE | TOTA & CEN | | Mile Committee | Pal |
| | The second second second second | The second second | TOM JORDAN | 1 |
| HA WILLIAM STORY | 40 MEMBRE LO | popular | TOM JOHNAM | 0.5 |
| CONTRACTOR OF THE PARTY OF THE | des 40 Han | DIEL EX | | 300 |
| | 8 Chev | | PENNA. U.S.A. | 600 |
| 1523 N. MAIN AV | E. S | CKANTON | PENNA. U.S.A. | the C |
| | APP | TA A | | 0.37 |
| | DHH. | 13/3 | | 200 |
| 166 | | · WA | | M. |
| D | DOMESTIC OF THE PARTY OF THE PA | A 2 5% | of the court will be | THE PARTY OF |
| A 60 E | 2 5 8 M S 1000 | 200 | LE | GION |
| | | | 1 44 11 | |
| | 101 | 111 | | |
| | J W | 53: E | | |
| OFFICIAL AN | E DISTERNO DESI | DOR STATE | OF PENNA | |
| City City | William Street | 1000 | | |
| | | | ********* | |
| | OOKVILLE, O | HIO P | 9 9 4 1 | 4 |
| · BK | OOK VILLE, O | HIO, K. | | 4 |
| | CIALI | WO | 1 25 | 2 |
| : LEW | T Water | -88 | 1/12 | |
| : | To Bo | | 4 | |
| · Line | 10000000 | 200 | 1 /11 | 4 |
| * KEVRS | 100 | | Hel Al | |
| * NAL TWI. | 10 Walter 1 | ale en | de antietest er | |
| 4 Tuba Sun | 100 | 2002 | DX DEN BON FOR | |
| CROSSEY | | 100 | ce 10 st food | |
| 4. 5 Tales | | | I flyen to | |
| | | | | |
| ANI | | 100 | | |
| at Mend Cooblet | | | foot sury de | |
| 23 Stem Coeblet | | Sie hid | | |
| 23 Manual Coobles 28 Feet House Have been AD | O US | Sig hid | foot sury de | |
| 43 Mem Coobles 38 feel He Here been OX-ing & years | AM PM | Sig hid DSA | food story do | |
| 23 Manual Coobles 28 Feet House Have been AD | AM PM | Sig hid | food story do | |
| 43 Manin Dooblet 38 Feel Hele Hear Boan DX.leg i years Countries Hind on Found A Photon to all | AM PM | SA S | 10.50 Men food sterny dar 193 Mil | |
| 43 Mean Pooblet 38 Feel He AD Hare Soon DX-log & years Countries Hind on Four A Photo to all ube send OSL Card. For | | OSA STOMES | 10.50 Ment food series do 192 | |
| at Atlant Dooblet If feet had Have Sunt DX-tree it years Countries Countries A Photo to all who ared OSE Cand, for copyrighted and sured it | | OSA STOMES | 10.50 Ment food series do 192 | |
| 43 Manu Pooblet 38 Feel He AD Have been DX-log & years Counties High or Fees A Pools to all ubs send OSL Card. For | | OSA STOMES | 10.50 Men food sterny dar 193 Mil | |
| at Atlant Dooblet If feet had Have Sunt DX-tree it years Countries Countries A Photo to all who ared OSE Cand, for copyrighted and sured it | | OSA STOMES | 10.50 Ment food series do 192 | |
| 43 Adam Cooker 38 Feet had 14 feet been DX leg 4 years Countries Hid on Force A Photos to all who saved OSL Card. For appropriated and saved A | | de HOME | 10.30 Mode food purp de 193 Mil | |
| at Atlant Dooblet The Feet Hall Have Sunt DX-tree is years Countries Had on Foun A Photo to all who ared DSL Land, for soppredated and served is | | d. HOME | 10.30 Mode food purp de 1933 Mil | |
| at his and cooler If feet her If her been DX her i years DX her i years Noor he all who send OSL Card, for appreciated and terral is | eri A.M. P.M. (| d. HOME | 10.30 Mode food purp de 1933 Mil | |
| at his and cooler If feet her If her been DX her i years DX her i years Chorther Hid on Fore A Phone to all who send OSL Card, for upperclated and send in Miller High DENVE | ear Cub | C O L | HOHLENDER, Open Stry, Blutt | |
| at his and cooler If feet her If her been DX her i years DX her i years Noor he all who send OSL Card, for appreciated and terral is | ear Cub | C O L | 10.30 Mode food purp de 1933 Mil | |
| at his and cooler If feet her If her been DX her i years DX her i years Hid on Fore A Photo to all who and OSL Card. for appropriated and sarrel Mille High DENVE | R COR | COL | Sey Blue O R A D C | 9 |
| at his and cooler If feet her If her been DX her i years DX her i years Chorther Hid on Fore A Phone to all who send OSL Card, for upperclated and send in Miller High DENVE | R COR | COL | Sey Blue O R A D O VAC A THES | 9 |
| At Adam Pooble III feet her It | R CAN AND AND AND AND AND AND AND AND AND A | COL | Sey Blue O R A D C | 9 |
| Mile High DEN VE COURT TO Dett | R | COL | Sty Blue O R A D O VAC ATHEN 10.9 P 36 MS | 9 |
| Mile High D E N V E Coult 10 Hate B R FUIZZO GMT 1,000 Dec GMT 1,000 Dec GMS 0 WY Clay ST GMS 10 WY Clay Coult 10 Cou | R COM ASSA | COL | Sty Blue O R A D O VACATION 109 P 16 MS DE SURM ON SORE | 9 |
| Mile High D E N V E Coult 10 Hatel B R FUIZZO GMT 1,000 Dec GMS 0 WY CLE | R COM ASSA | COL | Sty Blue O R A D O VAC ATHEN 10.9 P 36 MS | 9 |
| Mile High DEN VE COMP 1, 200 Indian P. FULLD GMT 1, 200 DW VE PLAN COMP 1, 200 COMP 1, 20 | R OR | COL | Scy. Blut O R A D O VACATION 109 P 16 MS R. SURM ON SURE SURM ON SURE SURM ON SURE SURM ON | 9 |
| Mile High DEN VE COUNTY TO DO COUNTY TO DO MILE TO DO COUNTY TO DO MILE TO DO COUNTY TO DO MILE TO DO COUNTY TO DO COU | R OR | COL | Sty Blue O R A D O VACATION 109 P 16 MS DE SURM ON SORE | 9 |
| Min-High DENVE Court 1,200 DENVE Court 1,200 DENVE Court 2,200 Court 2,200 Court 30 Court 4,200 Court 4,200 Court 1,200 Cou | R We AssA | COL VOCTO | SEY-BERN ON SEY-BE | 0 |
| Mile High DEN VE Could to Ve Could to Ve Mile High DEN VE Could to Ve Could | R Constant of the Constant of | C O L | Sign Blue O R A D O VALATION 109 PM MS RE SURM ON SURE SER SURM ON | 9 |
| Mine High DENVELLY Indian P. Full Control Mine High DENVELLY GMT 1200 Den GSU 0, WALE HOWELLY Laborated Baller | R COMMANDER OF THE STATE OF THE | COL VOTE | SG But O R A D'O VACATION ON SOLUTION ON MAN T. WALLEY | O o |
| Min-High DENVE GMT 1:00 Day | R Contact OR A Con | COL COL VOLTE | SEY BELL ON THE DEED ON THE PROPERTY OF THE PR | O |
| Min-High DENVE GMT 1:00 Day | R Contact OR A Con | COL COL VOLTE | Sey Bins O R A D O VACATION 103 P 18 MS FR. SURM ON SURE DELL 10102. Des GSI, VNX 705 AN T. WALLES IN Ramanek Smooth | O |
| Min-High DENVE GMT 1:00 Day | R COUNTY OR WAR ASSET THE TOTAL OF THE TOTAL | COL COL VOLTE | SEY BELL ON THE DEED ON THE PROPERTY OF THE PR | O |

Local

HAM Gossip

A new Department—you can help make this a valuable and entertaining feature. Rush news of Ham club activities to "Local Ham Gossip"

Editor, c/o this magazine.

 THE Toledo Ultra High Frequency Ass'n is made up of a group of hams and DXers interested in ultra-high frequency work. This group held meetings at the homes of members until the membership passed 15. All this time, Lee R. Kemberling, W8ESN, was watching their progress and was building his new radio shack in the rear of his home. The size of this building is 22 x 27 ft. When the shack was about completed, he went to one of the meetings of the Association, and gave a long talk on getting one's license and just what had been done in the past on Ultra Hi Freq. He added that if the "gang" wanted to grow right and get some place, they should have a room in which to meet besides the homes of the members, as many fellows would come to a public meeting place, although they would not go to private homes. He offered the TUHFA his shack, as a meeting place; it will hold about 50 to 75 in the large room 18' x 22',

The TUHFA held the first meeting there in October, with a membership of 12. In the first 2 months the membership went to 25, meeting every Tuesday night at 7 p.m. W8ESN talks on the F.C.C. laws and gives code lessons for one hour. This group grew until they had to put a limit on it! Now over half the members have licenses and more will be going up later this year. This is largely attributed to W8ESN's talks and code lessons. At W8ESN he has put 250 watts on 5 meters and, beginning the first of September, will be on the air every third night with code and talks on amateur radio for one hour at 7 p.m. Lee Kemberling is now an Honorary Member of the Association and Activity Manager of programs, At the close of the summer activities on July 12, the membership was 25, with 20 more

WANTED

 Local correspondents, who are able to send us from time to time news items (with photographs, when possible) of the activities among Hams, DXers and amateur radio personalities.
 Regular space rates will be paid for the

Regular space rates will be paid for the most interesting items submitted by anyone, each month.

To avoid errors, please typewrite your copy.

The name of each correspondent will be printed at the bottom of the items sent in.

Address—"Local Ham Gossip" Editor,

RADIO & TELEVISION, 99 Hudson Street, New York, N. Y. Lee R. Kemberling, W8ESN, who tells the interesting story of the great 5-meter "Field Meet" held in Toledo, Ohio.



5-METER-5 FIELD MEET JULY, 10 OTTAWA PARK 10A M.

PRIZES HIDDEN 5 METER XMTR HUNT. PRIZE

FOR BEST HOME BUILT ULTRA HI-FAC RECEIVER, TRANS-RECEIVER

BRING YOUR LUNCH. LEMONADE FREE

SPONSORED BY TOLEDO ULTRA HI-FRE. ASS'N. & TOLEDO RADIO CLUB
CALL CHAIRMAN WEESN LEE R. KEMBERLING, FOREST 3695-J

Card announcing 5-meter "Field Meet" of the Toledo Hams. Live Stuff!

waiting on the list. The 5-Meter Field Meet closed the summer. The officials of the TUHFA are: Bernard Shonebarger, Pres.; Lawrence Gilsdorf, Vice-Pres.; Dean Seaman, Recording Sec'y; Stephen Petroll. Treas., and Lee R. Kemberling, Activities Manager. All mail is sent to the Radio Shack W-8-E-S-N, Box No. 3, Toledo, Ohio.

TUHFA & TRC Field Meet

Starting on Sunday July 10, the gang had a good start before 10 a.m. First the Receiver prizes were given for the best Ultra Hi home-made receiver, rated both for looks and operation. We had 18 receivers set up, and as we could not get A.C. at the park where we were going to hold the meet, the gang went over to W8ESN's Radio Shack and cleaned out the side yard and in the rear of the shack, this giving us room ior over 100 cars to park and a place to hold the meeting. The Receiver prize was won by a Mr. C. H. Peters, with a set which would operate on A.C. or 6 volts D.C. Second prize, Ralph Kachenmeister, receiver both A.c.-6 volt b.c. portable. This took until noon-time out for lunch. We had 65 gallons of Iemonade made up and kept a 10 gallon jug going all the time. By noon there were over 90 hungry guests. A half-hour talk on "Benefit of Ultra Hi Frequency to Mankind" was given by Lee R. Kemberling (W8ESN). This lasted over 11/2 hours, as there were many questions asked. After this a talk on Ultra Hi Frequency Antennas was given by Dean Seaman and Stephen Petroff. They did a lot of drawing on the blackboard to show the

various types of "ultra high" antennas. At 3 p.m., the 5-meter "Xintr hunt" started. This Xmur was hidden the day before by Burt Holmes, Ed Martin and yours truly, and was tested after midnight to make sure it would cover the city, which it did. This Xmtr is W8ESN's portable, and has an output of 10 watts crystal controlled on 5. There were 56 cars in this hunt and over 150 were at the meet. About 70 were from out of town, some coming over 200 miles. W8ESN put on the big 5-meter rig which has 250 watts and all the cars left the radio shack and started out to look for the hidden Xmtr. After 5 minutes on the air with the large rig, the gang got word to start to look for the small rig. B. Holmes and E. Martin heard the large rig sign off and at once put the hidden Xmtr on the air and placed a tone on the sig. Every 15 minutes they stopped and gave the call. At 3:35 p.m., C. II. Peters found the Xmtr, got his slip and reported back to the radio shack. At 4:10 p.m., A. M. Cooper (W8BHL) with Gail Griner (W8DPX) found the Xnitr and at 4:25 p.m. Hal Shafer was third. This ended the hunt and W8ESN went on the air with the large rig and called all the other cars into the shack. This hunt was one of the best that has been put on around this part of the country and the boys from out of town would like to have one later on. A hunt like this makes the gang get up on their toes and keeps them working on new rigs all the time.

At 5 p.m., the transceiver prize was called. Receivers were set up at the shack. We had three: Super-Skyrider, HRO and a Hammarlund Pro., all working on 5 meters. We would start the three cars out that had transceivers in them and would work them at given spots in and out of the city, a distance of over 5 miles, checking each car off in 1/4; sixteen were in this. First prize went to Ray Lewis, Pres. Toledo Radio Club with L. Gilsdorf (W8RQI) at the mike. Third prize to Dean and Richard Seaman with Ray Zeh (W8RQI) at the mike. Third prize to C. H. Peters, with Paul Luckman (W8KPH) at the mike.

This took 2 hours and it was now 7 p.m.—time to sign off after a very interesting (Continued on page 368)


What

104









(1) Listening post of Nicola Cannata, 1003 So. Halsted St., Chicago, Ill. (2) Prize Winner Zana Kandle, also from Chicago, 7953 Dobson Ave.; she uses a Midwest receiver. (3) Jim Groll, North Chicago St., Dwight, Ill. (4) Station VE4ACP, R. Peters, Jr., 356 Aikins St., Winnipeg, Man., Can.

Hi! Fellers! Did You Send That OSL Card?

Editor,

There has been a lot of "pro and con" talk about this SWL-QSL business.

It seems like the hams, and I mean HAMS who are always belching about SWL's sending cards to them requesting a QSL, are about at the end of their rope; I believe that it would be a good idea for them to give up ham radio, before they find themselves in a state of nervous prostration.

I have been in the amateur game only 18 years now and feel that I still have enough reciprocity left to send a card to a SWL who requests one.

I also have a better feeling towards the I also have a better feeling towards the SWL than I do a lot of hams. I have been trying here to make WAS on 20 meters and have asked the fellows (some are skunks) to pse QLS as I needed their state for WAS (worked all states) and believe it or not, I have gone to the trouble to write them a letter three times already, and do you think that OSL 32 Well the truth do you think they QSL'd? Well, the truth is, they did not! Would you call this ham radio: It so, then the game is going to the dogs. The stations I refer to are—W9 in Willmar. Minn., a W9 in Emporia, Kans., a W5 in Kerrville, Tex., a W4 in Atlanta, Ga., a W9 in Louisville, Ky., a boy, oh boy, a hundred others. If you would like to publish their full call letters, I would be more than pleased to furnish them.

I know a W4 who receives an average of 200 SWL cards a month, and he answers all of them; I don't receive that amount but what I do receive. I acknowledge.

But these mugs, lugs or bugs, whatever they are, who do not QSL the stations they work when asked to, are not fit to be called amateurs.

I have had punks tell me over the air that I had better send my card first, if I wanted one of theirs. Suppose we all felt this way? Phew, the whole business is getting rotten, or is it the smell of these certain SKUNKS?

Then there are the hams and I mean real ones whom I have QSL'd, who make the other no-good punks look like the rankest of beginners. These fellows are worth their weight in gold, just to have their friendship. friendship.

These squawkers who complain about the SWL who puts R9 reports on their cards must be crazy. If they do not believe their signals to be that loud, they should do something about improving their efficiency or their antenna, so it would be that loud.

I am open for any comments or debatecome one, come all.

If I have stirred the gander in you punks out there, then this article has served its purpose. And do you want to hear more from me? If so, I will spill plenty.

But I believe a word to the wise (?) is sufficient. An eye for an eye and a tooth for

a tooth is my motto. What? 73 es CUL.

Louis C. Bremer, W3LE,

130 S. Broadway, Baltimore, Md.

Constructive Criticism

Editor,

I am about the very last person to throw brickbats but I just can't help throwing a few. I feel this way since the day I read the April 1938 issue.

What is the matter with 160 meter transmitters? Seems that the fellow with the class A ticket should get all of the gravy

for 20 and 80 meter rigs.

In the receiver diagrams why not let the readers wind their own coils instead of buying them ready made and then tearing them apart later and removing turns of wire, etc.?

Your radio log is the most perfect I have ever seen. I have been trying to log one foreign station for 5 years and only succeeded after looking up the schedule and frequency in Short Wave & Television.

The November issue of

RADIO & TELEVISION

will be an

"Advanced Radio Amateur Number"

It will contain valuable articles for the beginner, as well as the advanced HAM. Transmitter and Receiver construction and other valuable information which you can't afford to miss.

I can't see why you are against S-W Adaptors. I have been using a five-tube superheterodyne converter with a very sensitive 9-tube broadcast receiver for 5 years; I really started logging stations a month ago when I started using an adaptor, plugged into a midget receiver which is home-made (the audio section consists of a single 27 and a single 47 and a 24 detector). When I use a 24 tube in the adaptor I get good results down to 19 meters; when I use a 27 tube I get down below 10 meters.

Frank Saj, 818 Carrol, Buffalo, N. Y.

A Real S-W Fan

Here's from a reader since 1932 April issue, and I still have the copy. I've missed some of course since then and having very some of course since their and having very limited means, financially, I expect to miss some copies in the future. But thanks to friendly hams, I've come smilin' through thus far. I've thought many times of writing to ye old "ed," but know you're busy as heck, so procrastination is the thief of time, etc. Say, the ex-YL says all radio men are nuts; how about it?

Oh yeah! Well she listened to S. & L. "ringside" via short wave. My hookup is from S. W. C. mag., how's that; we have three B.C. receivers, but SW phone and three B.C. receivers, but SW phone and CW for me. I get the drowsy cheer from the ex-YL about three a.m., but what care I after 10 years "on the air." Now pardon a long note, but the air is quite rite now. so I'm scratching the Parker.

Glancing up at the chronometer, I see it's (Continued on page 376)

Fourth Silver Trophy Awarded to

William Ozz, W2HCE

Bronxville, N.Y.

For Best HAM STATION Photo of the Month

● THE transmitter rig is to the left and is working on 20 meter phone. The rig uses a 41 xtal oscillator on 7.088 kc., a RK39 doubler to 14.176 kc., link coupled to a 805 in the class "C" amplifier, running at 200 watts input. This R.F. equipment is contained in the two top panels. In the next panel, the third from the top, is the speech amp. This uses a 57 pentode, 57 triode, push-pull 56's, and push-pull 45's as drivers. The modulators, which consist of 4-46's in push-pull parallel are in the next panel, with the square meter. The bottom panel contains the 500 v. 0.5 amp, power-supply for the modulators, and the 1250 volt 0.3 amp, supply which supplies juice to the 805. The four 866's can be seen in the cut out. On the table to the right is the D-104 crystal four 866's can be seen in the cut out. On the table to the right is the D-104 crystal


microphone, electric clock, and the receiver.


The receiver is a home-built job. The line-up is 6K7 R.F. amp., 6A8. 1st det., 6C5 H.F. osc., 2 6K7's I.F. with three iron core 465 kc. I.F. transformers. A "R" meter is incorporated in the I.F. amp. in a Wheatstone bridge circuit. 6H6 2d det. and noise-silencer, 6C5 and 6F6 audios. The receiver uses a Tobe tuning unit which covers 20, 40, 80 and 160 vy fb. In front of the receiver are a pair of Brush xtal phones. To the right of the receiver is a small B.C.L. midget for use when 20 m. is flat. On the wall are the Phone "WAC" ticket and the six QSL's that brought it.

I have one of your "globe" lamps on the receiver. The doohickey to the right of the lamp is a tricky match stand. The whole station, from the antenna to the receiver, is

home-made.

Mr. Orr's first-rate Ham shack, located at 11 Sunny Brae Place, Bronxville, N. Y., has been the scene of much experimenting. Antennas and transmitters of every kind imaginable have been "given the works" at this station. He tells you about some of them in his very interesting description of the station.







This beautiful silver trophy stands $11\frac{3}{4}$ " high and is to be awarded monthly by RADIO & TELEVISION magazine for the best photo of a Ham station. The silver statue stands on a handsome bakelite base on which is a silver plate. The name of the winner will be engraved on this plate before the trophy is sent to him.

The antenna is a rotary beam supported on a 36 ft. telephone pole erected in the back yard. The antenna is 17' x 17' square and is bi-directional. It gives a 4R gain on receiving and a 1½R gain in transmitting over ½ wave doublet. The antenna is fed with a quarter wave stub and 45 ft. of coaxial cable. It is extremely effective, as we have worked 55 countries on phone in all continents. WAC on phone was made with 120 watts in 1936. We worked VU2CQ several times and got reports ranging up to R8. The antenna is rotated by means of two ropes from the shack.

So much for the present rig. Hr's some other dope you might be interested in.

I'm 19 years old and am in the first year (Continued on page 376)

World Short Wave Stations Revised Monthly Complete List of SW Broadcast Stations

Broadcast Stations

Reports on station changes are appreciated.

| | | • | | | , | | | |
|--------|---------|---|------------------|--------------|---|--------|----------------|---|
| Mc. | Call | | Mc. | Call | | Mc. | Call | |
| 31.600 | WIXKA | Westinghouse Co. Daily 5 am12 m., Sun. 7 am12 m. Relays | 17.800 | TGWA | GUATEMALA CITY, GUAT., 16.84 m., Addr. Ministre De Fomento. Irregular. | 15.245 | TPA2 | PARIS, FRANCE, 19.68 m., Addr. 98 Bis. Blvd. Haussmann. "Paris Mondial" 5-10 am. |
| 31.600 | WIXKB | WBZ. SPRINGFIELD, MASS., 9.494 m., Addr. Westinghouse Co. Daily 5 am12 m., Sun. 7 am12 m. | 17.790 | ese | DAVENTRY, ENG., 16.86 m., Addr. B.8.C., London. 1 m-3.15 am., 5.45 am12 n., 12.20-6, 6.17-B.30 | | HS8PJ OLR5A | BANGKOK, SIAM, 19.7 m. Irregu- larly Mon. 8-10 am. PRAGUE, CZECHOSLOVAKIA, 19.7 |
| 31.600 | W3XEY | Relays W8Z. BALTIMORE, MD., 9.494 m., Relays WF8R 4 pm-12 m. | 17.785 17.780 | JZL W3XAL | TOKYO, JAPAN, 16.87 m. 1rregular. BOUND BROOK, N. J., 16.87 m., | | | m. Addr. (See OLR4A, 11.84) Sun., Wed., Sat. 5-5.10 pm.; Mon., Tues., Thurs., Fri. 6.55-9.55 |
| 31.600 | W2XDV | NEW YORK CITY, 9.494 m., Addr. Col. Broad. System, 485 Madison Ave. Daily 5-10 pm.; Sat. and Sun. 12.30-5. 6-9 pm. | 17.770 | | Addr. Natl. Broad. Co. 8 am 8 pm. HUIZEN, HOLLAND, 16.88 m., Addr. (See PHI, 11.730 mc.) Off | 15.220 | PCJ2 | HUIZEN, HOLLAND, 19.71 m., Addr. N. V. Philips' Radio Hil- versum, Sun., Mon., Thur., Fri., |
| | | MINNEAPOLIS, MINN., 9.494 m. Relays WCCO 9 am12 m. | 17.760 | DJE | the air at present. BERLIN, GERMANY, 16.89 m. | | | Sat. 6.25-9.30 am., Tues. 12.30-2 am., 6.25-9.30 am., Wed. 9.30- 11 am. |
| 31.600 | W3XKA | PHILADELPHIA, PA., 9.494 m., Addr. NBC. Relays KYW 9 am.: 10 pm. | | | Addr. Broadcasting House. 12.05- 10 am.; also Sun. 11.10 am-12.25 pm. Daily 4.50-10.45 pm. | 15.210 | | PITTSBURGH, PA., 19.72 m., Addr. (See 21.540 mc.) 8 am6 pm. |
| 31.600 | W5XAU | OKLAHOMA CITY, 9.494 m., Sun 12 n-1 pm., 6-7 pm. Irregular other times. | 17.760 | W2XE | NEW YORK, N. Y., 16.89 m., Addr. Col. Broad. System, 485 Madison Ave. Irregular. | 15.200 | DJB | BERLIN, GERMANY, 19.74 m., Addr. (See 15.280 mc.) 12.05-11 am., 4.50-10.45 pm. Also Sun. 11.10 am12.25 pm. |
| 31.600 | W4XCA | MEMPHIS, TENN., 9.494 m. Addr. Memphis Commercial Appeal. Relays WMC. | 17.755 | _ | HONGKONG, CHINA, 16.9 m., Addr. P.O. Box 200. 4-10 am. Irregular. | 15.190 | LYZ4 | LAHTI, FINLAND. 19.75 m. Addr. Oy Suomen Yleisradio, Ab., Lahlen Yleisradioasema, Lahti. |
| | W8XA1 | ROCHESTER, N. Y., 9.494 m Addr. Stromberg Carlson Co. Relays WHAM 7.30-12.05 am. | | W2XG8 | HICKSVILLE, L. 1., N. Y., 17.33 m., Addr. Press Wireless, Box 296. | 15.190 | ZBW4 | HONGKONG, CHINA, 19.75 m., Addr. P. O. 80x 200, Irregular. |
| 31.600 | WBXWJ | Evening News Ass'n, Relays WWJ 6-12.30 am., Sun. 8 am-12 m. | 15 550 | CO9XX | Tests 9.30-11.30 am. except Sat. and Sun. TUINICU, ORIENTE, CUBA, 19.29 | 15.180 | GSO | DAVENTRY, ENG., 19.76 m., Addr. (See 17.79 mc.) 4.1S-6, 6,20-8,30 |
| | W9XPD | ST. LOUIS, MO., 9.494 m., Addr. Pulitzer Pub. Co. Relays KSD. | 13.330 | COIXX | m., Addr. Frank Jones, Central Tuinicu, Tuinicu, Santa Clara. | 15.170 | TGWA | pm., 1-3.15 am. GUATEMALA CITY, GUAT., 19.77 |
| 26.450 | W9XA | KANSAS CITY, MO., 11.33 m., Addr. Commercial Radio Eqpt. Co. Testing after August 1st. | 15.370 | HAS3 | Broadcasts irregularly evenings. BUDAPEST, HUNGARY, 19.52 m., Addr. Radiolabor, Gyali Ut 22. | | | m., Addr. (See 17.8 mc.) Daily 10,45-11 am.; Sun. 10.45 am6 pm. |
| 26.400 | W9XAZ | MILWAUKEE, WIS., 11.36 m., Addr. The Journal Co. Relays WTMJ from 1 pm. | 15.360 | DZG | Sun. 9-10 am. ZEESEN, GERMANY, 19.53 m., Addr. Reichspostzenstralamt. Tests | 15.160 | XEWW | MEXICO CITY, MEXICO, 19.79 m., 12 n12 m., irregular. TOKYO, JAPAN, 19.79 m. 12.30-1.30 |
| 26.300 | W2XJ1 | NEW YORK, N. Y., 11.4 m Addr. Bamberger Broad. Service, 1440 Broadway. Relays WOR 8 am1 | | | irregularly. | | YUD3 | am., 2.30-4, 4.30-5.30, 8-8.30 pm., 12.30-1.30 am. DELHI, INDIA, 19.79 m., Addr. All |
| 26.100 | W9XJL | am. SUPERIOR, WIS., 11.49 m. Relays | 19 | Met. | Broadcast Band | | | India Radio. 1.30-3.30 am., 6.30- 8.30 am. |
| 25.950 | W6XK@ | WEBC daily. LOS ANGÉLES, CAL., 11.56 m., Addr. B. S. McGlashan, Wash. | 15.340 | DJR | BERLIN, GERMANY, 19.56 m., Addr. Br'dcast'g House, 8-9 am., 4.50-10.45 pm. | 15.155 | SM5SX | STOCKHOLM, SWEDEN, 19.79 m., Daily II am5 pm., Sun. 9 am 5 pm. |
| 25 950 | W9XUP | Blvd. at Oak St. Relays KGFJ 24 hours daily. ST. PAUL, MINNESOTA. 11.56 m. | 15.330 | W2XAD | SCHENECTADY, N. Y., 19.56 m., Addr. General Electric Co. Re- | 15.150 | YDC | N. I. R. O. M. 6-7.30 pm., 10.30 pm2 am., Sat. 7.30 pm2 am., |
| | | Relays KSTP. | 15.320 | OLR5B | PRAGUE, CZECHOSLOVAKIA. | 15.140 | GSF | daily 5.30-10.30 am. DAVENTRY, ENG., 19.82 m., Addr. |
| 21.550 | G21 | (B.B.C., London) Irregular at present. | | | 19.58 m. Addr. (See 11.840 mc.) Sun., Wed., Sat. 5-5.10 pm.; Mon., Tues., Thurs., Fri. 6.55-9.55 | ll | TPB6 | (See 17.79 mc.) 5.45 am12 n. PARIS, FRANCE. 19.83 m., Addr. "Paris Mondial," 98 Bis Blvd. |
| 21.540 | W8XK | PITTSBURGH, PA., 13.93 m., Addr. Grant Bldg. Relays KDKA 6.45-9 am. Also Sunday. 6 pm. | 15,310 | GSP | DAVENTRY, ENG., 19.6 m., Addr. (See 17.79 mc.) 4.15-6, 6.20-8.30 | 15.130 | WIXAL | Haussmann. 6-8.15 pm. BOSTON, MASS., 19.83 m., Addr. World-Wide B'cast'g Founda- |
| 21.530 | | DAVENTRY, ENG., 13.93 m., Addr. (See 21.550 mc.) 5.45 am12 n. | 15.300 | XEBM | MAZATLAN, SIN., MEX., 19.61 m., Addr. Box 78, "El Pregonero del | | | tion. University Club. 10-11 am., MonFri. |
| 21.520 | W2XE | Col. Broad. Syst., 485 Madison Ave. Daily exc. Sat. and Sun. | | | Pacifico." Irregularly 9-10 am., 1-2, 8-10 pm. | 15.120 | | VATICAN CITY, 19.83 m., 10.30- 10.45 am., Tues., Wed. & Thurs. BERLIN, GERMANY, 19.85 m., |
| | LIGHT D | 6.30-9 am, Sat, and Sun. 7 am. 12 n. | 15.300 | _ | ROME, ITALY. 19.61 m., Addr. (See 2RO, 11.81 mc.) Relays 2RO to 9 pm. irregularly. | | 552 | Addr. (See 15.280 mc.) 12 m2, 8-9 am., 10.40 am4.25 pm., also 5un. 6-8 am. |
| | W2XAD | General Electric Co., 7-11 am. | 15.290 | LRU | BUENOS AIRES, ARG., 19.62 m., Addr. El Mundo. Relays LRI, 7-9 am. | 15.080 | RK1 | MOSCOW, U.S.S.R., 19.87 m. Works Tashkent near 7 am. Broad- |
| 21.470 | | DAVENTRY, ENG., 13.97 m. (See 21.550 mc.), 5.45 am12 n. BERLIN, GERMANY, 13.99 m., | 15.280 | H13X | CIUDAD TRUJILLO, D. R., 19.63 m, Relays HIX Sun. 7.40-10.40 am. | | | casts Sun. 12.15-2.30 pm. Daily 7-9.15 pm. |
| | | Addr., Broadcasting House. 12.05- 11 am. | 15.280 | DJQ | Weekdays 12.10-1.10 pm. BERLIN, GERMANY, 19.63 m., | | En | nd of Broadcast Band |
| | HSBPJ | days 8-10 am. | | | Addr. Broadcasting House. 12.05- 10 am., 4.50-10.45 pm. Also Sun. 11.10 am-12.25 pm. | 14.940 | PSE | RIO DE JANEIRO, BRAZIL. 20.08 m., Broadcasts Wed. 3.45-4.15 |
| 16.480 | нвн | GENEVA, SWITZERLAND, 16.23 m., Addr. Radio Nations. Sun., 10.45- 11.30 am. | 15.270 | W2XE | NEW YORK CITY, 19.65 m., Addr. (See 21.520 mc.) Daily except Sat. and Sun., 12 n-5 pm., Sat. & Sun. 1.30-5 pm. | 14.920 | LZA | SOFIA, BULGARIA, 20.10 m., Addr. Radio Garata. Mon., Tues., Thurs., Fri. 11.30 am2.45 pm. |
| 16 | Met | . Broadcast Band | 15.260 | GSI | DAVENTRY, ENG., 19.66 m., Addr. | | | Wed. 11.30 am4.45 pm., Sat. 11.30 am5 pm., Sun. 2 am5 pm. |
| 17.810 | | ROME, ITALY, 16.84 m., Addr. (See 2RO, 11.81 mc.) Relays 2RO to | 15.250 | WIXAL | (See 17.79 mc.) 1-3.15 am., 12.20-4 pm., 9.20-11.25 pm. BOSTON, MASS., 19.67 m., Addr. | II | JYH | Daily except Sun. 5-6.30 am. NAZAKI, JAPAN, 20.55 m. Broad- casts irregularly 5-11.30 pm. |
| 17.810 | TPB3 | 6 pm. irregularly. PARIS, FRANCE, 16.84 m. Addr. (See 15.245 mc.) 8.30-10 am. | | | University Club. Daily 1-2 pm., Sun. 10 am12 n. Tues., Thurs. 3.30-5.30 pm. | | (Ca | Works Europe 4-8 am. ontinued on page 348) |

Let's Listen In with

Joe Miller
"DX" Editor

 HERE 'tis, the October issue, and with it the end of our second year with Short Wave & Television.

We can certainly look hack over the past two years with pleasant memories of the many FB acquaintances we have made among our numerous readers.

As this article is being written, in the midst of the August heat wave, DX conditions are fairly good, but not dependable from day to day. The still high noise level mars many good DX signals, often being the difference between hearing or losing the call letters of the weaker fones.

By the time this article appears in print, the fall upswing in improved reception will definitely be evident, with continually lowering QRN and a pick-up in strength of many signals.

Begin tuning the 10 meter ham hand as soon as you read this, if not yet, as this band *begins* its fall and winter peak during this month. Best times for good ox between 10 am.-1 pm., with a peak near noon.

During the past month, we realized a much-cherished and coveted objective, in our final realization of 100 VAC, which mark we have since confortably passed. Never did we imagine, when we began SW bxing somewhat less than 5 years ago, that such an attainment was even within the realm of possibility!

To mind comes the occasion, 3 short years ago, when a well-known pxer's mark of all of 6 VAC was challenged by a then well-known px writer as *impossible!* Impossible that any pxer could have amassed such a remarkable total, and this only 3 years ago!

And so short waves go on, with yesteryear's impossibility today's reality in achievement.

As the world's first over to reach 100 VAC, we are moved to inaugurate a new ox organization, for which we hope some of you may eventually become eligible, i.e., the Century VAC Club, certainly the most exclusive ox organization one could imagine, hi, what with the *only* requirement being that one possess veris on fone totalling 100 VAC!

Now to bx:



FRENCH INDO-CHINA

Radio Boy-Landry, 9.76 mc., at Saigon, was well received one am, during July, despite QRN. The 31 meter band, year in and year out, is the most reliable SW ox band, and most anything on the air, no matter where it's located on this ever-shrinking little globe of ours, will sooner or later be logged, if one but perseveres, on this popular SW BC band. Boy-Landry transmits on 3 waves now, 6.20, 11.71, and on 9.76 mc. Look for Saigon on the 2 higher frequencies in September, in the early an, hours.

in September, in the early am, hours, QRA: Ets. Boy-Landry, Dept. Radio, 17, Place A Foray, Saigon, French Indo-China. Rene Lebon, whose station card and

photo we showed in our last article, operates in Hanoi as FI8AC. a famous Asiatic amateur call. He sends us some news of new SW BC stations in Indo-China.

Radio Hanoi 1, 9.51 mc., and Radio Hanoi II, 11.90 mc., using 15 and 150 watts respectively, and built personally by Rene, are now on the air daily, midnight, 2 am. and 6-10 am. EST. Rene adds that these stations are owned by the Radio Club de l'Indochine, and that all correct reports will be verified. Address the Radio Club de l'Indochine. Radio Hanoi, Hanoi, French Indochine.

CHINA

XTJ, 11.69 mc., Hankow, was very well heard one morning while in contact with XTS, 11.44 mc., at Swatow, also a fine signal. Both stations used inverted speech. This

at 5:25 am.

XTJ daily broadcasts from 7-7:30 am. as "The Voice of China," and is very well heard on the West Coast, both while phoning at all hours of am. and broadcasting.

XGX, 9.20 mc., also at Hankow, which relays the powerful XGOW. BCB station at Hankow, is being well heard on the West Coast from 5-10 am, according to Ashley Walcott, W6. Tho the assigned frequency of XGX is 9.20 mc., the station varies this frequency inside the limits of 9-9.25 mc., to a void interference, probably purposely created, by the enemy forces. XGX uses 150 watts. In a verification of XGX to Mr.

Left: J6DP (Photo) Here's a really F8 DX shack, which RYUICHI proudly presents! F8, OM!

Below: An outstanding DX QSL card: white letters on blue background.





FBBAB—A charming photo of "OM" Paul and the Junior "OP," all set in his FB DX shack to work some real DX. And Paul is some DXer!

Walcott, T. Y. Woo, Director, the Central Broadcasting Administration, Central Executive Committee of Kuomintang, Chungking, China, states that a powerful new 35 kw. transmitter is being installed, and will be broadcasting within a few months. Reports on XGX should be sent to Mr. Woo.

FINLAND

Lahti is now being reported by numbers of alert overs throughout the U. S., mostly on the 31 meter band, where its signal is heard at 9.50 mc., its schedule being 12:15-5 pm. On 11.78 mc., the schedule is 1:05 am. 12:05 pm. This data is contained in a veri to Ed Goss, W2, N. Y. State manager for I. D. A., for the 9.50 mc, wave. Veri states power is 1 kw.

Lahti is also reported with an exceptional rating of R9 for the West Coast by Max Fisher, W6, on 15.189 mc., one morning, from 12:30 am, till after 3 am, Max adds that a woman makes announcements, these in English, on the hour, with often a 2-5 minute silence between annts. When heard in early am, this station broadcasts physical exercises, conducted by either a man or woman, accompanied by an organ. Watch for this new country to add to ur logs. Lahti QSLs promptly. QRA in last issue.

MADAGASCAR

Radio Tananarive, with its 3rd verification here (this for 10.95 mc.), has been, to put it aptly, "cleaned up," as we already had the 9.5 and 6 mc. veris of this ace catch. Look for this rare bx "sig" this fall and winter on frequencies of 9.38 and 10.95 mc. on a schedule of 12:30-12:45 am., 3:30-4:30 am., 10-11 am. wkdays; and 2:30-4 am. Sundays. Our luck has always held up on the Sunday transmissions between 2:30-4 am.

FED. MALAY STATES


ZGE, 6.21 mc. (now heard on 6.24) at Kuala Lumpur, at last QSL'd our hopeful reports of April, 1937, with its station card, which will be shown next month (conditions permitting). We had the ill-fortune to forget to write ZGE c/o the Malayan Amateur Radio Society, which organization operates the transmitter, the same one as used for commercial telephony under the call ZGB. However, a follow-up report, (Continued on page 379)

| 1.535 H. H. GENEYA_WITZERAND_ZIAM_ 1.336 | | | | 1 | | | l | | |
|--|--------|--------|---|--------|---|---|-------|-------------|--|
| Adds. Badds. National Indicates Provided States of the Color Market States | Mc. | Call | GENEVA SWITTERIAND 2044 m | | | DANIAMA CITY DANI 25.47 m | Mc. | Call D7R | ZEESEN GERMANY. 29.87 m |
| The property of the property | 14.535 | ПВЭ | Addr. Radio Nations, Broadcasts | | | Addr. Box 1121, Heard till 12 m. | | | Addr. Reichspostzenstralamt. If- regular. |
| MANAGE M | 14.440 | _ | Relays Salamanca 8.15-8.45 pm. | 11 770 | חות | after midnight. | 9.980 | CORG | P. O. Box 132. Relays CMBC |
| 14.500 EAPAH TETUAN, STANISH MOROCCO 100 Appended 101 Appended 102 Appended 1 | 14.166 | PIIJ | DORDRECHT, HOLLAND, 21.15 m., Addr. (See 7.088 mc.) Sat. 12 n | 11.770 | 030 | Addr. (See 15.280 mc.) 10.40 am 4.30 pm., 4.50-11 pm. | 9.940 | JDY | DAIREN, MANCHUKUO, 30.18 m. Relays JOAK daily 7-8 am. Works |
| 13.25 SPW SARAM, POLAND, 252 m. 264 pm. 38.1 S. 20. 67 pm. 265 pm. 2 | 14.004 | EA9AH | TETUAN, SPANISH MOROCCO, | 11.760 | TGWA | m. (See 17.8 mc.) Irregular 10- | 9.865 | СОСМ | HAYANA, CUBA, 30.41 m., Addr. Transradio Columbia, P. O. Box |
| 12325 WXDH ERRON LL 732 m Past Wice Past Pas | 12 435 | CP\A/ | 4.30 and 7.15 pm. Relays Sala- manca from 5.40 pm. | 11.760 | OLR4B | PRAGUE, CZECHOSLOVAKIA, | 9.860 | EAQ | MADRID, SPAIN, 30.43 m., Addr. Post Office Box 951, 7,30-8, 8,40- |
| 12.25 TFJ | | | 6-8 pm, Sat. & Sun. 6-9 pm. | 11.750 | G SD | DAVENTRY, ENG., 25.53 m., Addr. | 9.830 | 1RF | ROME, ITALY, 30.52 m. Works |
| 11.70 COLD MANANA, CUBA, 73.5 m, P. O. SAGOY, Nat, Broad, 31.9 m, M. SAGOY, Nat, Broad, SAGOY, Nat, | | | less, Tests 2-5 pm. REYKJAVIK, ICELAND, 24.52 m. | | | 12.20-4.00 p.m., 6.20-8.30, 9.20- | 9.760 | CSW | 6-9 pm. |
| 12.00 RNE | 12.200 | _ | casts Sun. 1.40-2.30 pm. | 11.740 | cocx | 8ox 32, 6.55 am1 am. Sun. till | 9.760 | _ | SAIGON, INDO-CHINA, 30.72 m., |
| 11.70 HIZ CDIND TBUILDING 15.75 m. Add. La Vot de Higheniola, tell vice de Higheniola, | 12.060 | DNE | Chiclin, Irregular. | 11.740 | HVJ | VATICAN CITY, 25.55 m. Testing | 9.720 | coco | Boy-Landry." Heard 6-9.15 am. HAVANA, CUBA, 30.85 m. Addr. |
| 1.1.00 1 | 12.000 | KITE | 6-7 am., 12.15-1 pm., 8-9.15, 10- | | | Box 203. Relays XET, 12 n2 pm. | 9.700 | E7 E4 | 6.55 am1 am. Sun. till 12 m. |
| 11.70 CPIN No. | 11.970 | HI2X | m., Addr. La Voz de Hispaniola. | | | Addr. N. V. Philips' Radio. | | | 30.9 m., Addr. P. O. Box 136. 11.30 am12.30 pm., 6.15-7.50 pm. |
| 11.70 CH VALDIVA, CHILE, 22 m. P. O. | | | 10.10 pm. | | *************************************** | World-Wide B'cast'g. Founda- tion, University Club. Daily exc. | 9.690 | TI4NRH | Addr. Amando C. Marin, Apar- tado 40. Sun., 7-8 am. Tues., |
| 10.700 XEVI | _ | | | 11.720 | CJRX | WINNIPEG, CANADA, 25.6 m., Addr. James Richardson & Sons, | 9.685 | TGWA | GUATEMALA CITY, GUAT., 30.96 |
| 11.900 XEW MEXICO CITY, MEXICO, 252 Im., Mary Price 11.800 Architecture 11.800 Archite | 11.710 | CDITIO | Box 642, Relays C869 10 am1 | 11.718 | CP78H | 10 pm. | 9.675 | DZA | ZEESEN, GERMANY, 31.01 m., |
| Tues: and Thur: 7.30 pm12 m., sair, 9 pm12 m. | 11.900 | XEWI | Addr. P. O. Box 2874. Mon., | | OK, SI | GUESE E. AFRICA, 25.6 m. Daily 12.05-1, 4.30-6.30, 9.30-11 am., | 9.660 | LRX | BUENOS AIRES, ARG., 31.06 m., |
| 11.885 TPA3 | | | Tues, and Thur. 7,30 pm12 m., Sat. 9 pm,-12 m. | 11.715 | TPA4 | 2 pm. PARIS, FRANCE, 25.61 m., (See | 9.650 | CS2WA | 9.30 am11.30 pm, LISBON, PORTUGAL, 31.09 m., |
| 11.885 TPA PARIS, FRANCE, 25.24 m., Addr. (see 5.240 m.c.) 1.4 m., 10.5 m., 20 m., | 11.895 | HP51 | Addr. La Voz del Interior. 7.30- | 11.710 | SBP | pm. | 0 4/6 | HH3W | Thurs, and Sat. 3.30-6 pm. |
| 11.885 TP87 | 11.885 | TPA3 | (See_15.245 mc.) 1-4 am., 10.15 | | | 2.05, 6-9 am., II amI pm., Sat. 1.20-2 am., 6 amI.30 pm., Sun. | | | Addr. P. O. Box A117, 1-2, 7-8 pm. |
| 11.860 YBB SCERASIA, JAVA, 25.25 m. Addr. N. I. R. O., M. Sat. 7.30 m. AGdr. N. I. R. O., M. Sat. 7.30 m. AGdr. N. I. R. O., M. Sat. 7.30 m. AGdr. N. I. R. O., M. Sat. 7.30 m. AGdr. N. I. R. O., M. Sat. 7.30 m. To 2 am. 10 am. 10 am. 10 am. 10 am. 10 2 am. 10 am. 12 m. Addr. (See 11.75 mc.) Market Residual Resi | 11.885 | TPB7 | PARIS FRANCE 25.24 m. (See | 11.710 | YSM | SAN SALVADOR, EL SALVADOR, 25.63 m., Addr. (See 7.894 mc.) | 9.640 | CXAB | Addr. Belgrano 1841, Buenos Aires, Argentina. Relays LR3, |
| 11.840 GSE 17.50 m, dairy 10.30 m, dairy 11.840 KZRM 18.840 KZRM | | | (See 21.540 mc.) 6-8.45 pm. | 11.700 | HP5A | PANAMA CITY, PAN., 25.65 m. | 9.635 | 2RO | ROME, ITALY, 31.13 m., Addr. |
| 11.850 GSE DAYENTRY, ENG., 25.28 m., Addr. (See 11.75 mc.) SERLIN, GERMANY, 25.31 m., Addr. (See 15.280 mc.) Irregular. 11.850 m.4, 7-10.45 pm. End of Broadcast Band Sharing February 11.840 KZRM MANILA, P. I., 25.35 m., Addr. Erlanger & Gallinger, 80x 233, 11.402 HBO MANILA, P. I., 25.35 m. Addr. Erlanger & Gallinger, 80x 233, 11.402 HBO GENEVA, SWITZERLAND, 26.31 m., Addr. P. O. Box 455. MANILA, P. I., 25.35 m. Addr. Ratio Nations. Sun. 17-45. May 11.800 MBO, P. O. Box 455. May 11.800 MBO, P. O. Box 456. May 11.800 MBO, | 11.000 | 100 | pm. to 2.30 am., daily 10.30 pm. | 11.700 | CB1170 | 954. 10 am10 pm. SANTIAGO, CHILE, 25.65 m. Addr. | 9.630 | HJ7ABD | present. BUCARAMANGA, COL., 31.14 m. |
| 11.855 DJP BERLIN, GERMANY, 25.31 m. Addr. (See 15.260 m.C.) Irregular 11.35 m4, 271.045 pm. 11.840 KZRM MANILA, P. 1, 25.35 m. Addr. Erlanger & Gallinger, Box 283, p. pm10 am. Irregular, addr. (See 15.260 m.C.) Addr. (See 15.260 m.C.) 11.402 HBO 11.840 CSW LISBON, PORT, 25.35 m. Narl 8road, Station. 11.30 am1.20 pm. Irregular, addr. Radio Nations, Sun. 77.45 pm., Mon. I-I.15. am. 11.840 CSW LISBON, PORT, 25.35 m. Narl 8road, Station. 11.30 am1.20 pm. Irregular, addr. Radio Nations, Sun. 77.45 pm., Mon. I-I.15. am. 11.840 CSW LISBON, PORTUGAL, 27.17 m. Addr. Nat. Broad, Station. 11.30 am1.20 pm. Irregular, addr. Radio Nations, Sun. 77.45 pm., Mon. I-I.15. am. 11.840 CSW RAGIO REPORTUGAL, 27.17 m. Addr. Nat. Broad, Station. 11.30 am. 11.850 m. Addr. Czech Shortwave bis., pm. Addr. (See 15.260 m.D.) addr. 11.840 CSW RAGIO REPORTUGAL, 27.17 m. Addr. Nat. Broad, Stat. 1.30.5 pm. 11.850 m. Addr. Czech Shortwave bis., pm. Addr. (See 15.260 m.D.) addr. 11.850 CSW RAGIO REPORTUGAL, 27.30 m. Addr. 11.850 CSW 11.850 MWXAA CHICAGO, ILL, 25.36 m., Addr. Col. Broad, System, 485 Madison Av., N.Y.C. 5.30-10 pm. 11.850 CSW 11.850 MWXAE 11.8 | 11.860 | GSE | DAVENTRY, ENG., 25.29 m., Addr. | | | | 9.625 | JFO | TAIHOKU, TAIWAN, 31.16 m. Re- |
| 11.840 KZRM | 11.855 | DJP | BERLIN, GERMANY, 25.31 m., Addr. (See 15.280 mc.) Irregular | | | | 9.616 | HJIABP | |
| 11.840 CSW LISBON, PORT, 25.35 m. Nat' Broad. Station. 11.30 am.1.30 pm. Irregular. 11.840 OLR4A PRAGUE, CZECHOSLOVAKIA, 25.34 pm., Mon. 1-1.15, mm. Addr. Citech Shortwave Stya. Proha XII, Fochova 16. Mon. Tues., Thurs., Fri. 655-9.55 pm. 11.840 OLR4A PRAGUE, CZECHOSLOVAKIA, 25.34 pm., Addr. Citech Shortwave Stya. Proha XII, Fochova 16. Mon. Tues., Thurs., Fri. 655-9.55 pm. 11.840 OLR4A PRAGUE, CZECHOSLOVAKIA, 25.34 pm., Addr. Citech Shortwave Stya. Proha XII, Fochova 16. Mon. Tues., Thurs., Fri. 655-9.55 pm. 11.840 OLR4A PRAGUE, CZECHOSLOVAKIA, 25.34 pm., Addr. Citech Shortwave Stya. Proha XII, Fochova 16. Mon. Tues., Thurs., Fri. 655-9.55 pm. 11.850 WZXE HERMOSILLA, SON., MEX., 25.37 pm., Addr. Box 68. Relays XEBH. L4 pm., 9 pm.12 pm. 11.850 ORN DAYENTRY, ENG., 25.38 m., Addr. (See 11.75 mc.) Irregular. 11.850 OZG SKAMLEBOAEK, DENMARK, 25.41 pm., Addr. Gen. Betancourt St. Relays CMF. 23.4 St., 6-11 pm. 11.850 OZG SKAMLEBOAEK, DENMARK, 25.41 pm., Addr. Statrsadiotonien. Irregular. 11.850 OZG SKAMLEBOAEK, DENMARK, 25.41 pm., Addr. Cen. Betancourt St. Relays CMF. 23.30 pm. 11.850 OZG SKAMLEBOAEK, DENMARK, 25.41 pm., Addr. Cen. Betancourt St. Relays CMF. 23.30 pm. 11.850 OZG SKAMLEBOAEK, DENMARK, 25.41 pm., Addr. Cen. State S | 11.840 | KZRM | MANILA, P. I., 25.35 m. Addr. Erlanger & Gallinger, Box 283. | | | 5 Mazowiecka St. 6-9 pm. | 0./15 | 704 | 5-11 pm., Sun. 10 am1 pm., 3- 6 pm. |
| 11.840 OLR4A | 11.840 | CSW | LISBON, PORT., 25.35 m. Nat'l | | | Addr. Radio Nations. Sun. 7-7.45 pm., Mon. I-1.15. am. | 7.015 | ZKK | 31.2 m., Addr. P. O. Box 4559, Johannesburg, Daily, exc. Sart. |
| 11.830 W9XAA CHICAGO, ILL., 25.36 m., Addr. Chicago Federation of Labor. Irregular 7 am. 46 pm. 11.830 W2XE NEW YORK CITY, 25.36 m., Addr. Col. Broad System, 485 Madison Av., N.7.C. 5.30-10 pm. 11.826 XEBR HERMOSILLA, SON., MEX., 25.37 m., Addr. Soc. Broad System, 485 Madison Av., N.7.C. 5.30-10 pm. 11.820 GSN DAYENTRY, ENG., 25.38 m., Addr. (See 11.75 mc.) Irregular. 11.820 GSN DAYENTRY, ENG., 25.38 m., Addr. (See 11.75 mc.) Irregular. 11.820 GSN DAYENTRY, ENG., 25.34 m., Addr. (See 11.75 mc.) Irregular. 11.820 GSN DAYENTRY, ENG., 25.34 m., Addr. (See 11.75 mc.) Irregular. 11.820 GSN DAYENTRY, ENG., 25.34 m., Addr. (See 15.200 mc.) Or MATANZAS, CUBA, 25.41 m., Addr. Gen. Betancourt St. Relays CMGF, 2-3, 4-5, 6-11 pm. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.41 m., Addr. Gen. Betancourt St. Relays CMGF, 2-3, 4-5, 6-11 pm. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.41 m., Addr. Gen. Betancourt St. Relays CMGF, 2-3, 4-5, 6-11 pm. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.41 m., Addr. Statsradiofonien. Irreg. 10.350 DZC SKAMLEBOAEK, DENMARK, 25.41 m., Addr. Statsradiofonien. Irreg. 10.350 DZC SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. (See 15.200 mc.) Off the air at present. 11.800 DZG SKAMLEBOAEK, DENMARK, 25.43 m., Addr. | 11.840 | OLR4A | pm. Irregular. PRAGUE, CZECHOSLOVAKIA, 25.34 | | | Addr. Nat. Broad. Sta. 1.30-5 pm. BANDOENG, JAVA, 27.27 m. Re- | | | 3.30-4.30 or 4-5, 5.30-7, 9-11-45 |
| 11.830 W9XAA CHICAGO, ILL, 25.36 m., Addr. Chicago Federation of Labor. Irregular 7 am6 pm. 11.830 W2XE NEW YORK CITY, 25.36 m., Addr. Col. Broad. System, 485 Madison Av., NY.C. 5.30-10 pm. 11.826 XE8R HERMOSILLA, SON., MEX., 25.37 m., Addr. Box 68. Relays XE8H. 1.4 pm., 9 pm12 m. 11.820 GSN DAYENTEY, ENG., 25.38 m., Addr. (See 11.75 mc.) Irregular. 11.810 2RO ROME, ITALY, 25.4 m., Addr. See 11.75 mc.) Irregular. 11.805 COGF MATANZAS, CUBA, 25.41 m., Addr. Gen. Betancourt 51. Exel. ays CMGF. 23, 45, 6-11 pm. 11.805 OZG SKAMLEBOAEK, DENMARK, 25.41 m., Addr. Gen. Betancourt 51. Exel. ays CMGF. 23, 45, 6-11 pm. 11.800 JZJ TOKYO, JAPAN, 25.42 m., Addr. Roadcastin Co. of Japan. Overseas Division. 77.30, 8-9.30 am., 2.04, 4.30-5.30 pm. 11.806 OZG SKAMLEBOAEK, DENMARK, 25.41 m., Addr. Startardiofonien. Irregular. 11.807 DJO BERLIN, GERMANY, 25.43 m., Addr. (See 15.280 mc.) Off the air at present. 11.808 DZJ TOKYO, JAPAN, 25.42 m., Addr. Gee 15.280 mc.) Off the air at present. Addr. Gee 15.280 mc.) Off the air at present. BOSTON, MASS., 25.45 m., Addr. (See 15.280 mc.) Off the air at present. Fig. 330-5.30 pm., Sat. 5-5.30 pm., Sat. 5-5.30 pm. Col. 2020 | | | Praha XII, Fochova I6. Mon., | 0.40 | | or 11 am. Sat. until 11.30 am. | 9.607 | HP5J | PANAMA CITY, PANAMA, 31.23 |
| 11.830 W2XE NEW YORK CITY, 25.36 m., Addr. Col. Broad. System, 485 Madison Av., N.Y.C. 5.30-10 pm. | 11.830 | W9XAA | Chicago Federation of Labor. | 100 | | 27.36 m., Addr. (See 9.53 mc.) 12.30-45, 3.30-4.30, 10-11 am. | | | |
| 11.826 XEBR | 11.830 | W2XE | NEW YORK CITY, 25.36 m., Addr. Col. Broad, System, 485 Madison | Į. | | Irregular. | 3 | 1 Met | |
| 11.820 GSN DAYENTRY, ENG., 25.38 m., Addr. (See 11.75 mc.) Irregular. Montello 5. Daily 5.845 am., 10 am9 pm. 10.370 EAJ43 10.370 | 11.826 | XESR | | | | casts daily 2-8 am. Works Europe irregularly at other times. | | | |
| 11.810 2RO ROME, ITALY, 25.4 m., Addr. E.I.A.R., Via Montello 5. Daily 5-8.45 am., Io am9 pm. | 11.820 | GSN | I-4 pm., 9 pm12 m. DAYENTRY, ENG., 25.38 m., Addr. | - | | m., Tues., Thurs., Sat. 7,30-7,45 pm. | | | Addr. Radio Nations, Irregular. |
| 11.805 COGF MATANZAS, CUBA, 25.41 m., Addr. Gen. Betancourt S1. Relays CMGF. 2-3, 4-5, 6-11 pm. 11.805 OZG SKAMLEBOAEK, DENMARK, 25.41 m. Addr. Statsradiofonien. Irreg. ToKYO, JAPAN, 25.42 m., Addr. Statsradiofonien. Irreg. Overseas Division. 7-7.30, 8-9.30 am., 2.30-4, 4.30-5.30 pm. 11.795 DJO BERLIN, GERMANY, 25.43 m., Addr. See 15.280 mc.) Off the air at present. 11.790 WIXAL BOSTON, MASS., 25.45 m., Addr. (See 15.280 mc.) Off. the air at present. 10.370 EAJ43 TENERIFFE, CANARY ISLANDS, 28.49 m., Relays Salamanca, Spain, 2-4, 5-9.45 pm. 10.370 EAJ43 TENERIFFE, CANARY ISLANDS, 28.49 m., Addr. Salamanca, Spain, 2-4, 5-9.45 pm. 10.370 EAJ43 TENERIFFE, CANARY ISLANDS, 28.49 m., Addr. Spain, 2-4, 5-9.45 pm. 10.350 LSX BUENOS AIRES, ARG., 28.98 m., Addr. Trensradio International. Tests irregularly. 10.330 ORK RUYSSELEDE, BELGIUM, 29.04 m. Broadcasts 1.30-3 pm. Works OPM 1-3 am., 3-5 pm. Addr. (See 15.280 mc.) Off the air at present. 10.290 DZC ZEESEN, GERMANY, 29.16 m., Addr. (See 15.280 mc.) Irregular. Addr. (See 15.280 mc.) Off the air at present. 10.260 PMN BANDOENG, JAVA, 29.24 m. Relays Salamanca, Spain, 2-4, 5-9.45 pm. BUENOS AIRES, ARG., 28.98 m., Addr. Port More International. Tests irregularly. 10.330 ORK RUYSSELEDE, BELGIUM, 29.04 m. Broadcasts 1.30-3 pm. Works OPM 1-3 am., 3-5 pm. Addr. (See 15.280 mc.) VK6ME PERTH, W. AUSTRALIA, 31.28 m. Addr. Amalgamated Wireless of Australasia, Ltd. 4-7 York St Sun. 12 m., Addr. Amalgamated Wireless of Australasia, Ltd., 47 York St Sun. 12 m., Addr. See 15.360 mc.) Irregular. 10.290 DZC ZEESEN, GERMANY, 29.16 m., Addr. (See 15.360 mc.) Irregular. BANDOENG, DAVA, 29.24 m. Relays YDB 5.30-10.30 or 11 am., Sat to 11.30 am. NEW YORK, N. Y., 31.28 m., Addr. See 15.280 mc.) PMN BANDOENG, DAVA, 29.24 m. Relays YDB 5.30-10.30 or 11 am., Sat to 11.30 am. NEW YORK, N. Y., 31.28 m., Addr. See 15.280 mc.) PMN BANDOENG, DAVA, 29.24 m. Relays YDB 5.30-10.30 or 11 am., Sat to 11.30 am. NEW YORK, N. Y., 31.28 m., Addr. See 15.280 mc.) PMN BANDOENG | 11.810 | 2RO | ROME, ITALY, 25.4 m., Addr. E.I.A.R., Via Montello 5. Daily | | | Works Japan around 6.25 am. Broadcasts, relaying JFAK 9.05-10 | | VUD3 | All India Radio, 1.30-3.30 am., 6.30-8.30 am., 7.30 am12.30 pm. |
| 11.805 OZG SKAMLEBOAEK, DENMARK, 25.41 m. Addr. Statsradiofonien. Irreg. 11.806 JZJ TOKYO, JAPAN, 25.42 m., Addr. Statsradiofonien. Irreg. 10.330 ORK RUYSSELEDE, BELGIUM, 29.04 m. Broadcasting Co. of Japan. Overseas Division. 7-7.30, 8-9.30 am., 2.30-4, 4.30-5.30 pm. Off the air at present. 11.795 DJO BERLIN, GERMANY, 25.43 m., Addr. (See 15.280 mc.) Off the air at present. 11.796 WIXAL BOSTON, MASS., 25.45 m., Addr. (See 15.250 mc.) Mon., Wed., Fri. 3.30-5.30 pm., Sat. 5-5.30 In.200 PSH RIO DE JANEIRO, BRAZIL, 29.35 m., Addr. Box 709. Broadcasts 10.200 PSH RIO DE JANEIRO, BRAZIL, 29.35 m., Addr. Box 709. Broadcasts 13.00 DE JANEIRO, BRAZIL, 29.35 m., Addr. See 15.250 m., Addr. Oscillation 13.00 pm. Set. 5-5.30 pm. Set. 5- | 11.805 | COGF | 5-8.45 am., 10 am9 pm. | 10.370 | EAJ43 | TENERIFFE, CANARY ISLANDS, 28.93 m. Relays Salamanca, | 7.590 | ruj | Addr. (See 15.220 mc.) Sun. 2-3, Mon. 7-8, 8.15-9.25 pm. Tues. |
| 11.800 JZJ TOKYO, JAPAN, 25.42 m., Addr. RVSSELEDE, BELGIUM, 29.04 m. Broadcasts 1.30-3 pm. Works OpM I-3 am., 3-5 pm. Works OpM I-3 am., 3-5 pm. Works OpM I-3 am., 3-5 pm. Addr. Amalgamated Wireless of Australasia, Ltd. 6-8 am. exc. Sur. Addr. GERMANY, 25.43 m., Addr. (See 15.280 mc.) Off the air at present. 10.260 PMN BANDOENG, JAVA, 29.24 m. Relays YDB 5.30-10.30 or II am., Sat to II.30 am. 10.220 PSH 1 | 11.805 | oze | SKAMLEBOAEK, DENMARK, 25.41 | 10.350 | LSX | BUENOS AIRES, ARG., 28.98 m., Addr. Transradio International. | 9,590 | AK9WE | 8.45-10.15 pm., Thurs. 7-9 pm. |
| Overseas Division. 7-7.30, 8-9.30 am., 2.30-4, 4.30-5.30 pm. 11.795 DJO BERLIN, GERMANY, 25.43 m., Addr. (See 15.280 mc.) Off the air at present. BOSTON, MASS., 25.45 m., Addr. (See 15.250 mc.) Mon., Wed., Fri. 3.30-5.30 pm., Sat. 5-5.30 RIO.290 DZC ZEESEN, GERMANY, 29.16 m., Addr. (See 15.360 mc.) Irregular. BANDOENG, JAVA, 29.24 m. Re- lays YDB 5.30-10.30 or 11 am., Sat to 11.30 am. RIO DE JANEIRO, BRAZIL, 29.35 m., Addr. Box 709. Broadcasts 10.290 DZC ZEESEN, GERMANY, 29.16 m., Addr. Amalgamated Wireless of Australasia, Ltd., 47 York St Sun. 12 m2 am.; 4.30-8.30 am 11.30-am1.30 pm. 9.590 WZXE NEW YORK, N. Y., 31.28 m., Add CBS, 485 Madison Ave., Irregular. II.390 WIXAL | | | TOKYO, JAPAN, 25.42 m., Addr. | 10.330 | ORK | RUYSSELEDE, BELGIUM, 29.04 m. | | | Addr. Amalgamated Wireless of Australasia, Ltd. 6-8 am. exc. Sun. |
| Addr. (See 15.280 mc.) Off the air at present. 11.790 WIXAL BOSTON, MASS., 25.45 m., Addr. (See 15.250 mc.) Mon., Wed., Fri. 3.30-5.30 pm., Sat. 5-5.30 [10.220 PSH] 10.260 PMN BANDOENG, JAVA, 29.24 m. Relays YDB 5.30-10.30 or 11 am., Sat to 11.30 am. Sat to 11.30 am. Fri. 3.30-5.30 pm., Sat. 5-5.30 [10.220 PSH] RIO DE JANEIRO, BRAZIL, 29.35 pm., Addr. Box 709. Broadcasts pm., Addr. Box 709. Broa | 11 | DIO | Overseas Division. 7-7.30, 8-9.30 am., 2.30-4, 4.30-5.30 pm. | 10.290 | DZC | OPM I-3 am., 3-5 pm. ZEESEN, GERMANY, 29.16 m., | 9.590 | VKZME | Addr. Amalgamated Wireless of |
| 11.790 WIXAL BOSTON, MASS., 25.45 m., Addr. (See 15.250 mc.) Mon., Wed., Fri. 3.30-5.30 pm., Sat. 5-5.30 m., Addr. Box 709. Broadcasts m., Addr. Box 709. Broadcasts | 11.795 | סומ | Addr. (See 15.280 mc.) Off the | 10.260 | PMN | BANDOENG, JAVA, 29.24 m. Re- lays YDB 5.30-10.30 or 11 am., | 0 504 | W?YE | 11.30-am1.30 pm. |
| | 11.790 | WIXAL | (See 15.250 mc.) Mon., Wed., | 10.220 | PSH | Sat to 11.30 am. RIO DE JANEIRO, BRAZIL, 29.35 | 7.570 | AA TVE | CBS, 485 Madison Ave., Irregu- |
| | | | | | | | | (Co | ontinued on page 350) |

Each month the Editor will award a 2 year subscription for the best kink submitted. All other kinks published will be awarded eight months' subscription to RADIO & TELEVISION. Look over these kinks; they will give you some idea of what is wanted. Send a typewritten or ink description with sketch, of your favorite to the Kink Editor.

Housing for Xmtr 1st Prize


A sturdy moth-proof closet makes a first rate housing for a transmitter-and is very inexpensive. Those of the kind that are made with pressed wood panels on a wooden frame, and




which are equipped with sliding corrugated cardboard doors are excellent, for the framework will hold up to 150 lbs. weight. The heaviest unit—the power supply -rests on the floor inside the closet, so need not be included when calculating the weight of the apparatus. These cabinets are 2 feet deep by 3 feet wide, and may be had either 4 feet or 6 feet high.—George Nichols.

Power Supply

A way of securing full-wave rectification of alternating current without the use of a power transformer is shown in the diagram. Two 25 or 30 watt incandescent lamps are connected in series across the 110 volt a.c. line, as shown, and the center point between them is used as the negative leg of the rectified voltage. The positive leg is




taken from the two cathode terminals of the 25Z5 rectifier tube, as shown. The voltage output with this arrangement is about 50 volts at low current drains. The 40-watt lamp is used to reduce the filament voltage for the 25Z5 to its proper point.—Russell Yost.



Aerial Hint

I have had considerable interference with radio reception in my locality and finally hit on the scheme described for UHF reception. The coils specified are wound with No. 26 p.c.c. wire on a 1¼" diameter tube, suspended between the two legs of the antenna. I have had most gratifying results with this arrangement, the noise pick-up being very low and the signal pick-up high.-Frank Owens.




Carrier Indicator

A simple visual means of showing when a transmitter is on the air is to use a small wire loop coupled either to the final tank or to the oscillator coil of the transmitter. The ends of this loop are connected to a 6.3 volt pilot light on the front panel of the transmitter, When the transmitter is put on the air, the R.F. voltage induced in the loop will light up the 6.3 volt pilot bulb. Care must be taken that the coupling loop is not too close to the transmitter coils to prevent the buth from being burned out.-Robert J. Ingelsby.

Even Bandspread


A particularly good way of assuring that any desired band is spread over an equal area on the tuning dial is shown here. A fixed condenser, Cl, is mounted inside the plug-in coil form and connected as shown, in series with the bandspread tuning condenser C2. If desired, C1 can be a variable condenser having a maximum capacity of 100 mmi. It should be adjusted so that the limits of any ham or broadcast band correspond to one complete rotation of band-



spread condenser C2. Without the use of condenser (1, it will be found that some bands will only cover a part of the rotation of the bandspread condenser while other bands will not be completely covered by one complete rotation of this condenser. -Homer Apple.

Phone & Speaker Kink


The diagram shows how I wired an output terminal for phones or loud speaker from a 45 tube. The inductance used is an old push-pull 45 output choke. and it works very well with phones or magnetic speaker. This principle should be useful in



sets using push-pull audio systems, by removing one of the power tubes and connecting the phones between the plate terminal on the socket of the tube removed and the B+.-M. P. McKay.

Low-Cost Chassis


For experimental work simple chassis may be fashioned at very little cost from tin containers such as are available from drug stores and garages. Baking pans will also serve for the purpose. With a pair of tinsnips, cut off the bottom of the



container so that it will be a 1/4 deeper than the desired chassis. Fold the extra 1/4" back to secure a smooth non-scratching edge. Holes for sockets, etc.. can easily be cut with an old knife.—Jim Lattig, 1V9OJR.

Soldering Aids


Two angle brackets mounted on the wall provide a resting place for the iron. If the iron is to be placed here while still warm, it is advisable to mount a piece of asbestos on the wall so



it will not be scorched. A duplex receptacle is needed, as shown in the sketch, and a toggle switch mounted on the side of a metal box provides a semipermanent method of supplying power to the soldering iron. The toggle switch turns the iron on or off, as desired .- Lincoln Weeks.


Novel Condenser Shaft

It is frequently necessary to mount a condenser back of the metal panel on a transmitter or receiver and this arrangement requires the use of an insulated shaft. The drawing shows how an insulated section of shaft can be coupled to the condenser; the insulated section is made from the core of a pie-wound R.F. choke. The windings are cut off and the small metal caps on the ends are also removed. A shaft coupler completes the j Barnett Mitchell, W4EZI. iob.—



| Me | C-11 | | Ma | Call | | Mc. | Call | |
|---------------|------------------|---|----------------|---------------|---|-------|---|--|
| Mc. a.Kan | Call W3XAU | PHILADEIPHIA PA 31 29 m Pa- | 9,500 | Call LY72 | LAHTI, FINLAND, 31.58 m., Addr. | 6.790 | | PARAMIRABO, SURINAM. 44.16 |
| 71070 | *********** | PHILADELPHIA, PA., 31.28 m. Re- lays WCAU Mon., Thurs., Sat. 12 n12 m.; Tues., Fri., Sun. II pm12 m.; Wed. 9 pm12 m. | | HS8PJ | (See 15.19 mc, LYZ4) 2-5 pm. BANGKOK, SIAM, 31.58 m. Thurs- | 0.770 | | m., Addr. P. O. Box 18, Daily 6.06-8.36 am., Sun. 9.36-11.36 am. Daily 5.36-8.36 pm. |
| 9.580 | G \$C | DAVENTRY, ENGLAND, 31.32 m., Addr. B. B. C., Portland Pl., London, W. i, 6.20-8.30, 9.20-11.25 pm. | 9.488 | EAR | day, 8-10 am. MADRID, SPAIN, 31.6 m., Addr. (See 9.860 mc.) 7.30-8.30 pm. Mon., Tues., Thur., Sat. at 9.30 | 6.775 | нін | SAN PEDRO DE MACORIS, DOM. REP., 44.26 m. 12.10-1.40 pm., 7:30-9 pm. Sun. 3-4 am., 4.15-6 pm., 4.40-7.40 pm. |
| 9.580 | VLR | MELBOURNE, AUSTRALIA, 31.32 m. Addr. Box 1686, G. P. O. Daily 3.30-8.30 am. (Sat. till 9 | | End | pm, also. l of Broadcast Band | 6.750 | JVT | NAZAKI, JAPAN, 44.44 m., Addr. Kokusai-Denwa Kaisha, Ltd., Tokyo. Irregular. |
| | OAVEC | am.) Sun. 3-7.30 am. Daily exc. Sat. 9,35 pm2.15 am. | | | GUAYAQUIL, ECUADOR, 31.77 m. Irregularly till 10.40 pm. | 6.730 | HI3C | LA ROMANA, DOM. REP., 44.58 m., Addr. "La Voz de la Feria." |
| | OAX5C KZRM | ICA, PERU, 31.32 m. Radio Universal 6-10 pm. MANILA, P. 1., 31.35 m., Addr. | 9.428 | СОСН | PAYANA, CUBA, 31.8 m., Addr. 2 B St., Vedado, 7 am1 am. TANANARIVE, MADAGASCAR, | 6.720 | РМН | 12.30-2 pm., 5-6 pm. BANDOENG, JAVA, 44.64 m. Re- lays NIROM programs. 5.30-9 am. |
| | | Erlanger & Galinger, Box 283. Sun. 3-10 am. Daily exc. Sat. 4.30-7 pm., II-15 pm12.15 am. Daily exc. Sun. 4-10 am. | | | 31.96 m. Addr. Le Directeur des PTT, Radio Tananarive, Adminis- tration PTT. 12.30-12.45, 3.30-4.30, 10.11 am. | 6.690 | TIEP | SAN JOSE, COSTA RICA, 44.82 m. Addr. Apartado 257, La Voz del Tropico. Daily 7-10 pm. |
| 9.570 | WIXK | SPRINGFIELD, MASS., 31.35 m., Addr. Westinghouse Electric & Mfg. Co. Relays WBZ 6 am. to | 9.355 | HCIETC | OUITO, ECUADOR, 32.05 m., Addr. Teatro Bolivar, Thurs. un- til 9:30 p.m. | 6.675 | нвф | GENEVA, SWITZERLAND, 44.94 m. Addr. Radio-Nations. Off the air at present, |
| 9.560 | DJA | 12 m. Sun. 7 am12 m. BERLIN, GERMANY, 31,38 m., Addr. Broadcasting House. 12.05- | 9.345 | HBL | GENEYA, SWITZERLAND, 32.08 m., Addr. Radio Nations. Off the | 6.672 | | Salamanca, Spain, 7-9.45 pm. |
| 9.550 | TPBII | 11 am., 7-10.45 pm. PARIS, FRANCE, 31.41 m. Addr. | 9.330 | OAX4J | LIMA, PERU, 32.15 m., Addr. Box 1166, "Radio Universal." 12 n | 6.672 | HC2RL | MARACAY, VENEZUELA, 44.95 m. Irregular. GUAYAQUIL, ECUADOR, S. A., |
| 9.550 | W2XAD | (See 15.245 mc.) 1-3 am., 10.15 am5 pm. SCHENECTADY, N. Y., 31.41 m., | 9.290 | ні6 | 3 pm., 5 pm,-1 am, CIUDAD TRUJILLO, D. R., 32.29 m. 7.10-8.40 am., 11.40 am2.10 | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | 45,18 m., Addr. P. O. Box 759. Sun. 5.45-7.45 pm., Tues. 9.15- 11.15 pm. |
| | OLR3A | General Electric Co., 6.30-10 pm. PRAGUE, CZECHOSLOVAKIA, 31,41 m. (See 11.840 mc.) Irreg. | 9.280 | HC2CW | pm., 3.40-8.40 pm. GUAYAQUIL, ECUADOR, 32,31 m., | 6.630 | HIT | m., Addr. "La Voz de la RCA Victor," Apartado 1105, Daily |
| 9.550 | XEFT | VERA CRUZ, MEX., 31.41 m. 10.30 am4.30 pm., 10.30 pm,-12.30 am. | 9.200 | COBX | HAVANA, CUBA, 32.59 m. Addr. San Miguel 194, Altos. Relays | 6.625 | PRADO | exc. Sun. 12.10-1.40 pm., 5.40-8.40 pm.; also Sat. 10.40 pm12.40 am. RIOBAMBA, ECUADOR, 45.28 m. |
| 9.550 | YD8 | SOERABAJA, .JAVA, 31,41 m., Addr. N.1.R.O.M. Daily exc. Sat. 6-7.30 pm., 5.30 to 10 am. Sat. | 9.125 | HAT4 | CMBX 7 am12 m. BUDAPEST, HUNGARY, 32.88 m., Addr. "Radiolabor," Gyaliut, | | HI4D | Thurs, 9-11.45 pm. CIUDAD TRUJILLO, D. R., 45.74 m. Except Sun. 11.55 am.+1.40 pm |
| 9.550 | VUB2 | 5.30-11.30 am. BOMBAY, INDIA, 31.41 m., Addr. All India Radio. 9.30-10.30 am., | 9.100 | COCA | 22. Sun. and Wed. 7-8 pm., Sat. 6-7 pm. HAVANA, CUBA, 32.95 m., Addr. | 6.550 | | VERA CRUZ, MEX., 45.8 m. 8.15-9 am. |
| 9.540 | DJN | l am3.30 pm. BERLIN, GERMANY, 31.45 m., Addr. (See 9.560 mc.) 4.50-10.45 | 9.020 | COBZ | Galiano No. 102. Relays CMCA 9 am12 m. HAYANA, CUBA, 33.26 m., Radio Salas Addr. P. O. Box 866, 7:45 | 6.550 | TIRCC | SAN JOSE, COSTA RICA, 45.8 m. Addr. Radioemisora Catolica Costarricense. Sun. 11 am2 pm. 6-7, 8-9 pm. Daily 12 n2 pm. |
| 9.540 | VPD2 | pm. SUYA, FIJI ISLANDS, 31.45 m., Addr. Amalgamafed Wireless of Australasia, Ltd. 5.30-7 am. | 8.965 | соке | am12.10 am. Irreg. 12.30-2 am. Relays CMBZ, SANTIAGO, CUBA, 33.44 m. Addr. | 6.545 | YV6RB | 6-7 pm., Thurs, 6-11 pm. BOLIVAR, VENEZUELA, 45.84 m. Addr. "Ecos de Orinoco." 6-10.30 pm. |
| 9.535 | JZI | TOKYO, JAPAN, 31.46 m., Addr. (See 11.800, JZJ) Irregular. | | | Box 137. 9-10 am., 11.30 am1.30 pm., 3-4.30, 5-6, 10-11 pm., 12 | 6.520 | YV4RB | VALENCIA, VENEZUELA, 45.98 m Il am2 pm., 5-10 pm. |
| 9.535 | HB9D | ZURICH, SWITZERLAND, 31.46 m., Addr. Radio Club of Zurich, Post Box Zurich 2. Sun. 9-11 am., | B.841 | HÇJB | m2 am. QUITO, ECUADOR, 33.5 m. 7-8.30 am., 11.45 am2.30 pm., 5-10 pm., except Mon. Sun. 12 n | 6.516 | YNIGG | m., Addr. "La Voz de la Lagos." B-9 pm. |
| 9.530 | W2XAF | Thur. 1-3 pm. SCHENECTADY, N. Y., 31.48 m., Addr. General Electric Co. 3-11 | 8.700 | нки | 1.30 pm., 5.30-10 pm. BOGOTA, COLOMBIA, 34.46 m. Tues. and Fri. 7-7.20 pm. | 6.500 | HIL | CIUDAD TRUJILLO, D. R., 46.13 m Addr. Apartado 623, 12.10-1.40 pm., 5.40-7.40 pm. |
| 9.530 | ZHO | pm. SINGAPORE, MALAYA, 31.48 m., MonFri. 12.40-1.40 am., Sat. | 8.665 | COJK | CAMAGUEY, CUBA, 34.64 m., Addr. Finlay No. 3 Altos. 5.30- 6.30, 8-11 pm., daily except 5at. | | HIIL | SANTIAGO DE LOS CABALLEROS D. R., 46.2 m., Addr. Pres., Tru jillo 97, Altos., 5.40-7 pm. |
| 9.526 | XEDQ | 12.25-1.40 am., 10.40 pm1.10 am. 1rreg. 5.40-9.40 am. GUADALAJARA, GAL., MEXICO, | 8.665 | W2XGB | and Sun. HICKSVILLE, N. Y., 34.64 m., Addr. Press Wireless. Mon. to Fri. News at 9 am. and 5 pm. | | YNLAT | GRANADA, NICARAGUA, 46.3 m., Addr. Leonidas Tenoria, "Le Voz del Mombacho." Irregular. BARQUISIMETO, VENEZUELA |
| 0 525 | ZBW3 | 31.49 m, Irregular 7.30 pm, to 12.30 am. | 8.580 | YNPR | MANAGUA, NICARAGUA, 34.92 m. Radiodifusora Pilot. | | YV3RD | 46.37 m. Radio Barquisimeto, ir regular. SAN FRANCISCO DE MACORIS. |
| 7.320 | 2047 | HONGKONG, CHINA, 31.49 m., Addr. P. O. Box 200. 11.30 pm. to I am., 3-10 am. | 7.894 | YSD | SAN SALVADOR, EL SALVADOR, I 37.99 m., Addr. Dir, Genl. Tel, & Tel. 7-11 pm. | | HI4V | D. R., 46.48 m. 11.40 am1.40 pm., 5.10-9.40 pm. |
| 9.525 | | JELOY, NORWAY, 31.49 m, 5-8 am. ROBERTS HEIGHTS, S. AFRICA. | | HCIRB | Voz de Quito. 9-11 pm. | 6.440 | TGQA | 46.56 m. MonFri. 9-11 pm., Sat 9 pm1 am., Sun. 1-3 pm. |
| 9.523 | 4NF) | 31.5 m., Addr. (See ZRK, 9.606 mc.) Daily exc. Sun, 5-7.30 am.; Sun, 5.30-7 am. | | HC2JSB HBP | Evenings to 11 pm. GENEYA, SWITZERLAND, 38.48 m., | 6.420 | HIIS | SANTIAGO, D. R., 46.73 m. 11.40 am1.40 pm., 5.40-7.40, 9.40-11.40 pm. |
| 9.520 | HJ4ABH | ARMENIA, COLOMBIA, 31.51 m. 6-10 pm. | 7.410 | HCJB4 | Addr. Radio-Nations. OUITO, ECUADOR, 40.46 m., 7- 9.30 pm. irregularly. | 6.416 | YV6RC | BOLIVAR, VENEZUELA, 46.73 m Radio Bolivar. |
| 9.520 | OZF | SKAMLEBOAEK, DENMARK, 31.51 m., Addr. Statsradiofonien, Heib- ergsgade 7, Copenhagen., 2-6.40, | 7.380 7.220 | XECR | MEXICO CITY, MEX., 40.65 m., Addr. Foreign Office. Sun. 6-7 pm. BOGOTA, COL., S. A., 41.55 m. | 6.410 | TIPG | SAN JOSE, COSTA RICA, 46.8 m. Addr. Apartado 225, "La Vo- de la Victor." 12 n2 pm., 6 11.30 pm. |
| 9.520 | YSH | 8-11 pm. SAN SALVADOR, EL SALVADOR 31.51 m., Addr. (See 7.894 mc.) | | YNAM | Tues, and Sat. 8-9 pm. Mon. and Thurs, 6.30-7 pm. MANAGUA, NICARAGUA, 41.67 | 1 | YV5RH | CARACAS, VENEZUELA, 46.88 m 7-11 pm. |
| 9 .510 | G28 | Irregular 6-10 pm. DAYENTRY, ENGLAND, 31.55 m., Addr. (See 9.580 mc.—GSC) 1-3.15 am., 1.30-4, 4.15-6, 6.20- | 7.088 | | m. Irregular at 9 pm. DORDRECHT, HOLLAND, 42.3 m., Addr. Dr. M. Hellingman, Tech- nical College, Sat. 11.10-11.50 am. | | VP2LO | LAS VEGAS, D. R., 46.92 m., Irreg STE. KITTS, 8.W.I. 46.96 m. IC/ Service Labs. Box 88, Daily 4-4.4 pm., Sun 10-10,45 am. and irreg |
| 9.510 | HJU | 8.30, 9.20-11.25 pm. BUENAVENTURA, COLOMBIA, 31.55 m., Addr. National Rail- | 6.990 | XEME | MERIDA, YUCATAN, 42.89 m., Addr. Calle 59, No. 517, "La Voz de Yucatan desde Merida." | | YV5RF T18WS | at other times. CARACAS, VENEZUELA, 46.92 m. Addr. Box 983. 6-10.30 pm. PUNTARENAS, COSTA RICA |
| 9,500 | VK3ME | ways, Mon., Wed. and Fri. 8- 11 pm. MELBOURNE, AUSTRALIA, 31.58 | 6.977 | XBA | TACUBAYA, D. F., MEX., 43 m. 9.30 am1 pm., 7-8.30 pm. | 9.3/0 | | 47.07 m., Addr. "Ecos Del Pa cifico", P. O. Box 75. 6 pm. 12 m. |
| | | m., Addr. Amalgamated Wireless of Australasia, 167 Queen St. Daily except Sun. 4-7 am. | 6.805 | HI7P | Cludad Trujillo, Dom. REP., 44.06 m., Addr. Emisoria Diaria de Commercio. Daily exc. Sat. | 6.365 | YVIRH | m., Addr. "Ondas Del Lago," Apartado de Correos 261. 6-7.3 |
| 9.500 | XEWW | MEXICO CITY, MEX., 31.58 m. Addr. Apart. 2516. Relays XEW. | | | and Sun. 12.40-1.40, 6.40-8.40 pm. Sat. 12.40-1.40 pm. Sun. 10.40 am | | 10 | am., II am2 pm., 5-II pm. ontinued on page 384) |

Question Box



• Frequency Doubler


I have a 203A and an 800 and would like to use either as a frequency doubler. I intend to use either of these tubes at frequencies up to about 14 or 15 megacycles. Can you furnish me with a diagram of a doubler, using either of these tubes, and also state which tube I should use? I have seen many diagrams of frequency doublers in your magazine but none have appealed to me for my particular need.—G. H. Harris, Watertown, N. Y.

A. A 203A makes a wonderful frequency doubler at frequen-

frequency doubler at trequencies up to about 15 mc.; a single one in a regenerative doubler circuit will put out close to 100 watts on 20 meters, when excited by a 40-meter crystal oscillator. This is more than enough to "kick the pants off" a pair of 852's in push-pull when inductively coupled to them. Thus we can have over 750 watts in the antenna on 14 mc. with only three stages. The efficiency of the 03A stage could be increased either by increasing the excitation or by lowering the input, but we can sacrifice a little efficiency for the sake of the output, because a 03A will dissipate 80 or 90 watts without getting too warm. Thus if the efficiency of the 03A is only about 60%, we can still get about 100 watts out of it without exceeding the dissipation rating of the tube. The diagram of the frequency doubler is shown. There is much controversy as to whether the circuit is regenerative, degenerative or neutralized, but in any event, the output is greatly increased over that of a straight doubler. The grid resistor should be between 2,000 and 5,000 ohms and if over 1000 volts is placed on the tube, some protection in the form of battery bias in addition to the resistor bias is advisable.

By substituting an 800 for the 03A, the circuit will function nicely on 10 meters, but the output will be limited to about 25 watts because of the lesser allowable plate dissipation on the tube. With the 800, about 90 volts of battery bias should be used in addition to the grid-leak bias, for protection in the event that the tube should lose excitation.

A Low-Level Amplifier



Hook-up for low-level amplifier with condenser microphone—1155

I have a large number of resistors on hand and would like to construct a high quality low-level audio frequency amplifier suitable for use with either a condenser or dynamic type microphone. This should be one for use with either the 56 or 76 type tubes. If possible could you publish a diagram of such an amplifier, giving list of parts?—Hiram Johnson, Harrisburg, Pa.


A. A number of inquiries have been received by this department requesting data for such an amplifier, for use with either of the microphones mentioned. A diagram of such an amplifier is shown. With these microphones, an input transformer can be used, in which case the transformer secondary is connected directly from grid to ground across the 2 megohin grid-leak or resistor. With the use of an input transformer, we would eliminate the 20 and

1 meg. resistors and the .01 and .5 mf. conds, used to supply and isolate the p.c. polarizing voltage which places an initial charge on the "hot" plate of the condenser head.

Note that these tubes operate without bias. This is possible because of the small magnitude of the voltages involved. The output of the condenser head rarely exceeds 1/1000 volt. The gain of this amplifier is about 40 db, and the output can be connected to an amplifier designed to amplify the output of a double-button mike. This amplifier should be well shielded, especially if used in the vicinity of a transmitter, and should be kept far away from any power supply equipment, to avoid hum pickup. If a.c. is used on the heaters the heater circuit should be by-passed with 1 mf, condensers.

Photo-Cell Relay Circuit

Will you kindly publish a diagram of a simple photo-clectric cell circuit, in which a sensitive relay can be made to operate. I would like to use this in connection with a circuit for a burglar alarm. I have the necessary apparatus on hand. All I would like is the diagram of the simplest relay system that I may use.—Harold M. Wilson, Cleveland, Ohio.




A simple photo-cell relay circuit

A. There are any number of types of circuits that can be used in conjunction with photoelectric cells. However, one of

the simplest photo-electric relay circuits is shown here. It is self-explanatory. A very sensitive relay should be used; one that will operate on about 30 microamperes. A very intense illumination or light source should be used.

A.V.C.-Fixed Bias Amplifier

I am constructing a superhet, receiver for all-wave operation but especially for reception on waves below 20 meters.
In this receiver I wish to use a
duplex-diode pentode of the
6B7 type as a half-wave rectifier and A.V.C., also as a fixed
bias amplifier. Is it possible for
me to secure a diagram showing how such a tube can be
used as mentioned above? I
intend to use all 6.3 volt heater
tubes throughout the receiver,
—Max Liebowitz, Montreal,
Canada.



Simple A.V.C.-fixed bias amplifier
—1157

A. The 6B7 is recommended for performing the simultaneous functions of A.V.C., detection and amplification. This 3-in-1 feature is important, allowing the constructor to choose whichever way be wishes to utilize the component units. Here is a diagram showing a half-wave detector, which utilizes both plates in parallel as the diode. The A.V.C. action is obtained by utilizing the voltage drop caused by the rectified current flowing through a resistor in the detector circuit.

A fee of 25c (stamps, coin or money order) is charged for letters that are answered by mail. This fee includes only hand-drawn schematics. We cannot furnish full-size working drawings or picture layouts. Letters not accompanied by 25c will be answered on this page. Questions involving considerable research will be quoted upon request. Names and addresses should be clearly printed on each letter.

An ADVANCED Howard G. McEntee, W2FHP

High-Frequency Receiver

 TO BEGIN with, the old receiver did not have sufficient "gimp" on the 20 meter band, and worse yet, it did n t cover 10 meters at all. It was satisfactory, however, at 40 meters and the higher wavelengths. This led to the conclusion that the new job should be made to cover 40, 20 and 10 meters only. There is no reason why it cannot be used successfully on 5 meters, although no experiments have been conducted on this band, At this station, as at most others, a satisfactory 5 meter receiver was already at hand, and it was not desired to compromise the design too much. This receiver, then, is extra "hot" for 10 and 20, covers 40 in fine shape, and was designed with an eye to 5

Plug-In Coils Used

The highest efficiency called for plug-in coils, and being of a lazy type we did not care for the idea of lifting the cover and poking coils inside whenever a frequency shift was needed. Hence, a simplified means of inserting the coils through the front panel in one unit was worked out. The coil sets

8-tube receiver covers 10, 20 and 40 meter bands. A high class set with bandspread, audio output meter, a built-in monitor, beat oscillator and a crystal filter.

when transmitting C.W., tuned the receiver to his own signal to improve keying or just to gloat over his own beautiful signal? The use of a built-in monitor has always seemed a fine solution to this problem, so such a unit is incorporated. Regeneration and tuning controls are right on the front panel, where they may be changed to suit. The monitor tube is also used as the beat oscillator, switching being accomplished by a relay as seen in the circuit diagram. This relay also has a set of contacts which open the B+ leads of the whole H.F. and I.F. portion of the receiver when the monitor is in operation. The relay operation is controlled by a switch incorporated in the monitor regeneration control. However, for ideal operation, the relay should be controlled by the same switch that turns on the transmitter, and for this purpose a pair of screw terminals are placed on the rear of the

chassis so that the monitor is turned on, and the B+ on all but tubes V5 and V6 turned off, when these terminals are closed. A separate volume control for the monitor makes it unnecessary to disturb settings of receiver controls in any manner when using the monitor. This latter control is mounted on the shield of the B.F.O. compartment. directly over the relay.

Standard plug-in coils are used for the monitor with the addition of a 50 mmf. trimmer condenser placed in each coil. This acts as the tank condenser while the monitor panel control provides bandspread tuning.

Audio Output Meter


Another unusual feature of the receiver is the addition of an audio output meter. This is very useful, particularly for radiofone work, and some very useful data may be secured when the A.F. voltage is noted in conjunction with the carrier strength as shown by the "R Meter." Of course, since no attempt is made to match the impedance of the meter to that of the output circuit. the true A.F. output capabilities of the set are not registered, but the meter is useful mainly for comparative purposes. Possessing a basic range of 0-1 V. A.C., the 13,000 ohm resistor gives a rough multiplication of 10, which is a sufficient range in view of the existing impedance mismatch.

Crystal Filter

The balance of the receiver is more or less straightforward, with possible exception of the crystal filter circuit. An I.F. of 1600 kc. is employed, and the use of the conven-(Continued on page 382)



are completely self-contained and protected. Several ideas in receiver features have long been attractive to us. Who has not.



Bottom view.

Note the handsome appearance of the Communications Receiver built by Mr. McEntee and shown above, together with loud-speaker, which is housed in the grilled cabinet at the right.

Rear view of the receiver, showing the power transformer and chokes.






Diagram for Advanced H. F. Receiver



Both schematic and picture diagrams are given above for the construction of the Communications Type Receiver. The relay is not shown in the picture diagram; the relay terminals on the chassis connect with the transmitter. This set has a built-in monitor.



The 2-tube 5-band Amateur Receiver, complete in cabinet. The accurately calibrated tuning unit is factory-built.

An Efficient 5-Band Amateur Receiver

A dandy 2-tube receiver which operates from batteries or A.C. power. Band-spread; tunes 10, 20, 40, 80 and 160 meters.

F. J. Gaffney and E. P. Tilton, W1HDQ

designed with two fundamental considerations in view: First, to make available an efficient 5-band band-spread amateur receiver at a fraction of the cost usually considered necessary for amateur requirements; Second, to design


this receiver so that it was readily portable and could be readily used in emergency cases.

More and more, amateurs are organizing and building their equipment (Continued on page 371)

● IN these days of high-powered communication receivers, the progressive amateur is apt to cast a disdainful glance at a receiver as simple as an autodyne detector and one stage of audio. The results obtained with the inexpensive receiver to be described will convince even the most skeptical that a tremendous amount of pleasure can be gained from the operation of a truly quiet receiver, especially after listening to the sizzle and crackle of a powerful superhet. This is especially true on the 10- and 20-meter bands where, in most cases, the autodyne receiver will compare most favorably with the 10-tuber.

The amateur set to be described was

Simple wiring diagram of the 5-band Receiver is shown at the right. Fig. 1.




Low Cost A.C. Transceiver

M. N. Beitman

 FIVE-METER, two-way radio communication still represents the simplest way for the beginner amateur to get started.


Diagram for constructing the Transceiver.



In the past, the majority of fivemeter transceivers have been built for battery operation and have considerably inconvenienced the builder who had facilities for obtaining 110-volt A.C. power. The illustrated A.C. or battery operated transceiver, built in the familiar bread-hoard style, represents the simplest and least expensive unit that combines high efficiency and ease of operation. The unit, of course, may be constructed in other forms and may be mounted in a small portable case for specific applications.

Since the distance covered by an ultra high-frequency transmitter depends primarily on the height of the antenna above ground and very little upon the power, a simplified low-power single-tube circuit is used. The type 6A6 dual-triode operates as a push-pull oscillator for transmission and as a push-pull super-regenerative detector for reception. The double-pole, double-throw switch employed makes the necessary circuit changes from "transmit" to "receive."

Grid modulation is employed, and the




This A.C. Transceiver is available in kit form.

microphone varies the grid bias at the modulation frequency. The transmitter will not oscillate when the microphone is flat. This phenomenon may be illustrated by holding a single turn of wire attached to a pilot light near the tank coil. With the microphone in the upright position, the unit will oscillate, and the light will light brightly. On the other hand, when the microphone is lying flat, this will not take place.

The plate coil is made of two turns of (Continued on page 375)

SET BUILDERS! SERVICE MEN! DEALERS! AMATEURS! SOUND MEN! ALL THE NEW RADIO DEVELOPMENTS ED'5 /939

15,000 RADIO ITEMS AT LOWEST PRICES!



EVERYTHING IN RADIO!

Write today for ALLIED's giant new 180-page Catalog for 1939! Whether you service, build, or sell radios, sell or rent sound equipment, or operate an Amateur station, you need this great book. It brings you Radio's most extensive listing of receivers, parts, kits, sound systems, test equipment, Amateur gear, books, tools, and accessories over 15,000 items at the lowest prices in Radio!

COMPLETE STOCKS—FASTEST SERVICE LOWEST PRICES

ALLIED'S 50.000 square feet of floor space are required to carry our entire stock, which means that you get what you want when you want it. ALLIED's fast, dependable service saves you time and trouble. ALLIED's economical merchandising methods save you money. Thousands of radio men agree that it pays to make ALLIED your one dependable source of supplies, agree that, "Wherever high grade, low cost radio equipment is required. ALLIED is grade, low cost radio equipment is required, ALLIED is 1st choice!"

833 W. JACKSON BLVD., CHICAGO

NEW SETS!

62 new 1939 KNIGHT Radios—as low as \$7.95. 4 to 16 tubes, with latest 1939 features — 3 kinds of Push - Button Tuning, new "Tiny Knight" models. new low drain battery sets with 1.4 tubes. Sets for AC. AC-DC. 6 Volt, 32 Volt, battery, and auto operation—and new phono-radios, record players, phonographs . . . all priced to bring you greater sales and profits! Send for the ALLIED Catalog . . . see why these 1939 KNIGHTS are the year's biggest values!

NEW KITS!

Here's Radio's finest and largest Build-Your-Own selection! Many new exclusive ALLIED kits: Beginners'
1, 2, and 3 Tubers; 6 Tube Auto Set; Photo Cell Kit; Electric Fence Controls; 4 Tube Portable; low-cost transmitters—and diagrams and projects for building 100 others! We can supply matched kits for any circuit described in any construction article—write for Free Parts Lists!

NEW P. A. SYSTEMS!

NEW P. A. SYSTEMS!
You'll find a complete range of revolutionary new KNIGHT Public Address Systems—both standard and delure—from 8 to 65 watts. New Portable System, 30 Watt Mobile System, new Booster Power Stage, Electric Guitar Amplifier, etc. Also, the most complete line of recording equipment in any radio catalog: recorders, record players, record changers, microphones, amplifiers, discs and accessories.

NEW HAM GEAR!

NEW HAM GEAKI
Here's a glant new Ham section—an
"Amateur Catalog" in itself! Shows
new Haillcrafters Ship-to-Shore.
National, Hammariund, Utah, and
G.T.C. transmitters as low as \$15.95;
new receivers: National NC-510 and
NC-44. Hallicrafters "Dual Diversity"
and "Marine", Sargent "Streamliner", Howard 450, etc.


NEW TESTERS!

NEW TESTERS!

A new, bigger Service Section, with Radio's most complete Test Equipment listing! All leading lines; new Push-Button type equipment, new Stark Rural Meter, new Rider's Chanalyst-Tube Checkers, Set Testers, Analyzers, Oscillographs, Signal Generators, Meters, etc.—and over 14,000 parts. Every servicing need at your finger tips—and all priced to save you money!

OVER 14,000 PARTS!

ALLIED's new catalog shows more than 14,000 exact duplicate and replacement parts for repairing practically any radio. All leading lines are listed, including the famous KNIGHT brand of parts—they cost less, work better, and earn more! Also books, tools, accessories, etc.—everything in radio at lowest prices. The ALLIED Catalog is THE Buying Guide for radio men everywhere!



SEND

COUPON

ALLIED RADIO CORP.

Dept. 3-K-9, 833 W. Jackson Blvd., Chicago, Ill.

Send me your new 1939 Catalog-Free.

Name

Address

City State



It is easy to tune in stations on this 5-meter receiver, and the high quality of the voice is surprising.

• RECENT activity on five meters has taken a tremendous spurt upward. The reason for this has been twofold:—unusual conditions have enabled amateurs to maintain two-way communication over several hundred miles with ease, and in a few cases distances of 1500 miles have been covered. Naturally enough, such px conditions have attracted many hams from the lower frequencies. A second incentive for 56 megacycle operation has been the operation of the NBC television station in New York City and the station in Los Angeles. Considering the complexities of the equipment necessary for adequate reception, a larger

5-Meter Super-Receiver Uses

Herman

This 5-meter receiver will prove interesting to short wave Fans and Hams; it will pick up the television sound channel. It is a complete set with built-in power-supply and loud speaker.

number of amateurs than one would expect, have gone in for this latest

phase of short-wave communication.

Before we go any further, it might be well to state that the five-meter receiver to be described is definitely not suitable for intercepting the television images. It is, however, a thoroughly practical and economical receiver for intercepting the sound accompanying the images.

The receiver, of the *super-regenerative* type, has nothing radically new in principle, but it does contain a number of novel features to recommend it to the ultra-high frequency enthusiast. It is completely self-contained except for its antenna, having a built-in power supply and a panel mounted

speaker actuated by an audio amplifier delivering approximately 2.75 watts. The built-in power supply operates on either alternating or direct current. On alternating current the 25Z6 rectifier acts as a voltagedoubler delivering 200 volts. When used on direct current, it is necessary to throw a toggle switch which disconnects the rectifier tube from the circuit. With the lower voltage available on p.c. there is little loss in sensitivity; the main difference in performance is in the output volume.

4 Tubes Used

The receiver uses a total of four octal base tubes, a metal 6K7 as a tuned R.F. amplifier, a 6C8G double triode tube as a combination self-quenched detector and

Schematic and picture diagrams of 5-meter receiver. 35 MME O.1-MEG. PHONE 15 MEGS. D²⁵Z6 VOICE 25A6 SPEAKER 25.000-7 15H 50MA 110V CHASSIS SUPER-REGEN. CONTROL ANTENNA 6K7 0 2576 25A6 COFAKED REC 6K7 6C8G 10.0000 / 25.0000

RADIO & TELEVISION

1101

BLACK


CHASSIS ;

Regenerative 4 Tubes

Yellin, W2AJL

audio amplifier feeding into a 25A6 power amplifier. A 25Z6 acts as a voltage doubler when the receiver is operated on A.C.

The receiver was built around a 7 by 12 inch panel fastened to a 6½ by 11 inch chassis. The two potentiometers and the phone jack serve to hold the panel to the chassis quite firmly. A standard Bud 5½ by 7 inch interstage shield provided the shielding between the detector and R.F. amplifier. Before using it, the shield is



Note the neat appearance of the bottom of the receiver, as constructed by the author. The cost of building this job is nominal.

trimmed down to 5½ by 4% inches and drilled according to the dimensions shown in figure 2c. This shield serves as the mounting for the detector tuning condenser and also to support the detector tube socket holder. The socket holder, cut bent and drilled to the size shown in figure 2d, is made from the unused portion of the original shield. Figure 2a shows the placement and dimensions of all the holes on the chassis. Likewise figure 2b gives all the panel drilling dimensions, including the

The November issue of

RADIO & TELEVISION

will be an

"Advanced Radio Amateur Number"

It will contain valuable articles for the beginner as well as the advanced HAM.


speaker opening. Some difficulty may arise in drilling the speaker opening. If a fly cutter and a drill press are available, the operation will be quite painless.

R.F. Isolating Stage Essential

Super-regenerative detectors have strong radiating properties, being much more prone to cause interference with neighbor(Continued on page 366)

for October, 1938

Please Say you saw it in RADIO 8 T



COMDR. R. H. G. MATTHEWS



Commander Matthews, radio amateur
since 1909, has seen the
rise of amateur radio
to its present great
magnitude. He has
been active in the
affairs of the American Radio Relay
League, and through
his broad experience
in commercial as well
as amateur radio, he
speaks with authority. Commander Mat-

 I HAVE had the rare opportunity of observing the development and growth of amateur radio since its inception. Having had my first amateur station in 1909, I have always been proud of the way the American amateur has maintained his position and privileges in contrast to the treatment received by amateurs of the other nations of the world. Looking back over this period, it is obvious that the amateur has never lost any frequencies or other privileges. with one exception, the importance of which time has minimized.

I can well recall how sad I felt about the

Famous Radio Experts Salute the Amateur

(Continued from page 327)

prospects of amateur radio when the privilege of using 425 meters in connection with my special amateur license for station 9ZN was terminated, and we were told that amateur operation must take place thenceforth below 200 meters. That single loss, which no one certainly decries today. is, to my knowledge, the only curtailment of privilege which the American amateur has suffered.

I would like to pay tribute to the man whose imagination and breadth of vision made amateur radio possible, and laid the foundation for our present tremendous amateur operations. It was my privilege to have been associated, as Vice President of the American Radio Relay League, with its founder and first President, the late Hiram Percy Maxim. No publication commemoration the growth of amateur radio can do rating the growth of amateur radio can do justice to its subject without paying tribute to this truly great man.

It has again been my privilege in recent years to serve the amateur as Central Division Director of the League. problems confronting amateur radio now are different from those of its early days, but surely no greater or more dangerous. Our greatest danger is the infringement on amateur bands by the propaganda stations of certain European nations, whose respect for treaties is not too marked. Our government sustained the rights of the American amateur at the recent Cairo conference in a manner which has earned the gratitude of all amateurs acquainted with the proceedings. It is necessary for this government of ours to know that there is a solid phalanx of amateur radio standing behind it, and that American amateurs are anxious to lend their entire support to self-regulation and cooperation in every respect with American regulatory bodies.

With this type of close cooperation between the amateurs and the government, there is no reason why American amateur radio cannot continue its growth at the same rate it has maintained since its earliest days of thirty years ago.

Continuations of Radio Leaders' Opinions

RALPH R. BEAL

(Continued from page 326)

ready at all times to act for the people during public peril or emergency. His performance during the great floods in the Ohio Valley and in California will always be a testimonial to this fact. And he serves as a large-scale laboratory that has been of inestimable value to the radio industry. It is not too much to say that, without the amateur's work of testing new devices and equipment and his gathering of much important data, radio would not have so quickly reached its present high technical standards.

We in the radio industry recognize and appreciate the aniateur's contributions to the development of radio. Today, we are facing an ever-widening horizon of discoveries and applications in the radio spectrum. We are penetrating the enchanting domain of ultra-short waves, out of which is coming television and facsimile; and we are examining the equally fascinating field of "nicro-waves," which seems to hold infinite possibilities. Here are great opportunities for the amateur, and there is every reason to expect that his contributions in the future will be just as important as those in the past.

DR. LEE DE FOREST, Ph.D., Sc.D.

(Continued from page 326)

the lowly amateur with his vacuum tube oscillator and 5 or 10 watts, was consistently communicating over thousands of miles on the discarded waves below 200. By 1925 American amateurs, operating on wavelengths as short as 20 meters, were in daily communication with all parts of the world.
In 1929 I wrote to Hiram Percy Maxim:

"What the technique of modern shortwave radio owes to our amateur, the world is never told, or is loath to admit, Discoveries which the paid commercial engineer would never dare attempt to make, simple and compact constructions which only poverty, necessity, and an untutored common-sense could ever evolve, have time and time again emanated from the 'ham's' work-bench, to confute and confound the professional into speedy confiscation. All these things, priceless in themselves, we owe to the amateur.

"But more than these material gifts we owe to him the invaluable spirit of discovery, of wide-awake experimentation not shackled hy the book knowledge and predetermined notions of the engineer; of youthful enthusiasm, the tireless spirit of quest-that which was chiefly responsible for radio at its inception, and for its match-less rapidity of growth. This spirit alone

is priceless.
"And little does the amateur ask in recompense for all this. Merely to be left alone in a now cramped cranny in the wide fields of higher frequencies which he discovered and gave to mankind."

But since this was written commercial, nilitary, and aviation demands have encroached still further, until today we have a total in wave bands of only 38.854 meters available for more than fifty thousand amateurs! The resulting jam seems sufficient to take most of the old-time zest out of that Ace of Indoor Sports, ham "rag-chewing." But a vast amount of this present activity is, I believe, utterly unprofitable, at least for those hams who are gifted for invention and discovery.

To all such my earnest advice is to begin anew to investigate, this time in the quasioptical frequency range which is left to you. Tubes are now available for 100 to 300 megacycle work. The remaining essential apparatus is cheap, easily assembled. Let Club members chip in, pool their resources, map out programs for attacking the new problems. Aim your sharp beams skyward and learn where they return to Earth, rotate your arrays, study shifting and fading. Such work will be no end of fun. And soon you will be discovering new principles and modalities invaluable to aviation, taking some of the dangers from blind-flying in fog and landing. For it is in your power, now as never before, to save human lives.

O. B. HANSON

(Continued from page 326)

qualities of a novel antenna array. All of us are still "hams" by what you might call remote control.

We find it profitable to take an occasional peek over the amateur's shoulder. In the "ham shack" the new device or method undergoes a quick, thorough and decisive

test. In no other laboratory is a dark region of the radio spectrum so quickly explored, its contours determined, its limits defined. I give a single instance. Recently at my home in Westport, Connecticut, I was amazed when I tuned my television receiver to the five-meter band and heard not one, but several, amateur stations in the Middle West.

Now, it has been understood generally that the range of the five-meter band was practically limited to the optical horizon. In our own laboratories we have speculated on the various qualities of ultra high frequencies. To try out our varied theories. however, we would have to scatter hundreds of men with appropriate equipment over large areas of the country, gather data under all sorts of conditions and then collate the mass. In commercial radio that, of course, is impossible.

But the blessed "ham" is always and everywhere on the air, gathering the stuff of radio progress. It matters little whether a new field seems to offer commercial possibilities; the "ham's" interest lies in doing the apparently impossible. Right now radio's technical men are deep in the problems of television, peering into a darkness that obscures many of the basic facts we must have before we send pictures through the air into the American home. I feel certain that before long the amateur will emerge from his shack with some of the answers.

C. W. HORN

(Continued from page 327)

operated a station before there were licenses, and then obtained one of the very first licenses. My call letters in those days were "NH" and my station was located at Far Rockaway. My chief claims to amateur radio distinction are the interference that I caused the Navy station at Fire Island, and the fact that I heard the CQD sent out by Jack Binns when the S.S. Republic was rammed by the S.S. Florida.

The rapid growth of radio broadcasting can be credited to the fact that there were thousands of radio amateurs when broad-casting first began in 1920. These men were naturally the first to build receivers
(Continued on page 373)

RADIO & TELEVISION



20 Meter Rotary Beam Works Wonders at W2AZ

New Type of Construction and Elements Produces Small Beam Which Now Does Work of Three Large Fixed Beams. Ideal for Congested Area.


> An Interview with FRANK CARTER, W2AZ By H. WINFIELD SECOR

• WATCHING, as we do, for outstanding performances among the amateurs of the country, our attention was attracted by a report, in a recent number of QST, which indicated that some exceptional work was being done by Frank Carter, W2AZ, of East Rockaway, L. I. He was reported to have worked 36 zones, on twenty meters. The total number of zones is 40, so we figured that he was doing so well that a visit to his station would be of interest. It was, and how! We found that he had worked 75 different countries on twenty meter phone.


An outstanding feature, and one of great interest to every amateur who uses either ten or twenty meters—was the rotary beam used at W2AZ; it can be used on both frequencies, by the simple expedient of altering the connections from the transmission line to the matching stub.

Mr. Carter is the organizer and president of the very active organization which is doing so much to cut down all kinds of man-made interference, the National Association for the Prevention of Radio Interference. Amateur radio is his hobby, but he also obtains his livelihood from radio; he is the manager of the Service Department of the Ludwig Baumann Company, and it is his job to keep the owners of nearly 100,000 radios, purchased on the installment plan, happy.

The transmitter at W2AZ can be run with an input up to a full kilowatt, though it seldom is run above 800 watts. There are two (Continued on page 362)



Construction of the rotary beam antenna at W2AZ.




This picture shows the 35-watt transmitter at the top of the rack, while just below it appears the modulator. Cabinet seen at left of picture is the station receiver.

● RECENTLY we described the radio frequency portion of the 35-watt transmitter-exciter. The remaining standard chassis and panel section which will be described in this article, contains the power supply and the 15-watt audio unit used for plate and screen modulating the RK-39 final. All of the equipment, R.F. and A.F., has been installed in a standard, 17½x13x20 inch, crackle finished steel cabinet. This makes a snappy little table model rig—an ideal phone and C.W. transmitter for the 14 and 28 megacycle bands where only a very little power is required.

The modulator, as Fig. 1 "a" shows, consists of a double-button carbon microphone, transformer coupled to a 6F5G which is in turn resistance-capacity coupled to a 6F8G, with the two triode sections in parallel, driving a pair of 6L6Gs in pushpull class "A" audio. The output of the modulator is about 15 watts which is more than sufficient to 100% modulate the plate and screen of the RK-39 when running 35 to 40 watts input. The power unit shown at "b" is practically the same as that described in July issue, using a 5U4G as rectifier. The swinging choke is not absolutely necessary in a class "A" modulator circuit, but it does give better regulation under the varying load of C.W. work and is therefore very desirable. The two pairs of filter condensers are connected in series in order to eliminate any possibility of their breaking down under the normal load. The purpose of the 0.5 megohin resistors across the individual condensers is to equalize the voltage so that each condenser in the string In the July issue, Mr. Hooton described a very interesting 35-watt transmitter for the "ham" beginner. The present article deals with the construction of a suitable phone modulator for that transmitter. The construction cost is very nominal.

will take a proportionate share; if the resistors are not used trouble may be encountered by having one condenser "blow out" repeatedly because of unequal voltage distribution across the electrolytics. The



Rear view of the modulator.

use of dry electrolytic condensers is not recommended; use wet, heavy-duty filter units with a working voltage rating of at least 550 or 600 volts. Two of the condensers must have their metal cans insulated from the chassis.

Placing the Parts

The construction of the modulator-power unit is quite simple and straightforward and no difficulty whatever should be encountered if the proper precautions are observed. The position of the various transformers, chokes, etc., is extremely important in any small, compact audio system if the A.C. hum level is to be kept down to the minimum. In the present unit each transformer and choke has been placed at right-angles with respect to its neighbor and if the specified components are used, the layout as shown in the photographs will be correct. If the constructor already has some parts oi a different manufacture on hand, the following method of orientation may be used: Mount the high-voltage and filament transformers as shown and connect their primary windings to the 110 volt A.C. line. Be careful not to come in contact with the secondary terminals of the high-voltage transformer; the 800 volts will give a painful shock and is plenty high enough to be fatal in many instances. Connect a pair of headphones to the terminals of each filter choke and transformer in turn and rotate it about on the chassis until the position is found which gives the minimum hum in the phones. The use of cheap, "bargain sheet" or unshielded audio and

RADIO & TELEVISION

filter components should be avoided at all costs as these are almost certain to cause troub'e in an installation of this kind. It is necessary to shield all of the leads from the microphone jack, the microphone transformer and the gain control, with copper braid suitably grounded at several points to the chassis, in order to eliminate any possibility of audio feedback or extraneous noise getting into the modulator circuit.

Tuning Up the Transmitter

The actual tune-up procedure of the phone transmitter is not at all complicated or difficult. Adjust the R.F. portion as outlined in July issue article, making sure that the RK-39 is receiving plenty of excitation (5 ma. grid current) but do not connect the antenna. Remove the microphone plug from its jack and turn on the modulator voltages. The 0-200 milliammeter is now plugged into the plate circuit of the 6L6G modulator tubes and the 200 ohm cathode resistor is adjusted until the plate current is about 110 to 120 milliamperes. Connect the antenna to its feed-through insulators and adjust the coupling until the RK-39 is drawing 80 milliamperes (400 volts divided by 80 milliamperes gives a 5,000 ohm load which matches the tap on the modulation transformer). Do not attempt to modulate the transmitter or operate the modulator without the proper load on the secondary of the modulation transformer; if no secondary load is presented, then the excess energy generated in the primary may cause it to either burn out or the insulation to break down. Turn up the gain

control while talking or whistling into the microphone until the RK-39 plate milliammeter needle moves slightly with the modulation. Adjust the gain to just below the point where the needle begins to move; this will give approximately 100% modulation.


If the use of a crystal or velocity type microphone is desired, it will be necessary to add another stage of pre-amplification, using a high-gain type of tube such as the 6S7G or 6J7, ahead of the 6J5G. It is also better to replace the 6J5G with either a 6C5 or a 6C5G. Because of the extremely high gain developed in such a circuit, all input and grid leads will have to be shielded carefully and a de-coupling filter must be used in the 6S7G or 6J7 plate lead. Unless the constructor has had some experience with high-gain audio equipment, it is best to stick to the double-button carbon microphone arrange-

This is the concluding article in this low-power transmitter series. If the instructions have been carefully followed, no difficulty whatever should be experienced. If any additional advice or information is required, however, the author will be glad to correspond with readers who enclose a stamped, self-addressed envelope with their letter. Address all letters in care of RADIO & TELEVISION.

List of Parts

I.R.C. (Resistors)

One volume (gain) control, 0.5 megohm
One volume (tone) control, 1 megohm
One metallized resistor, insulated type, 50,000
ohms, 1 watt
(Continued on page 369)



The hook-up of the modulator is shown above.





Secret of TROUBLE-FREE RESISTORS

It is a matter of record that nine out of ten resistor breakdowns are caused solely by failure of the protective covering, either in its job of keeping moisture from the element, or in dissipating heat properly.

... It is also a matter of record that the outstanding popularity of IRC Resistors results in no small part from their perfection in this respect. Hand in hand with engineering improvements inside of the resistors themselves, IRC has pioneered and perfected BOTH Molded phenolic insulation for IRC BT Metallized Resistors and other types, as well as the famous Cement Coating for heavy duty power wire wounds.


By whatever test you choose to make—even boiling hot and freezing cold salt water immersionyou'll find these IRC protective coatings supreme.

They Stay Put"

INTERNATIONAL RESISTANCE COMPANY

401 N. Broad St., Philadelphia, Pa. In Canada, 187 Duchess St., Toronto, Ont.

OUR NEW SHORT WAVE LISTENER MODEL THE DOERLE MODEL D39



THE OUTSTANDING VALUE FOR 1939

Model D39 designed to have all the desirable features of our

all the desirable leatures of our larger models but at a price within reach of all.

Uses a 6k7g tube as screen grid tuned R.F. amplifier, a 6j7g tube as tuned electron coupled screen grid regenerative detector, a 76g tube as a driver audio which is fed into the popular and efficient 2516g beam power audio output tube which delivered ers over two watts of undistort-ed audio power to the dynamic

FLASH! SEND 10C FOR OUR NEW CATALOG containing CIRCUIT DIAGRAMS, and complete information on over 25 different types of short wave receivers and transmitters from \$2.50 and up. This catalog is chock full of schematic and picture diagrams, hook ups and short wave information. A book in itself. Well worth the dime, which will be refunded with your first order.

OSCAR B. KUSTERMAN

68 Barclay Street, Dept. 10
New York City

ASSURED STABILITY



WITH BLILEY CRYSTAL

10-20-40-80-160 **Meter Bands**

TYPE B5 —This low-drift crystal unit sets new standards for high-frequency crystals. Price 40 meters, \$4.80; 20 meters. \$7.50.

TYPE LD2_A precision low-drift crystal unit that is reliable, efficient and powerful. Price, 80 or 160 meters. \$4.80.

TYPE HF2 Simplifies the construction of 5-10 and 20-meter transmitters. Price, 10 or 20 meters, \$5.75.

TYPE BC3_A moderately priced mounted crystal with unusual activity and power output. Price 40, 80 or 160 meters, \$3.35.

BLILEY ELECTRIC CO., ERIE, PA.

SHORT WAVE CONVERTERS for CAR RADIOS



Can be attached to any car

ceives kuy
etc. List Price ... BasPOLICE UNITS
MODEL 100 with fixed
condensers, covers 1600 to
2600 kilocycles, List
Sil95
converter with

MODEL 800 Super Sensitive police converter with fixed condenser. Covers 1500 to 2600 kc. Two metal tubes, exceptional distance range. List Price...\$15.95 MODEL 200 with variable condenser, covers 1500 to 2600 kilocycles. List Price...\$17.95 MODEL 200 with variable condenser and illuminated dial. Very sensitive, has two metal tubes. Exceptional distance range. List Price...\$21.93 ABC RADIO LABORATORIES 3334N. New Jersey St. Dept. \$2.19.1 Model ABC RADIO LABORATORIES \$1.00 Indianapolis, Ind., U.S.A.

20 Meter Rotary Beam Works Wonders at W2AZ

(Continued from page 359)

receivers, a National HRO and a Hammarlund Super Pro. Mr. Carter is very enthusiastic about the National SW-3, which he uses for a two stage, regenerative preselector, as suggested on page 164 of Short Wave & Television for July, 1938.

Mr. Carter lives in a section reasonably free from radio interference and he has a large piece of property—see sketch. And it is just this feature of his station which brought the value of his beam so forcibly to us, as we realized that very few amateurs would have space enough to duplicate his three "fixed" arrays, even if they could three "fixed" arrays, even if they could afford to buy the necessary telephone poles. etc. The accompanying pictures illustrate most of the major points which were brought home to us by this amateur, whose voice has been heard in nearly every corner of the globe, and who talks about his "skeds" with hams in Australia in much the same way as we talk about a phone conversation with someone a couple of blocks away. He talks with a somewhat Southern accent, which is very pleasant to hear. So picture him, sitting there, before his operating table, with you occupying the large over-stuffed chair in front of the loudspeakers, in the very large living room, which he has converted into his radio "shack." Said Mr.

Carter:
"Before giving you the full details on the construction and operation of this rotary beam, we want you to know that we put it up very much against our will. We were talked into it, and it took a lot of talking. After all, we were getting out pretty well with the three fixed beams we were using and we couldn't see any excuse for going to the expense and the trouble of making


a rotary beam. You see that little SW-3 sitting there on the table? Well, that belongs to an old friend of ours, Arthur Lynch, W2DKJ. He told us that it would help us in getting some of the weak boys through. As you can see, we have very fine receivers, and we thought that the addition of the pre-selector was kind of silly. He brought it over, we hooked it up, and he hasn't been able to talk us out of it again.

"He told us about a new type of rotary beam that he had designed, which he thought was 'hot stuff,' and that he wished we would try it out, in comparison with the three fixed beams which we then had in operation. He came over one night and brought a small carton with him. The elements which now comprise our beam were in the carton. It was about four inches square and six feet long and weighed less than fourteen pounds -the elements themselves weigh less than nine pounds. We built up the framework, set the rods on the insulators and put the whole works on top of one of the lower poles which was near the house. It was very easy to tune the thing up. When we put it on the air, we got the shock of our life!
"The little rotary did everything that the

three fixed beams, each of which was twice its size and twenty-five feet higher, would do. In addition, it brought signals to us, from directions not actually in a direct line with one of the fixed beams, with better strength and with less interference. Long periods of test—our beam has been up for several months—indicate that there have been only a few occasions when the signal from any of our fixed beams was any better anywhere than the signal from the little rotary. On these occasions, the increase of signal strength from our station, as reported in South Africa, for instance, has been just a slight change in the needle on the S meter of the HRO, used by the operator at the

receiving station.

"A very important point, not generally considered when directional aerials are contemplated, has been very thoroughly demonstrated by our experience with these beams. As you have seen, all three of our fixed beams are quite a distance apart. Also, they are set at angles, with relation to each other, as far as the limits of our property will permit, so that parasitic excitation and reradiation from those which are not in use is cut to a minimum. However, when we pump full power into one of the fixed beams, we can measure plenty of current in the others. This indicates that it is impossible for us to get full efficiency out of any one of the three fixed beams, while the others are still in the air. Of course, we have made tests with stations in other parts of the



New rotary aerial does all the transmitting and receiving DX formerly accomplished by the 3 large aerials shown.

RADIO & TELEVISION

world and reception is possible in directions other than that covered by the beam which is being powered, until we lower the other beams; then transmission is limited to the desired direction. The same thing occurs when we are receiving. Therefore, we have found that better, all around results are obtained with our little rotary, both on transmitting and receiving.

"When our attention was first called to the telescopic, corrugated, copper-plated, steel tubing, used for beam elements, we would not believe that tubing could be made so light, with any degree of rigidity. We had tried many other types of solid and hollow elements, but had not been able to secure any which did not sag too much. "That, we believe, Mr. Secor, along with

"That, we believe, Mr. Secor, along with your sketches, should enable any experienced amateur, who is a bit handy with carpenter tools and who knows something about beam antenna tuning, to get very much better performance out of his present transmitter than would be possible with the ordinary type of antenna, or even with a group of rather elaborate arrays of the kind we used to think were really modern."

It will be seen that none of the mechanical measurements will have to be changed if operation on the "ten meter" band is desired. It is but necessary to open the shorting bar, at the base of the half-wave stub, and run the transmission line up to a point on the stub, where a correct impedance match is obtained, as indicated by the removal of standing waves on the transmission line. For full details regarding the adjustment of beams of this type for ten or twenty meter operation, we refer our readers to the various articles which have been written by John D. Kraus, W8JK, after whom this type of beam is sometimes called. Herewith is brief log of nx "worked" with this aerial.

| DATE STATION CALLED BY WORKED R S S S S S S S S S | | | | CTAT | 101 | 1F | QSO | RESULTED | | | | |
|--|--|---|---|------------------------------|---|----|--------------|--|-------------------------|---------|--|--|
| 8 A CQ X 5 8 7 9 822 A VK2VV Aug. 7 Australia 828 A VK11V X 7 7 9 915 A Aug. 17 Australia 828 A VK11V X 7 7 7 9 915 A Aug. 17 Australia 828 A VK11V X 7 7 7 9 915 A Aug. 17 Australia 828 A VK11V X 7 7 7 9 915 A Aug. 17 Aug. 17 Aug. 18 Aug. | TIME | | | WORK | ED | | | ENDING | | REMARKS | | |
| 803 A PK6XX X 3 8 5 9 940 A Dutch New Guit 242 P GSM1 X 5 9 5 9 330 P England 354 P E12L X 5 8 5 8 128 P Treland | 8 A 822 A 838 A 1125 A 135 P 758 P 150 A 545 A 618 612 726 A 803 A 242 P | CQ X VKEIU CQ GMsRG CQ CQ CQ X VK21 C PK6XX G8M1 | X VK3UM X X X X X X G4B0 VK4JU X X | 10 mg hu na 12 ha 12 ha 15 h | 東海にはのまま!*!********************************* | | .5555H35K455 | 652 P 822 A 915 A 915 A 1136 A 250 P 831 P 158 A 618 A 719 A 719 A 940 A 330 P | W9CTR CELAD ONENW | Aug. 7 | Australia Australia Australia Scotland Chile Belkium Scotland England Australia Australia Dutch New England | |

The "YL" in Amateur Radio

(Continued from page 335)

people in every section. Information obtained in this direct way is much more valuable because it is personal and true. It is the next best thing to travet!

Though most of the amateurs in foreign countries speak English, sometimes they prefer to write in their own language; we rather expected that, and can take care of French, German, Spanish and Italian nicely; letters in Esperanto were a puzzle at first, but YL curiosity can solve almost any difficulty.

The YL radio operator, like her brother ham, soon finds that she needs a systematic file for her correspondence, and scrap-books for her photographs of operators and their equipment. The compactness, neatness and efficient arrangement of apparatus in the photographs which I have collected speak very well for their owners. They range from the elaborate layout of OE3A1I, the Archduke Anton of Hapshurg, to small portable outfits in gold-mining camps, or portable jobs for ear, plane, or marine operation. One station is entirely contained in a packing-case; another uses a variety of transmitters for separate bands and looks like the control room of a broadcast station.

l Visit a Freighter

Not long ago I had the opportunity of visiting a freighter which I had worked during last winter on ten meter cw., while it was crossing the Atlantic. The operator, W6BOY, uses a low-powered transmitter and the ship's 600-meter antenna, with surprisingly good results. His pile of DX OSL's would be the envy of any shack. On his trip to Europe, he visited some of his European radio friends and had many pleasant times in stations which he had worked. His account of the ten meter DX which he was able to contact on the high seas in the night-time was very interesting, as he figured that darkness prevailed over three-quarters of the distance which he covered, and his description of the Aurora Borealis at sea was something to remem-

ber! He now has a ten meter phone transmitter for use in port, as the ship is on a coastwise run. After looking at W6BOY's log with its consistent record of fine operating, I decided that what I needed for DX was a shack on a ship in the North Atlantic and a 600-meter antenna—without the rough weather!

Other interesting contacts made at W1KTG include a phone OSO with Unalaska, one of the Alcutian Islands—in answer to a CQ! The Canal Zone, where many of the men in the service are annateur radio enthusiasts, is a source of many pleasant QSO's; the operators are real rag-chewers, have something to say and know how to say it, so that it is always fun to work a K5 or an NY.

SWL Cards Galore for YL's

The YL operator receives many more SWL cards as a rule than her brother hams. They arrive in all kinds and sizes, from the very technical report on a specially designed card to the hurried notation on a slip of paper. At this station, they are always welcome and always answered. Sometimes they give me exactly the information which I want and have been unable to get on the air because of lack of contacts with certain districts or sections. For example, we tried experiments with a twenty meter Zepp but had no QSO's with New Zealand. We discarded the antenna and later got a very fine report from a listener in Dunedin which was greatly appreciated.


The interest in amateur radio all over the world is greater than most people realize; and in no other country, as far as I know, has the amateur such opportunities to obtain the best equipment at a reasonable cost, in no other country is he so wisely controlled by the government, as in the United States

United States.

The VL who handles traffic or even an occasional message finds the other stations on the air willing to go out of their way to help. The press contributes information accurately and without delay.



Centralab comes to the rescue with its NEW ISOLANTITE SELECTOR SWITCH



When you fall asleep, dead to the world from fatigue, trying to dope out how in blazes you're going to change bands on that new rig.... take it easy.... CENTRALAB'S new Isolantite Selector Switch will solve your problem.

Switches for

TRANSMITTERS

- Crystal Frequency Selector from one band to another, or within the band to dodge QRM.
- Amplifying or Doubling Stages select the proper coil or tap on one coil, or correct tank coil on final stage.
- Antenna Coupling in series or parallel for matching antenna to given frequency.
- Transceivers send and receive switch.

RECEIVERS

in either preselectors or receivers wherever wave changes are required.

Send for bulletin 684, giving complete details. Dept. R



Division of Globe Union Inc.

900 E. Keefe Avenue Milwaukee, Wis.

Your Inquiries Invited

When you need amateur equipment it is to your advantage to write to Bob Henry, W9ARA. You get personal attention; terms financed by myself so you buy with less cost and more convenience; fair trade-in value for your equipment; ten day trial of all receivers; and my cooperation in every way to see that you are 100% satisfied. No wonder Bob Henry's customers are boosters. You will be too. For the newest equipment, the latest information and technical help:

WRITE TO:

BOB HENRY,

BUTLER, MISSOURI

Compare Bob Henry's Terms with Others

| Model and deceiver | | Pay- ment | Pay- ments |
|------------------------------------|----------|--------------|---------------|
| The NEW NC-44, | \$49.50 | \$9.90 | \$3.49 |
| NC80X and NC8IX , | 99.00 | 19.80 | 6.99 |
| Improved NCI0IX | . 129.00 | 25,80 | 9.11 |
| The NEW NCIOOA | 120.00 | 24.00 | 8.48 |
| Latest RME-69 | 152.88 | 30.56 | 10.80 |
| Sky Champion | 49.50 | 9.90 | 3.49 |
| Sky Challenger II | 77.00 | 15.40 | 5.44 |
| Super Skyrider | 99.00 | 19.80 | 6.99 |
| Also Super Pro, HRC gents, others. | O, PRIS, | Breting | 9, Sar- |


Similar terms on Harvey, RCA, RME, Bassett, Temco transmitters and National, Progressive, Utah, Stancor kits.

Special Department for Export Orders

HENRY RADIO SHOP

211 North Main Street Butler, Missouri





The Phone HAM and What He Does

(Continued from page 329)

is most interesting in the summer months, when the desire for the "open road" beckons one forth from the shack, scene of home operations.

Talking on 10 Mieters

Lower in frequency is ten meters, that elusive band, where power means nothing and conditions mean all, towards a successful contact or QSO, in the parlance of the ham. Ten meters is said to close up in summer, thus most of the activity takes place in the winter months, though W5HDK, whose new station on this band is illustrated, has been having some very successful summertime contacts with the Antipodes. Long distance operation is the main feature of this band, thus most hams who put in their time here can also be found talking on some other band, and 160 meters is the current second choice for "L L" as he gives his landle (Christian name, in amateur parlance).

Operating an amateur-built transmitter with an input of one kilowatt, the maximum legal power allowed, this station is an example of neatness and efficiency. Listen for him, and you will hear a true amateur talking with his fellows.

Around the World on 20 Meters

To talk of twenty meters is to talk of the amateur's dream of paradise on the air. Here the gang can gather and commune with the world, forgetting their cares for the time, and becoming a part of the universal society of mankind. If every country were as friendly toward the amateur as Uncle Sam, encouraging him onward, there would be less talk of war, for no one would wish to shoulder arms against his friend, even though that friend be of another nationality. These air friendships, unsual as they may seem to the outsider, are genuine, sincere good fellowships. The human voice can be a great factor in building friendship, and the personality of the man behind the microphone goes a long way to cement the bond, although the seven seas.

Twenty meters offers just such an opportunity, day and night, almost any time of the year. Here is probably the height of activity for the phone man, for there is hardly an hour of the day that some distant nation is not audible on this band, together with many stations from one's own country. One moment you may talk with that elusive Filipino, about whom you have heard so much, or perhaps it will be an expedition to New Guinea, known to all the amateurs as PK6XX. As the clock runs on, stations from far and near fill the dial of the amateur's receiver, and it is his privilege and pleasure to talk with one and all. Schedules take up a good part of his operating hours, and these contacts are often as regular as the arrival and departure of an airplane. But it is not always possible to contact a distant station, and those located near at hand offer as much pleasure to the constant listener.

By no means do all of the activities of an amateur take place on the air, far from it. There are radio clubs, conventions, and hamfests, gatherings of the clan, and what gatherings these are! Here is where the great hobby shows its true side of friendship, for at long last you are afforded the opportunity of talking with and meeting in person the fellow whom you have known

for years. Memorable occasions these, and the phone men seem to be at the greater advantage, for they know and recognize the voices long before they are introduced to one another. Until you have attended a national amateur convention, such as was held in Chicago on the last Labor day, you cannot know all there is to the true amateur spirit.

"What It Takes" to Become a Ham

What does it take to become a ham? The will to learn, and the ability to be a good sport and to share with your fellows your problems and achievements. Any citizen can obtain his license and operate a station, but that does not say that he is a true ham. Nor is the desire to see one's call letters published in all the radio papers of the globe a true exemplification of the amateur spirit. Personal publicity can be far better acquired by a good public relations counsel than by operating an amateur station. Sad to relate, not all those possessing an amateur license have learned this fact, to the everlasting harm of this great hobby, especially when their eagerness to gain the spotlight assumes the proportions of an international diplomatic misunderstanding. But these unpleasantries,

interesting articles to be found in the current issue of

Radio-Craft:

Construction Details of a 441-Line Teleceiver

New!—Anti-Noise Counterpoise Antenna System

New Circuits in Modern Radio Receivers—No. 13

Home-Built 11-Tube Set Introduces "Syncrotronic" Reproduction

How to make a Modern V.-T. Voltmeter, Howard G. McEntee

This magazine is for sale on all news-

though they do occur, are few and infrequent, and the loyal amateur is ever on the alert to avoid them.

Good Will Among Nations

The true ham spirit, which has bonded together this vast, cosmopolitan army of men and women, with a common interest in a scientific hobby, will go a long way towards cementing the good will among nations. The true amateur is humble, quiet, self-effacing, and desirous only of the opportunity to perfect his station and his equipment. He asks but the liberty to carry on his experiments which have bettered all mankind, the developments which have been rewarded, not with financial gain, but with that greatest of all payments, the satisfaction of completing a self-imposed problem. So, if you do happen to hear an amateur who may momentarily disturb your pleasure in listening to a broadcast, hy interfering with your receiver, do not condemn him unjustly, but rather cooperate with him, for the interference may result from some experiment that will shortly bring you, his hearer, a more perfect form of entertainment, be it sight or sound, or something which we today dare not imagine possible.

RADIO & TELEVISION

Dem Was the Happy Days

(Continued from page 333)

have made radio history, including Armstrong, King, Burghard, Amy, Pacent, Dr. Hudson, Dr. Goldsmith, Cannon, Vermilye, and others, in the New York area alone. But for some reason I never seemed to get out to their receivers. Hence I found necessary to establish a receiving station just for my own signals. A friend, George Barr, gladly consented to become partner in the ordeal, and purchased his own 2-inch spark coil, timer, 'phones and other para-phernalia, which we set up about two miles distant. Soon we had a nice communication system established, and dot-dashed back and forth each evening and most of Sunday.

Everything was swell for awhile. Then came an unwelcome intruder. A chap signing himself "HB" thundered in at both our stations like the proverbial ton of bricks. Indeed, HB simply swamped out everything on the local ether. We occasionally heard the Operator Pickerel, who held forth at Station WA atop the old Waldorf-Astoria Hotel, coming back at HB, requesting him to stand by for awhile, so that WA might clear its traffic to DU, the station atop the Hotel DuPont in Wilmington, Del.

In time I was invited to visit HB. He turned out to be a doctor; his transmitter was a reamped X-ray outfit with rotary spark gap. This improvised transmitter was capable of packing a terrific wallop into the

huge aerial on the roof.

By 1911 there were really serious attempts made to tune our signals. Instead of the plain aerial system, whereby the antenna was connected to one side of the spark gap and the ground to the other, we now made use of a closed oscillating circuit for the primary, and the antenna and ground connected to the secondary of the oscillation transformer. A small lamp bulb placed in the ground lead indicated by its dim glow whether we had the proper number of turns connected in the primary circuit.

Late in 1911 I had advanced to a quarter-

kilowatt open-core, oil-bath transformer, a rotary spark gap, a large bank of condensers made of good window glass with tin-foil sheets shellacked in place, and a rotary interrupter. My call letters were JB, for no other reason than their delightful rhythm in the Morse code then used by American radio operators. How clumsy seemed the Continental code used by foreign ships in

our harbors and off our coasts!

Miracle of the Ages

Perhaps the greatest thrill of those days was the occasional human voice picked out of the ether. I believe it was in 1908 when, one evening, I was startled to hear a voice standing out from the hackground of dots and dashes. The voice was counting numbers. Presently, it proved to be Dr. Lee de Forest, operating a radio telephone transmitter somewhere in New York City. The whole family came rushing into my room to see what had happened to me. I was shouting for the whole world to experience this miracle of the ages.

The greatest difficulty of early wireless days, at least for one living in a city apart-ment, was a good aerial. Our apartment house had a nice flagpole at one corner of the roof. I dared hitch a three-wire aerial on to the ropes of the flagpole and to hoist it high in the air. That evening I was thrilled by listening to many brand new call letters.

The joy was short-lived. Within a few weeks, the result of pulling the aerial wires taut, the flagpole developed a decided bend. Our building superintendent's attention was called to the fact by some not over-friendly neighbors. Whereupon he made his annual

A New Sargent Communication Super-Het!~



Sargent Model 51

It is a real pleasure to announce a receiver of the calibre of Model 51. Although our receivers already enjoy a reputation for correct, careful design, we have surpassed any previous receiver in the rugged, lifetime construction of Model 51. Built to last, and of the best obtainable materials,—Model 51 will give stable operation, dependable service for years, in locations that are inaccessible, repair parts hard to obtain. Model 51 is the receiver for dependability.

Regenerative input, introduced in our Model 21 and outstandingly successful, is used on all bands on 51. Individual panel-operated trimmers on R.F. and detector stages insure perfect alignment at all times. 10 and 20 meter band performance is outstanding. High sensitivity, very low noise level,—a pleasant superiet to listen to.

For extreme DX the regenerative input adds that extra punch that brings those very weak signals up to audibitity. For maintaining a communication schedule, Model 51 has stability equalled by few receivers. A receiver you will be proul to own.

Streamliner '39

A sensational value in a communication receiver, 5-tube superhet, covers 10 meters, illuminated dial. 2 stages 1.F., panel trimmer, Beat Oscillator, AVC, 4 tuning lightly, Covers 9.5 to 550 meters. Uses band switching,—no plur-in coils. Net Price, combite with tubes, speaker, \$33.90 Equals performance of receivers selling for many times the price.

Look At These Features

- Regenerative Input, all
 R.F. Input Control Bands
- High 10/20 Meter Efficiency
- 10 New Type Glass
- Equivalent Performance
- 13 Tubes

 13 Substite Insulation
- Shadow Tuning
- Iron Core 1.F.
- Band Spread C.W. Pitch Control
 R.F. and Det. Panel
 Trimmers
 Break-in Switch
 Headphone Jack

- Manual Volume or AVC
- Tone Control • Push-Pull Audio
- •8" Jensen Speaker
- A.C.-D.C. Circuit
 Full Wave A.C.
 Rectification
- Both Power Lines Fiftered
- Lifetime Filter Con-densers.—no Electrolytics
- Shielded. Moisture-proof Bypasses

Model 51 Net Prices

Model 51-MK, 9.5 to 2750 meters, 110 \$175.00 volts AC-DC net net 0 ft.C.A. tubes, speaker power, ready to go.

> Sept. 15th Delivery Orders filled in Rotation

9.5 to 20,000 Meters!

The greatest tuning range of any receiver built! Model 11-UA tunes this range. A popular, operator's type tuned R.F. regenerative receiver. Has hand spread, band switching, self-powered, built-in speaker, every important feature. \$77.00 net. Also suld for 9.5-3750 meters and 9.5-550 meters at lower prices. Built also for D.C. or battery. Write.

Write for Complete Data

E. M. SARGENT CO.

Cable Address "EMSCO"

212 9th Street

Oakland, Calif.

visit to the roof, discovered the offending aerial, and promptly hauled it down.

We may have dreamed of the days when we might converse by voice; however, I for one feel that the memory of those early days still holds the greatest thrill for those who make radio their hobby.

R.C.A. INSTITUTE TELEVISION **COURSES**

 WITH the inauguration of television field tests, R.C.A. Institutes assigned two of its instructors to the engineering group in charge of the experimental work. These instructors have had immediate contact with development and have studied at first hand the many problems and vicissitudes with which the new art has been confronted. Concurrently other members of the school staff have been engaged in the preparation of lesson material and construction of special television demonstration equipment.

In addition, two volumes of significant papers were published in July, 1936, and October, 1937. These books, titled *Television*, Volumes I and II, are two of the most complete books available on the subject.

Feeling that the basic system of television is unlikely to undergo any immediate major change R.C.A. Institutes considers the time propitious for the inception of its Television Courses. These courses will begin with the fall term, convening September 6, 1938. For persons who have had no previous training in Radio Engineering, the course requires a period of two years in the day school or five years in the evening school. Special Television Units of six months' duration in the day school or one year in the evening school are available to applicants possessing adequate technical background,

Please say you saw it in RADIO & TELEVISION



Brand new! For public address and night club use. Cannot be acoustically overloaded. Two models: MU-2 (\$29.50) with two dual diaphragm crystal units, and MU-4 (\$39.50) with four dual diaphragm crystal units. Black and chrome. Complete with socket and 25-ft. cable. See jobber or write for literature.

Astatic Microphone Laboratory, Inc. Dept. J-3, Youngstown, Ghio Licensed under Brush Development Co. Patents

=A Sure-Profit Field| for Alert Radio Men!

HOME RADIO DIATHERMY

Hundreds of Radio Servicemen are now representing our Home Short wave diathermy line and acting as our agents in all parts of the country. We offer exclusive territory with abso-Our Short wave diathermy line is standard and has been definitely accepted as "fool-proof" by all who have made the most rigid tests possible on Diathermy equipment.

Our agents have averaged Letter than \$40.00 a week part-time. Full-time agents can easily do better. We show you how! Write for full particulars and details on making a real good income.

SCIENTIFIC DIATHERMY CORP. 200 West 34th Street, Dept.RT, New York, N. Y.



THE ALL PURPOSE



Designed to meet rigid amateur specifications. Use the 5-H whenever a quality high Q coil switching tuner is needed.

Covers the 10-20-40-80- and 160-meter amateur bands.

Band spreads each of the five bands.

A convenient band switch selects any of the bands at will.

BUILD

- A simple efficient 5-band Ham receiver.

 A 5-band preselector.

* A 5-band preselector.

* A Hem band signal generator.

* A field strength meter.

* A frequency monitor.

Constructional details supplied with tuners.

HAVE YOU SEEN THE NEW 5P and 5G BL EXCITER UNITS!

MAXIMUM EFFICIENCY AT MINIMUM COST SEE YOUR PARTS DISTRIBUTOR

FOR THE AMATEUR AND EXPERIMENTER BROWNING LABS., Inc. WINCHESTER, MASS

PYRO Size of Box 1 12½ x 8½ inches VOGUE Shipping weight, 3 lbs.

THIS electrical outfit is especially designed for burning designs permanently on materials auch as Leather, Wood, Cork, Bakelite, etc. Plug the Pyro-electric pencil in any 110 volt AC or DC outlet and it is ready to be used. Plug and cord furnished.

By the use of the Pantagraph included in the outfit, any design may be reproduced either in original, reduced or enlarged form.

Outfit consists of: one Pyro-electric Pencil; one Pantagraph; three hardwood plaques; one bottle of Varnish; one Brush; one tracing tip and four-page instruction sheet.

Size of box: 121/2 x 81/2 inches.

Outfit will be forwarded by Express Collect if not sufficient postage included with your order.

NELLWORTH TRADING CO.

558 W. Washington Blvd. Dept. SWT-1838 Chicago, Ill.

5-Meter Super-Regenerative Receiver

(Continued from page 357)

ing and distant receivers than even the old regenerative receivers. In order to eliminate this radiation, the detector should be isolated from the antenna by a stage of R.F. The R.F. grid coil and condenser are the same size as the detector tuning combination. Both condensers have a capacity of 15

Acorn Tube May Be Used for R.F.

Since the tube filaments were all connected in series, all tubes used would of necessity be of the 0.3 ampere type. Thus the choice of an R.F. tube fell quite naturally to the metal type 6K7. Use of the acorn type 954 would have resulted in much greater gain, but the cost would have been greater. However, the 954 can be used instead of the 6K7 with only minor changes. The filament of the 954 would have to be shunted with a 42 ohm resistor since it has a 0.15 ampere filament. All grounds are brought to one point for each stage and then connected together by a ground bus which is then connected to the chassis by a half microfarad paper condenser. Nothing is grounded to the chassis directly. The reason for this is to eliminate the possibility of shorting the 110 volt line with a reversed line plug or of the cabinet appearing hot on D.C. with the line plug reversed. The R.F. grid coil is mounted directly on the terminals of the 15 mmfd. tuning condenser. This condenser is insulated from the panel by a bakelite washer. It might even be desirable to mount this condenser on an angle bracket instead of directly on the panel. Provision has been made for an antenna with single wire feed. If it is desired to use a doublet type of antenna, a small coupling coil of two or three turns of number 12 bus bar can be suspended from the antenna posts on the


side of the cabinet. Coupling between the two coils should be varied for optimum re-

Tube Acts as Detector and 1st A.F.


The R.F. tube is coupled to a combination detector and first stage of audio. This tube is a 608G which has two separate triodes in one envelope. One triode section is employed as a self-quenching detector and the other half is used as an audio amplifier. The section having both its grid and plate terminals coming out at the base of the tube is used as the detector. The other section has its grid terminal at the top of the glass envelope. Having the grid and plate terminals close together makes for a minimum of wiring, there being practically no high frequency wiring at all. A material contribution to the shortness of leads was the method of mounting the 6C8G. This was mounted in a horizontal position parallel to the panel and close to the detector tuning condenser. The bracket holding the detector tube also serves to lend added rigidity to the interstage baffle shield. As stated before, this bracket is constructed from the remainder of the interstage shield.

The detector grid-leak is mounted directly on the socket between the grid and plate terminals, while the grid condenser is wired directly between the grid and the rotor of the tuning condenser. The leads in no case are more than a quarter of an inch long. Incidentally, a little experimenting with grid-leaks will amply repay the constructor. The writer uses a 15 megohm leak, but the constructor should experiment with values from 10 to 20 meg-

Both the R.F. plate choke and the detector choke coils are of the same size and of the



Details of chassis and panel.



manufactured type having an inductance of 5.7 microhenries. The .006 mf. mica condenser bypassing the detector choke coil should be connected directly to the cathode of the 6C8G. The detector choke is connected to the third turn from the plate end of the detector tuning coil. The method of mounting this choke coil is as follows: the end of the choke connecting to the detector coil is fastened to the unused prong (No. 1) of the detector socket and a half inch length of wire is run directly from the terminal to the coil. The tap can then be easily changed from one turn to another. other end of the choke is mounted on a single terminal insulating strip mounted on the socket. As the photo shows, this results in the choke coil being at right-angles to the detector coil. As in the R.F. stage, all grounds are brought to one point and connected to the common ground bus.

Super-Regenerative Control

Super-regeneration is controlled by a 50,000 ohm potentiometer. The voltage from this control is passed through a resistance-capacity filter to prevent common coupling between the detector and the other tubes. When first tried out the receiver had a tendency to motor-boat, but the addition of the 25,000 ohm resistor in series with the regeneration control rotor effectively squelched any such tendencies.

The .006 mf. condenser which couples the detector section of the 6C8G to the audio section may seem rather small, but it is the correct value. The new and rather novel system of automatic biasing is used in this audio section. The cathode is grounded, thus resulting in a minimum of hum and the bias generated across the 15 megohin grid-leak. Most tubes draw grid current even with zero grid bias. The reason for this is that electrons are emitted from the cathode at so high a velocity that they reach the grid, even without any positive potential on the grid. By employing a very large value of grid-leak and grounding the cathode, the small drop across the leak due to the minute current will provide sufficient negative bias for proper operation. Using a larger coupling condenser than that shown, will result in a momentary blocking when tuning in a particularly loud signal.

The grid coupling condenser and leak were placed underneath the chassis at a point beneath the detector stage and a shielded wire run to the grid cap of the tube. The use of shielded wire obviated the possibility of any hum pickup. The plate resistor has a value of 100,000 ohms, while a 2 mf. condenser and a 25,000 ohm resistor comprise the R-C decoupling filter. These values were chosen so that the amplifier would work on both 100 volts as would be the case where D.C. is used and with the higher voltage available when the receiver

Top view of re-

is operated on A.C. A .01 mf. paper condenser couples the first audio stage to the 25A6 power audio stage through a 500.000 ohm potentiometer. This audio gain control and the regeneration control are completely in dependent of each other. There is no interaction between

them; varying the audio gain will not result in a variation of super-regeneration. The audio gain control contains the line switch for turning the receiver on and off.

Phones or Speaker May Be Used

Bias for the 25A6 is derived from a 440 ohm, 5 watt wire-wound cathode resistor, by-passed by a 10 mf. electrolytic condenser. The power stage furnishes sufficient audio power to actuate the loud speaker, even on weak signals. In addition, a phone jack was incorporated in the receiver. However, in actual practice the loudspeaker has been used exclusively. Although the photograph shows a standard dynamic speaker with field coil, it has since been replaced with a permanent magnet speaker which is strongly recommended. The field coil had been connected across the rectifier output. The additional drain of the field caused a 30 volt drop in voltage when the receiver was operated on A.C. Since it was desired to have the maximum signal possible, the change was made to the P.M. speaker with a slight rise in power output. On p.c. however, there is no voltage drop caused by the field, since it is connected across the p.c. line. For those desiring to use the field coil type of dynamic, one should be used having a field resistance of 5000 ohms.

Voltage Doubler Used with Rectifier

The power-supply consists of a 25Z6 rectifier used as a voltage doubler on alternating current. On p.c. the rectifier is cut out of the circuit. Briefly operation of the voltage doubler is as follows: -on one half of the A.C. cycle one of the 16 mf. condensers is charged up, and on the other half of the cycle the other 16 mf. condenser is charged. The two condensers being connected in series with respect to the load, the voltages across them become additive, resulting in an output voltage of twice the A.C. voltage. In actual practice the output voltage is slightly less than double the A.C. voltage because of the current drawn by the load. Two 15 henry choke coils and two 8 mf. electrolytic condensers comprise the filter circuit. The audio power stage receives its plate voltage at the junction of the two chokes, since it does not require such highly filtered voltage. The detector, R.F. and first audio stages make use of the full filter system.

All tube filaments are connected in series with the 200 ohm resistor cord. The tube filaments should be connected in the sequence shown on the diagram. The 6C8G filament is wired so that it is nearest to ground; then come the 6K7, 25A6 and 25Z6 in the order named. The 200 ohm series resistor is contained in the special line cord which has three leads. The thickest lead is the end of the resistor and connects to one

(Continued on following page)



5-Meter Super-Regenerative Receiver

(Continued from preceding page)

side of the 25Z6 filament, the red lead connects to the switch and the black lead runs to the plate and cathode terminals of the 25Z6. Since the resistor element is distributed evenly over the entire length of the line cord, no attempt should be made to shorten the cord by cutting it. The entire length must be used. In operation, the cord will become warm, but not too hot to touch.

Adjusting Set for Best Reception

Once the receiver has been completely wired, a few adjustments will result in efficient operation. The receiver is turned on by advancing the combination audio gain control and line switch and the gain control advanced to its maximum clockwise position. The regeneration control is then slowly advanced in a clockwise direction. At some point a slight click or smooth plop will be heard; this indicates that the detector is oscillating; the regeneration control is advanced another few degrees when a loud rushing noise will be heard. This indicates super-regeneration, and at this point, the receiver is in its most sensitive condition. The Audio gain control may now be retarded if the rushing noise is too loud for comfort.

When a signal is tuned-in the rushing noise will disappear or be reduced in intensity. On strong signals it will disappear entirely, while on weak signals the noise will still be heard in the background.

Once a signal has been timed-in the R.F. and detector circuits can be brought into resonance. This is done by changing the inductance of the coils by either compressing or expanding the coils. Incidentally, the

frequency range of the receiver can be adjusted within small limits by this operation. Although the same size coils are used by the constructor and the receiver wired exactly like the photo, some adjustment of the coils may be necessary to cover the desired frequency range. It may even be necessary to add or subtract a turn.

By using different size coils different frequency ranges can be obtained. As built by the writer for 56 megacycle reception, both coils consist of seven turns of number 12 bus bar, wound on a diameter of 5% inch. For the 112 mc, range approximately 3 turns wound to a diameter of ½ inch will be required.

List of Parts

BUD

1— Metal Cabinet No. 994 (7x12")

1— Chassis 11x0½" No. 997

1—Interstage shield 5½x7" No. 1256

2—15 mmf, variable condensers No. 565

2—CUH,F. R.F. chokes No. 925

2—Octal isotex sockets No. 1063

1—Ceramic flexible coupling No. 795

2— Metal tube grid caps No. 108

1—Phone jack No. 233

1—4" black bakelite dial (vernier) No. 103B

2—Knobs No. 183

1—35 mmf, coupling cond, adjustable No. 833

SPRAGUE (Condensers)

SPRAGUE (Condensers) PRAGUE (Condensers)

-16 mf. 200 v, type BT-162

-8x8 mf. 450 v, type PTM-88

-10 mf. 25 v, type BH-10

-2 mf. 200 v, type BH-20

-15 mf. 600 v, type TC-5

-01 mf. type SW-11

-0001 mf. mica type 1FM-31

-004 mf. mica type 1FM-24

-006 mf. mica type 1FM-26

1.R.C. (Resistors)
1-440 ohms type AA
1-50.000 ohm potentiometer

I - 50.000 ohm pot. type II-123
1-S.P.S.T. switch No. 21
1-300 ohms type BT½
1-50.000 ohms type BT½
2-100.000 ohms type BT½
2-25.000 ohms type BT½
1-10.000 ohms 2-15 megs

RAYTHEON (Tubes)

1 -- 6K7 1---6C8G 1---25A6 1---25Z6

OXFORD-TARTAK 1--5" P.M. or 5000 ohm field loud-speaker

STANCOR 2-15 henry chokes 50 ma. No. c-1277

Miscellaneous

1-D.P.D.T. toggle switch 2-Lengths No. 12 bus bar 1-200 ohm resistor line cord

Local HAM Gossip

(Continued from page 343)
day on 5 meters. With 65 gallons of lemonade and all the prizes gone, we QRT for the summer and closed the radio shack up until Sept. 1st. I am sure from what the gaug had to say, they will want a "field meet" this fall. This one will be better and bigger than the last, I hope. One hundred and fifty-three attended—all free! The radio clubs paid for the lemonade and drinks; the prizes were given by Warren Radio Co.. 1110 Madison Ave., Harry's Auto Supply Co., Adams St., Toledo Radio Spec. Co., on 10th St., and the Lifetime Mike Co., on Madison Ave. The total value of the prizes was \$30. Joe Solark was chairman of the group of TUHFA and TRC members that made the lephonade. made the lemonade.



JUST THINK OF IT—you can get absolutely FREE, the beautiful desk lamp shown at the left. This attractive desk lamp is suitable for home, desk, den, office, laboratory, studio or workshop. It is sent to you by the publishers with their compliments for a one-year subscription to RADIO & TELEVISION. Look at the many fine features

- Helmet-type shade can be tilted to any convenient angle.
- O Stands 13" high and has 10" metal
- O 5-foot rubber insulated cord and plug.
- O Constructed to last for many years.

Clip Coupon Today — and Mail!

Send your subscription today to RADIO & TELEVISION for One Year (12 issues) and receive absolutely FREE one of these truly remarkable desk lamps. New subscribers are accepted or you may extend your present subscription another twelve months under this offer. Mail your remittance of \$2.50 (Plus 25c for shipping charges on lamp) to the publishers of RADIO & TELEVISION. (Canada and foreign \$3.25) You will promptly receive your FREE DESK LAMP by return mail. Use the coupon at the right to order your subscription.

RADIO & TELEVISION

99 Hudson Street

New York, N. Y.

| RADIO & TELEVISION, 99 HUDSON ST., NEW YORK, N. Y. |
|---|
| Gentlement: Enclosed you will find my remittance of \$2.50 for which enter my subscription to RADIO & TELEVISION for One Year (12 issues). Send me promptly my FREE DESK IAMP. (Canada and foreign \$3.25.) In U. S. add 25c additional to cover shipping charges of lamin. |
| () NEW SUBSCRIBER () EXTEND PRESENT SUBSCRIPTION |
| Name |
| Address |
| City State |
| |

Modulator for the 35 Watt Transmitter

(Continued from page 361)

One metallized resistor, insulated type, 15,000 ohms, 1 watt

One metallized resistor, insulated type, 2,000 ohms, I watt

One metallized resistor, insulated type, 1,500 ohms, 2 watts

One metallized resistor, insulated type, 1 megohm. 1/2 watt

Four metallized resistors, insulated type, 0.5 megohm. 1 watt

One wire-wound resistor, 200 ohms, 50 watts; adjustable type

One wire-wound resistor, 15,000 ohms, 50 watts Two wire-wound resistors, 5,000 ohms, 25 watts One wire-wound resistor, 20,000 ohms, 75 watts

AEROVOX (Condensers)

One electrolytic condenser, 10 mf., 25 volts One electrolytic condenser, 25 mf., 25 volts One electrolytic condenser, 25 mf., 50 volts One electrolytic condenser, 16 mf., 450 volts Two electrolytic condensers, 2 mf., 450 volts Two paper dielectric condensers, 0.05 mf., 600

One mica condenser, .001 mf.

SOLAR (Condensers)

Four electrolytic condensers, 8 mf., 600 volts, wet type

RCA (Tubes)

One 6F5G tube One 6F8G or 6N7G tube Two 6L6G tubes One 5U4G tube

PAR-METAL (Cabinet, panel and chassis)

One two-panel size steel cabinet, black crackle, 17½x13x20"
Two standard steel panels. 8½x19"
One standard steel chassis, 10x13x3", black crackle

JEFFERSON (Transformers)

One microphone transformer, universal type One input transformer. One plate to p.p. grids One modulation transformer. Push-pull 6L6S in class "A" to 5,000 ohm class "C" load

STANCOR (Transformers)

One "swinging" choke, 8-30 henries, 250 milliamperes

One filter choke, 15 henries, 250 milliamperes One plate transformer, 800 volts, c.t., 300 milliamperes

One filament transformer, 5 volts at 6 amperes and 6.3 volts at 6 amperes

Brush Announces New Models ...

HEADPHONES — PICKUPS MICROPHONES

Featured in the complete and revised Brush line are new type microphones, headphones, and pickups. Special attention has been given to making these products widely adaptable for either amateur or commercial use. Also featured is the popular Brush Hushatone (pillow speaker) which brings new comfort and convenience to radio listeners.

Fill in and mail the coupon below for the new Brush catalog of the complete Brush line.

THE BRUSH DEVELOPMENT CO.

3326 Perkins Avenue CLEVELAND, OHIO Please send the new Brush catalog of the complete Brush line to: STREET

ORLD'S GREATEST all around

DRILLS - GRINDS - SANDS - SAWS POLISHES . SHARPENS . CARVES


Flastles Glass-Steel-etc.
ilminates tedious labor.
socket AC or DC. 110
A inch capacity, Ball bearing thrust. Powsized motor. "Worth its weight in Gold,"
with the control of the control of the control
(uses 50 different ANDARD MODEL with
(uses 50 different parts). Instentity
e). Special Introductory Price for limited
55.

to a mechanic or name than 1 accessories. Instantly interchange shield. Special introductory Price for limited free mounted 145 inch grinder, sanding disca, cutting wheels, mounted brush, polishing wheel, carrying bur, etc. FREE with each outfit ordered NOW. We pay postage on all shipments. Will send C. O.D. if desired.

tial "2-SPEED" MODEL combines Normal Speed High speed in one outfit (uses 200 accessories) \$8.95 complete, with same accessory outfit to \$2) FREE.

PARAMOUNT PROD. CO. Dept. 10-SW, 48 W. 48th St.

Don't miss the November issue-chock full of HAM and FAN features.



Drilling dimensions for chassis and panel of modulator.



HIGHEST QUALITY OIL CAPACITORS

> Ask for new complete Transmitting Catalog describina

-SOLAREX-TRANSMICA



SOLAR 599 BROADWAY,



THE NEW EARCAPS

improve the quality of your headphone to give results of a dynamic spenker. Innuediate delivery for Ambassador, Baldwin, Brander, Cannonlialt, Globe, Kellogg, Murganialt, Globe, Kellogg, Murganialt, Globe, Kellogg, Murganialt, Western Electric phones. Send for illustrated literature giving complete six formation.

Inventor and Manufacturer Dept. 5-10

69 West 83rd St., New York City

DIO



How would you like to save up to 50% on Nationally advertised Radios, such as Strom-berg Carlson. Philco. RCA. Zenith, G E etc., etc., for home, farm and auto, over 400 models to choose from. Also hundreds of electric appliance items for the home. Write today for the new 1938 giant catalog FREE.

MODELL'S Dept. 60 Cortlandt St., N.Y.C.

HEADSETS

Amateurs! Check your requirements and don't forget the importance of your phones. Get new ones—get better ones—get Featherweights!

For information, write Dept. R-910

RADIO MFG. CO. 1770 W. Berteau Ave., Chicago, Illinois.

STOP, LOOK & BUY!

Rockbottom Prices On Army and Navy and Surplus Merchandise

When prices are low we buy! They're low now—LOWER THAN THEY EVER WILL BE—hence this sale. Most of the merchandise is new—never used; some of it reconditioned. 100% satisfaction on each transaction or your money refunded.

ORDER FROM THIS PAGE. Use the convenient coupon below. Be sure to include sufficient extra remittance for parcel post charges, else the order will be shipped express, charges collect. Any excess will be refunded. C.O.D. shipments require a 20% deposit. If full remittance accompanies order deduct 2% discount. Send money order—certified check—new U. S. stamps. No C.O.D. to foreign countries.

ORDER TODAY QUANTITIES LIMITED

QUICK SHIPMENTS ASSURED

WESTERN ELECTRIC BREAST MIKE

A letter to a contribute carbon microphone. With rest plate mounting Can be added to the communication systems. With cord and plug. Shp. Wt. 4 lbs. (Illustrated at right.)
ITEM NO. 14

S2.45

Magnavox Anti-Noise site of the cord and plug. Shp. with cord and plug. Shp. with the cord and plug. Shp. with the cord and plug. Shp. with the cord and plug. Shp. with cord and plug. Shp. with cord and plug. Shp. with the cord an

TTEM NO. 15 \$1.80

VARIABLE SPEED UNIVERSAL MOTOR

VARIABLE STEED UNIVERSAL MANUAL FOR 1.10 VOLTS. A.C. OR O.C. Made for Dictaphone machines by American Gramophone condition. Special lever control permits variable speeds up to 3000 r.p.m., 1/4" shaft extends from both sides of motor. Measures 71/2" x 31/4" diam. overall. Shp. Wt. 63/4 ibs.

NAVY PORTABLE SEARCHLIGHT

Ly MILE RANGE

Cast aluminum and bronze housing, Mangia type parabolic glass reflector 5' diam, Tringer swith and handle for operating, litting and Tringer swith and National X-Ray Co. for U.S.

Navy, Measures 4' sep x 5½' diam, overall Fording threaded nipple for parabolic distributions of the control of th

AIRCRAFT GENERATOR PROPELLER

AHUHAF! UENERALUN FO "Deslauries" automat-te entrollante a 500 p.m. Hade 111/2" X "s aveep 23". All aluminum and bronze-housing. Complete with streamlined housing (shown dotted). Fits 9/16" shaft. Net weight 5½ lbs. Original cost \$200.

ITEM NO. II \$2.55



ITEM NO. 10 \$2.25

SPERRY GYROSCOPE LIQUID COMPASS

Made for U.S. Signal Corps: sensitive and a urata Quick readings easily made from top: accurate readings of raduation through focusings of raduation through focusing the readings of raduation through focusing the reading to the reading to the reading to the reading the reading to the reading the reading to the reading t



AND BUZZER PORTABLE TELEGRAPH FIELD SETS



SETS
Made for military use by
Western Electric. A wonderful buy if only in the
parts it contains. Nonnever been used, food for
log, communations,
contains 20:00, high
contains
con

ITEM NO. 16 \$5.45

PRISMATIC RIFLE SIGHT AND OBSERVERS SCOPE



s38.00

ITEM NO. 18 \$8.95

TELEGRAPHIC TAPE RECORDER



Your Price \$19.95

ARMY AIRCRAFT KEY

Type J-E Army aircraft solid brass transmitting key with large heavy duty Tungsten contacts. Well balanced ac-tion—easy on the fist. Shp. Wt. 2 lbs.

NO. 22 \$1.90



Made by Western Electric. Double throw switch with 12 terminals—equivalent to two double-pole, double-throw switches. All contacts are of platinum plate. Original price 53.50 each. Shp. Wt. 1 ib. ITEM NO. 23

\$1.55

ANTI-CAPACITY SWITCHES

WE HAVE NO CATALOG. ORDER FROM THIS PAGE.

HUDSON SPECIALTIES = 40-T West B'way = N.Y.C.

IT'S EASY TO ORDER-CLIP COUPON-MAIL NOW

| HUD | SO: | N SI | ECI. | ALTIE | is co | ., 40- | т, | West | RL0wq. | vay, N | . Y. (| j. | | | | _ | 038 | |
|-------|----------|----------------|--------|----------------|-------|--------|---------|--------|----------|---------|---------|---------|-----|------|------|-------|-------|----|
| | | | | | | | | | n orderi | | | | | | | | | |
| check | my or | depos mones | it of | \$ er accep | ted.) | | | | required | | | | | | | | | |
| Circ | :le | item | No. | wanted | : | 10 | 11 | 12 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 |
| Name | | | | | | | | | | | | | | | | | | |
| City | ٠ | Send : | remiti | tance by | chech | , stan | 3D8 | or mor | ney orde | r; regi | ster le | tter if | you | send | cash | or st | amps. | |

Back in the Days of Crashing Spark-Gaps

(Continued from page 331)

that kind of a "rig" it didn't matter how big you built your loose coupler tuner. You couldn't get away from my signals—two turns or 500 turns it was just as loud and persistent.

Antenna Radiation meter, did you say? Yes—a darned good strong 32 candle-power carbon lamp (and it had to be strong) made a good one. INSULATION??? Why worry about that when without it your lamp lighted brighter with most of the current going to ground via the antenna mast and guy wires—not to

the antenna mast and guy wires—not to mention the lead-in! At least you thought you were getting plenty "into the air"—no one else could light up a 32 C.P. lamp as brightly. You were the "tops."

Then came the best friend the Amateurs of this country ever had. Mr. E. T. Cunningham who gave us the audiotron.... first vacuum tube and the one gadget that really put Amateur radio here to stay. Unreally put Amateur radio here to stay. Un-heard of distances were covered and soon everyone was in touch with one another to swapping experiences. This education led to the development of highly efficient amateur equipment and stations.

In fact Amateur radio has progressed so rapidly that it recently became necessary to ship a transmitting unit to Pitcairn Island, so that present day Amateurs might manufacture a new spot on the globe to conquer. After that—well, perhaps they'll take a shot at Mars, but I assure you that it will be the only spot not as yet touched by Amatous come! by Amateur signals.

If you are capable of realizing the kick that Jules Verne would get from one little peek through the periscope of a modern submarine—then you will fully appreciate how I feel when I see a youngster busily engaged in the operation of his modern 1938 Ham rig—so great is the contrast be-tween modern equipment and that which I

had to make and use in the year 1909.

I could go on raving like this for months with great pleasure and without end—but Hugo has been kind enough to allot me sufficient space in which to jot down a small portion of my romantic reminiscences which I deeply appreciate—so CUL.



NAVY FLOODLIGHT

ITEM NO. 17 \$6.65

MANY PLUODLIGHT
Made to U.S. Navy rigid specification these sturdily constructed floodlights are now available at less than half of their original price of \$70.00. Brand new merchandise, never before used. Pittsbursh floodlight the price of the price o

TEM NO.21 \$29.70



Short Wave Ceague

at a Directors Meeting held in New York City, New York, in the United States of Climerica, the Short Dave League has elected

John & Müller

a member of this league.

In Wilness whereof this certificate has been officially signed and presented to the

HWinfield Secon

This handsome certificate is presented FREE to all members of the SHORT WAYE LEAGUE. The full size is 71/4" x 91/2". See page 374.


An Efficient 5-Band Amateur Receiver

(Continued from page 354)


The amateur set to be described covers the 10-, 20, 40-, 80- and 160-meter bands. The heart of the receiver is the BL-5H Tuner, a 5-band coil switching arrangement so designed that the coils not in active use are *shorted*. Band-setting trimmers are rigidly mounted on each of the 5 coils. thus allowing the amateur bands to be spread over substantially all of the tuning range, as well as to allow adjacent channel reception in case this is desired.

Construction of the Receiver

The construction of the receiver is extremely simple as will be evidenced by the circuit diagram shown in Fig. 1. For simplicity, only one of the 5 sets of coils employed is shown. The components of the receiver are mounted on a small sul-base. details of which are shown in Fig. 2. A 6S7G is used for a regenerative detector, while a 6G6G is used for the audio amplifier (other tubes with similar characteristics may be used if desired). The filaments of these tubes may be either operated from a 6.3-volt filament transformer for station operation or may be heated either from a 6-volt storage battery or three dry cells connected in series when it is desired to



Chassis detail. Fig. 2.



Calibration curves for 5 bands.

so that it may be of service when other communication means fail.

The amateur set to be described covers operate the receiver "portable." In any case, the total filament drain is only 300 milliamperes. Regeneration is accomplished by varying the screen voltage on the detector and, if the receiver is carefully constructed, this regeneration control will be found to be especially smooth, thus providing maximum gain and sensitivity. In this connection, it is especially important that the RF filter system in the plate circuit of the 687G be connected as indicated in Fig. 1. The 100 mmf, plate by-pass (Ca) condenser and the .002 mf, screen by-pass (C1) condenser should be grounded to the same point, as indicated. It is advisable also to ground the BL-5H Tuner to this common ground. The filter system in the screen circuit consisting of the .002 mi. condenser, the 1000-ohm resistor and the .1 mf. condenser is essential for smooth regeneration. In order to prevent the re-generation control from being too critical, a 20.000 ohm resistor is placed in series with the 50,000 ohm potentiometer. The value of this resistor, in many cases, should be increased. It must be sufficiently low so as to allow regeneration over all of the 5 amateur bands, yet sufficiently high so that the control is not critical. If the antenna used with the receiver has a very low radiofrequency resistance, it will be found that this resistor may be increased to 50,000 or 75,000 ohms. However, if the antenna used is not well insulated, it may be necessary to employ as low a value as 10,000 ohms for this resistor.

> The audio choke employed in the plate circuit of the detector has an inductance of approximately 100 henrys. A resistor can not be used in this position in place of the choke without increasing the B battery voltage very materially.

Wiring the Receiver

In wiring the receiver, all components should be so situated that the leads carrying radio frequency current are kept as short as possible. The tube positions indicated on the chassis layout shown in Fig. 2 have proven very satisfactory. The 687G tube must be shielded. As will be noted from the photograph of the receiver, the choke and the output transformer in the plate circuit of the 6G6G are mounted on top of the chassis, while the other component parts are mounted underneath. The output transformer should have an pedance rating of approximately 12,000 to 2,000 ohms, the 12,000 ohm side being conwhile the 2.000 ohms impedance approximately matches the phones or magnetic speaker, which are conveniently plugged into the jack provided.

If the receiver is to be completely operated from batteries, it is necessary to employ an on-and-off switch which opens both the -B battery lead as well as the A battery lead, as otherwise a constant drain on the B battery through the voltage dividing system on the screen of the detector tube will result. The B supply voltage may have any value between 45 and 250 volts; 90 volts is entirely satisfactory.

Adjusting Band-Setting Condensers on 5H Tuner

The antenna is connected either through a series antenna condenser or to the cathode tap on the coils of the 5H Tuner. Since (Continued on following page)

Please say you saw it in RADIO & TELEVISION




CORNELL-DUBILIER OFFERS THE MOST COMPLETE CON-DENSER CATALOG IN RADIO

New data new designs, new types... every week uncovers some new CD engineering development. Are you keeping abreast of capacitor progress? You'll find in this new cattle a wealth of information. Every one mew type capacitor, Cornell-Dublier, world's of capacitors, offers you this amazing cate-New data, new designs, new of capacitors, offers you this amazing cateog, thoroughly complete, representing the engineering experience of 28 years in the capacitor field at no cost. No amateur, experience of 28 years in the capacitor field at no cost. No amateur, experimentary servicement of engineering experiences. capacitor field at no cost, two a perimenter serviceman or engineer should be without it! Mail coupon for FREE copy today. Are you on the CaD house organ rear copy.

CORNELL-DUBILIER ELECTRIC CORPORATION

| | | | | rla | 1145 | 1 E L D | , 14 . | | - | in A |
|---|------|-----|------|-------------|---------|---------|----------|------------|----------|--------|
| | | | | | | | | | | OR THE |
| 1 | CC | RN | IELL | · DU | BILIE | R ELE | CTRIC | CORPOR | ATION | SWIE |
| ŀ | 1027 | ы | AMII | TON | ROUL | EVARD. | SOUTH | PLAINFIEL | 0 m 1. | |
| | | ••• | | | | | | | 1 10. 01 | |
| ı | | | | Rush | to me | COPI | of Cale | log 161 | 1 | |
| | | | | # F 66-24-2 | 10 1110 | copy | or cure | 1103 101 F | J | |
| ı | | | | Pul : | my na | ше ол | list for | house oras | m 🗀 | |

for October, 1938



und-Electricai Theory and Principles-Electrical Curins-Electro-magnetism - Transforms - Inductance Consers-Measuring Instrument - Edioactivity-Broadcast-Receiving-Valuum Tubes-Amplification-Superhetsin-Speaker - Revenor of all types-Short-Wave-Autoin-Stranf Radio-Jubic Address-Photoelectric Cells
althous Ray Tubes-Television-Testing and Servicingman Motion Figures Recease Tables-Sof Esvicingsettons for Self-Superhess Downs of other subjects. sers Measur Sers Measur Receiving

TRY IT!

Master Radio the quick "Ghirardi way" previous trainis and snowledge of mathematics are not necessary. Easy a superior of the superior of the superior way; write your name and addiess on this ad, and send in with \$4 today (\$4.50 foreign) for your copy, You money back if not satisfied. Free circular—mo obligation obligations.

RADIO & TECHNICAL PUBLISHING CO.

RAPID CALCULATOR

For Multiplication, Division, Solving Triangles, Stress and Force Diagrams



THE "TRIGONO-GRAPH" is a time saving, indispensable "triangular slide rule" for:
Solving Right and Oblique Triangles, Obtaining All Trigonometric Functions of an Angle
Multiplication, Division, Proportional Calculations, and Solution of Stress and Force Diagrams. A Combined Numerical Calculator and Trigonometric Function Table on a Single Page. Ideal for review. Instruction Book furnished. Celluidid "Trigonograph" \$1.50; Cardboard Model 50c. Money back Euranties. Descriptive Circular on Request.

CHEMICAL RUBSER PUBLISHING CO.

CHEMICAL RUBBER PUBLISHING CO. 1908 W. 112th St. Cleveland, O.

LEARN CODE RIGHT

It's easy and practical to learn or improve your radio or Morse Code, any speed. Senior model with 10 tapes and Book of Instructions—\$20.25. (Rented at low cost.) Junior model with 5 tapes and Book of Instructions—\$12.00. (Not rented.) Complete oscillator equipment. less battery. \$6.50. Send for details today to—



BUY ON CASH OR TERMS; HALLICRAFTER and R.M.E. SHORT-WAVE RECEIVERS, SPEED-X and VIBROPLEXES

RADIO COURSES

RADIO OPERATING-BROADCASTING RADIO OPERATING—BRODADCASTING
For Gov't License Preparation

RADIO SERVICING—a practical course
PRADIO AMATEUR CODE © TELEVISION © ELECTRONICS—1 yr. day
COUrse, 2 yrs, eve.
Day and Evening Classes, Booklet Upon Request

New York YMCA Schools

6 W. 64th Street. New York City
TRADE AND TECHNICAL SCHOOL
Licensed by the State of New York

372

An Efficient 5-Band Amateur Receiver

(Continued from preceding page)

the capacitance of the antenna system alters the tuning position, it will be necessary for the amateur to adjust the bandsetting condensers associated with each of the 5 coils. These condensers should all be set with the antenna connected to the receiver, although it is advisable before the final adjustment on these condensers are made to determine which connection gives better signal strength. On the 160 and 80 meter bands, antenna connection to the point marked No. 1 usually results in better reception, while on the 10-, 20-, and 40meter bands connecting the antenna to point No. 2 is usually advisable. This however depends somewhat upon the antenna used. In fact when working portable with a "fish pole" antenna the series antenna condenser may be shorted. Having determined the antenna connections for the various bands, connect the antenna to its appropriate point and set the dial or pointer knob so that it is approximately 50 on the scale. With the series antenna condenser partially closed (this will depend upon antenna length) adjust the band-setting condenser on the 160-meter coil until phone reception is heard. If a signal generator is available place the output lead from the signal generator so that it closely parallels the antenna lead-in. With the pointer set at 50 on the scale, adjust the band-setting condenser on the 160-meter coil for 1.86 mc. A similar procedure is followed for each of the other coils, following the frequency calibration for the various bands given in Fig. 3 as a guide. Another method of adjusting the band-setting condensers is to tune in a station the frequency of which is known, set the pointer to the position on the scale which corresponds to this fre-quency (see Fig. 3), adjust the band setting condenser until this station is again tuned in.

This article prepared from data supplied by courtesy of the Browning Laboratories.

Parts List

BROWNING LABORATORIES, INC.

1-BL-5H Tuner

Etched and engraved panel-7" x 10" 11/2" knob with 11/2" pointer and two 11/4" pointer knobs

I.R.C. (Resistors)

R1-50,000 ohms, 1 watt Potentiometer (Type 11-123)

R2-20.000 ohm. 1/2 watt (BT-1/2) R3. R4-1000 ohm. 1/2 watt (BT-1/2) R5-25 megohm. 1/2 watt (BT-1/2) R6-500 ohm, 1/2 watt (BT-1/2)

CORNELL-DUBILIER (Condensers)

C1, C8--.002 mf. mica C2, C5-.0001 mf. mica

BUD MFG. CO.

Cabinet-6" x 7" x 10"

YAXLEY OR UTAH 1-Phone Jack

U.T.C.

CH1-100 henry audio choke (S-24)

T1-10,000 to 2000 ohm impedance output transformer (S-18)

TOBE (Condensers)

C7-10 mf. 50 volt dry electrolytic condenser C3, C6-0.1 mf. 400 volt paper condenser C4-...05 mf. 400 volt paper condenser

MISCELLANEOUS

On-off switch Tube shield

Please say you saw it in RADIO & TELEVISION

RADIO INSTRUCTION

RADIO ENGINEERING



RCA Institutes offer an intensive course of high standard embracing all phases of Radio and Television. Practical training with modern equipment at New York and Chicago schools. Also specialized courses and Home Study Courses under "No obligation" plan. Catalog Dept. SW-38.

RCA INSTITUTES, Inc.

A Radio Corporation of America Service 75 Varick St., New York, 1154 Merchandlse Mart, Chicago

LEARN RADIO TELEVISION

500 LICENSED graduates placed in past 7 years DUU LICENSED graduates placed in past 7 years in shipping, broadcasting, aviation, police, etc.; we also teach radio servicing and repairing; new beginners' class Sept. 12th, Nov. 7th.; 52-page catalog free; oldest, largest and best equipped,

MASS. RADIO SCHOOL 18 BOYLSTON ST., BOSTON

Est. 1899

GET AHEAD IN RADIO What you should do to win good employment in Radio, Television and broadcasting wrise now. 8WC-10, 4000 S. Figueroa St.

TELEVISION

NATIONAL SCHOOLS LOS ANGELES

FREE BOOK Write Now

BE A RADIO SERVICE EXPERT



Modern receivers require men with modern training for service work n training for service w LEARN AT HOME

LEARN AT HOME

Our home instruction method and service equipment offer starts you earning money almost at once. Up to \$3 an hour easy in a short time. Write for free book.

Radio Training Ass'n of America Dept. SW-810

4525 Ravenswood Ave.. Chicago

Want to Learn Foreign Languages?

(Continued from page 341)

stands nearer to it than if he were just looking at it to see and appreciate it.

By listening to loud reproduction, you will learn to shout. This learning to shout is a good thing. For when you repeat the language to yourself for practice, you may say it louder than normal, but when you come to speak it. you will instinctively speak no louder than the person with whom you are talking. Anyone who has already tried speaking in a forcign language will tell you that if ever they have to talk loud, they find pronunciation difficult. So it will be just the opposite with you. You learn to speak loud, and then when you come to talk at ordinary volume, any defect in pronunciation will be reduced.

Headphone Adapter for Any Radio

For greater sensitivity and for private listening at late hours, a headphone adapter permitting headphone reception with the speaker off is essential. The simplest adapter is illustrated. The single-pole double-throw switch and the two phone tip-jacks are mounted on a piece of bakelite two inches square. A three-conductor cable is wired according to the circuit diagram and is connected to the radio set dynamic speaker's voice coil. If a magnetic speaker is used the speaker coil is used instead.

Headphone Adapter Parts List

5 ft. 3-conductor cable*
1 S.P.D.T. toggle switch*
2 Tip-jacks*
1 Bakelite panel 2" x 2"*

TRIMM

*Most Radio mail order houses can supply this item if properly identified as to title of articlesissue (month) of Radio & Television and

RADIO & TELEVISION

How HAM RADIO Saved Shawneetown!

(Continued from page 334)

flashlight, in a farmhouse where we found eleven marooned refugees, and finally contacted Harrisburg and got out the first news from Shawneetown. By 3 a. m. my storage battery was exhausted and I was forced to suspend action.

Fortunately, a good friend, Jack Hatfield, arrived from the mine in a large boat propelled with a pair of oars, loaded us aboard

and returned us to the mine.

When we reached the mine about daylight I set up and started relaying mes-sages between Shawneetown and Harrisburg. In response to these messages, food, medicines, doctors and nurses were dispatched via the Ohio River and a large towhoat, the Patricia Barrett left Memphis with a covered barge to assist in the possible evacuation.

While I handled messages, Jack went back into the backwater in a motor-boat he had secured, and broke a lane in the ice which had formed. It took all morning to reach Shawneetown, for by this time the water had covered the railroad track. He returned to the mine in the afternoon and took me to Shawneetown, arriving at 6 o'clock.

I set up the apparatus in the WPA office on the third floor of the oldest bank in the

state of Illinois. Conditions in Shawneetown were in-describably bad. It was not yet flooded,

but the immediate danger was so great that the town was practically evacuated to the schoolhouse and every other possible shelter located out of the levee district.

Next morning we improvised an organization for rapid handling of messages. improved the antenna systems, and "handled all messages." It was a big job and kept four of us busy all of the time. As I was the only operator, I was at the key at all times but since all incoming messages were by radio phone I had a stenographer take them in shorthand and transcribe them later.

At one time the power failed for several hours, but I hooked up the batteries and handled messages without interruption.

At 2 a. m. Monday it was apparent that it would be impossible to save Shawneetown and would be necessary to evacuate the inhabitants to a safer place. The Patricia Burrett had arrived and was capable of carrying everyone at one load, but there was no place to take them.

Early Monday morning everyone who wished to leave went aboard the Barrett. I set up my station in the pilot house and we left Shawneetown, tying up to some trees downstream until refugees from the High School could be brought aboard. At noon we received orders from the Red Cross to take refugees to Mt. Vernon, Ind., and Henderson, Ky. Shortly before the boat departed upstream I removed the gear and returned to Harrisburg where the situation had become critical.

During the rest of the emergency I helped operate W9HQD, which operated 24 hours a day. Too much praise cannot be given Kes Schonert, W9HQD, for the part he played in clearing the air and listening

for my weak signals.

Famous Radio Experts Salute the Amateur

C. W. HORN

(Continued from page 358)

and gave us an immediate audience of many thousands. The amateurs were responsible for the construction of many of the homemade sets during the first years and for assisting their friends in the building of broadcast receivers. Many of the amateurs saw an opportunity of engaging in a profitable business, and, therefore, the industry had available many trained men upon whom to draw for engineering and service work. KDKA is generally thought of as a pioneer broadcasting station, and the men associated with this pioneer were mostly amateurs, such as Dr. Frank Conrad, Frank Falkner, John Coleman, and many others who have built a name and reputation in the industry.

As radio became a more complicated science, the big laboratories were naturally the source of new developments. The amateur could not afford the expensive laboratory equipment, but he did the next best thing, and immediately tried out every new tube and device that the laboratories proand device that the haboratories produced. As a result the manufacturers had available an immediate field test of the newly developed devices, which saved time and resulted in a large amount of data that was helpful to the inclustry.

Today we are confronted with a new frontier in radio development in which we have to solve many problems in television and ultra high frequency transmissions. The television receiver is a highly complicated piece of mechanism as compared with the sound receiver. Therefore, even if television should become a reality today, and receivers be placed on the market, the industry would be faced with a tremendous shortage of trained personnel for installation and

service work. The only hope of meeting this demand for highly technical men is from the ranks of the amateurs. This was one of the reasons why the RCA decided to put kinescope tubes and other parts on the market. With thousands of experimenters building their own receivers, we can expect a fair percentage of them to enter the radio field, and these, to some extent, meet the demand for these specialists. Consequently the amateur is making a

valuable contribution to the welfare of his country. Because of the amateur the radio industry can more quickly get under way and make available to the public the latest advancements. This aids the national economic picture. In addition to this the amateur keeps himself in training and thus stimulates future advancements. In the event of war, the American people will be grateful to the amateur, because communication is probably the most vital factor for the national defense, particularly in view of the fact that modern warfare calls for rapid movement, and depends upon mobile units such as tanks and airplanes. The amateur as a class is patriotic, and many of them are members of the U.S. Army and U.S. Navy Reserves. It is unnecessary to repeat the good work that they do during times of disaster and floods. However, I feel that the amateurs' greatest contribution lies in the less spectacular and fundamentally more important service they play as yeomen in the advancement of radio and science, which benefits the country as a whole.

I am proud of the amateurs and proud that I was one myself.

More "Salutes" Next Month

Please say you saw it in RADIO & TELEVISION



SPRAYBERRY ACADEMY OF RADIO. F. L. Sprayberry, President 145-K University Place, N. W., Washington, D. C.

Please send me FREE copy of "How To Make Money in Radio"

Name Age

Address City State (Mail in envelope or paste coupon on postcard)

FASTEST WAY TO LEARN

Easy, Fascinating, LEARN by EAR To Be a GOOD CP.



The New All Electric Master Teleplex Code Teaching Machine is exactly what thousands are looking for. No experience needed. Ideal for heginners—steps up WPM for ALL Ops. There is no guess work with Master Teleplex, because it records your sending in visible dots and dashes. You SEE and HEAR exactly how you are making your signals. You learn code the way you'll be using it—by SOI'ND. Complete course included at no extra charge. Used by many schools for teaching code. Low cost; easy terms. MONEY BACK GUAR-ANTEE. Send now for booklet S10, no obligation. Post card will do.

TELEPLEX CO. 72-76 Cortlandt St. New York, N.Y.

Bea TELEVISION EXPERT



First National's modernistic method of training is new and different. 75 profusely litustrated lessons in addition to COMPLETE APPARATUS for over 100 Radio and Television experiments will be given you—propare yoe for employment in good pay Radio Television field. You will also be qualified for the examination for your first class Radio-Telephone Operator's licenso. Get the facts: FREE—Write now for free 24-page booklet "vision,"

FIRST NATIONAL TELEVISION (Training Division)
Dept. B-10 Fidelity Bldg. Kansas City. Mo.

ENGINEERING,

broadcasting, aviation and police radio, servicing, marine radio telegraphy and telephony. Morse telegraphy and radiway accounting taught thoroughly. Engineering course of nine months' duration equivalent to three years of college radio work. All expenses low. Catalog free. School established 1874.

Dodge's Institute, Turner St., Valparaiso, Ind.

RADIO INSTRUCTION



THE CANDLER WAY!

Thousands upon thousands of operators—amateurs and commercial ailke — have proved to their own satisfaction that the CAND-LER SYSTEM for learning code is the eastest. Quickest and so undestination of the candler system will give you more real progress in a week! Candler teaches you the Proper fundamentals. sound consciousness and mental coordination and in a short time you will find Yourself receiving code as easily as you read print, and conying several words behind without conscious strain or effort.




CANDLER SYSTEM CO.

Dept. S-18 ASHEVILLE, N. CAROLINA, U.S.A.



OMNIGRAPH CODE

Automatic sender teaches you easily. Thousands sold last 38 years. Metal Dials changed FREE. Models \$2 to \$25... Folder R. Omnixrash MfK. Co... \$10 East 39 St.. Brooklyn, N. Y.



HOW TO PASS

Radio License Examinations

By CHARLES E. DREW, I.R.E., A.I.E.E.

This book is more than just a new edition of a famous work. It has been completely rewritten, and will serve as an excellent guide to all radiomen. Important phases of the subject are given thorough treatment, so that the man who understands the content of this book will be well qualified to pass the examination for his license.

Published March 1938

ON APPROVAL COUPON

John Wiley & Sons. Inc. 440 Fourth Avenue, New York, N.Y.

Kindly send me a copy of Drew's HOW TO PASS, on ten days' approval. If I decide to keep it, I will remit \$2.00; otherwise I will return the book postpaid.

| Name | | | |
|------------|------|------|--|
| Address | | | |
| City and S | tate | | |
| | | | |

Employed by SWT10-38

Please say you saw it in RADIO & TELEVISION

What Price HAM Radio? (Continued from page 337)

while one Ham operator spent \$900.00 on new tubes and tube replacements during the past year! So, between the two extremes of the well-financed Ham station owner and operator, and those in the lower brackets (the beginners and small station owners), there is a broad financial chasm.

Power of Average Transmitter

While the maximum power limit set by the Federal Communications Commission for amateur stations is 1000 watts, there are numerous small stations, such as those operated by beginners and others, that are rated at only 20 to 50 watts. Among the Hams who answered the questionnaire, 15% own 1000 watt transmitters; 1% each own 900 and 800 watt transmitters; 11% 500 watters; 3% 400 watters; 3% 300 watters; 7½% 250 watters; 10% 200 watters and 11% 150 watters. The balance is distributed over various values of transmitter power from about 20 watts up to 150.

Manufactured Versus Home-Made Apparatus

A surprising fact which the questionnaires showed was that the average Ham, if he can afford it, will purchase a good factory-made receiver. The tabulated answers showed that 60% own factory-built receivers. Of these, 35% own manufactured receiving sets costing \$175 or more apiece, while 8.6% have factory-built receiving sets which cost between \$200 and \$300 sets which cost between \$200 and \$300 apiece; for sets costing \$100 to \$150 we find 36½%. The balance of the sets owned by station operators are the usual run-ofthe-mill sets costing between \$30 and \$100.

When it comes to transmitters, 88% of the Hams questioned by the editors pre-ferred to build their own, either by buying the parts separately or from kits; 8% own manufactured transmitters and the balance are of composite construction.

Antenna Kits-Phones-Test Equipment

Regarding antenna kits, 8% use transmitting antenna kits, such as the Johnson-Q. Most of the receiving aerials are home constructed and only about 1% use factorymade kits.

As to headphones, all of the leading makes are well represented in Ham stations. Leading with 22% are Baldwin phones, Trimm phones are next with 17%, Western Electric 11%, Brandes 10%, Brush 8%. (Of course this picture might be different, if all 46,000 Hams were questioned.—Ed.)

Only about half the Hams who answered the questionnaires own factory-built test-ing equipment (not forgetting the fact, of course, that most of the Hams probably own from one to a dozen meters which are "built into" their transmitters). Among the leading makes of measuring instruments used we find Triplett leading with 18½%, Weston 15%, Jewell 8%, General Radio 2½%, Supreme 2%, Westinghouse 1½%, RCA and Du Mont 11/2% each, with a small percentage divided among the other well-known makes of testing instruments.

Battery Versus A.C. Operation

Ninety-four per cent of the Ham stations covered by the questionnaires are operated on 110 volt, A.C., while 6% are battery-operated.

Another interesting figure shows that 2½% of the Ham stations are shared by a YL (unmarried young lady); 7½% by an XYL (their wives); 13% share with another Ham, while 1% are "club" owned and operated stations.

All about the

SHORT WAVE LEAGUE

A FEW WORDS AS TO THE PURPOSE OF THE LEAGUE

The SHORT WAVE LEAGUE was founded in 1930. Honorary Directors are as follows:

Dr. Lee de Forest, John L. Reinartz, D. E. Replogle, Hollis Baird, E. T. Somerset, Baron Manfred von Ardenne, Hugo Gernsback, Executive Secretary.

The SHORT WAVE LEAGUE is a scientific membership organization for the promotion of the short wave art. There are no dues, no fees, no initiations, in connection with the LEAGUE. No one makes any money from it; no one derives any salary. The only income which the LEAGUE has is from its short wave essentials. A pamphlet setting forth the LEAGUE'S numerous aspirations and purposes will be sent to anyone on receipt of a 3c stamp to cover postage.

FREE MEMBERSHIP CERTIFICATE

As soon as you are enrolled as a member. a beautiful certificate with the LEAGUE'S seal will be sent to you, provided 10c in stamps or coin is sent for mailing charges.

Members are entitled to preferential when buying radio merchandise from numero who have agreed to allow lower prices SHORT WAVE LEAGUE members. derous to



Short Wave Ceaque

At a Director Meeting held or New York City, New York in the United States of Chance, the Short West Ecogus State of Cin. See alasted

John & Müller a member of the larges In Misses who of the welfeste has a officially sepret and presented to the above

Hwapel Sun

If you wish your name engraved on the Free mem-bership certificate, as illustrated above, please send 25c to cover cost.

SHORT WAVE ESSENTIALS LISTED IN OPPOSITE COLUMN SOLD ONLY TO SHORT WAVE LEAGUE MEMBERS

They cannot be bought by anyone unless he has already enrolled as one of the members of the SHOET WAVE LEAGUE or signs the blank below (which automatically enrolls him as a member, always provided that he is a short wave experimenter, a short wave fan, radio engineer, radio student, etc.).

Inasmuch as the LEAGUE is international, in makes no difference whether you are a citizen of the United States or any other country. The LEAGUE is open to all.

Application for Membership SHORT WAVE LEAGUE

SHORT WAVE LEAGUE 10-38
99-101 Hudson Street, New York, N. Y.

I, the undersigned, herewith desire to apply for membership in the SHORT WAVE LEAGUE. In joining the LEAGUE I understand that I am not assessed for membership and that there are no dues and no fees of any kind. I pledge myself to abide by all the rules and regulations of the SHORT WAVE LEAGUE, which rules you are to send to me on receipt of this application.

I consider myself belonging to the following class (put an X in correct space): Short Wave Experimenter Short Wave Fan Radio Engineer

| ret [] plintr | p 2. mil. | |
|----------------|-----------|------|
| Student | | |
| Transmitting | | |
| Call Letters | | |
| Receiving | | |
| Name | | |
| Address | | |
| City and State | | |
| Country | | |

I enclose 10c for postage and handling for my Membership Certificate.

Accessories for Members of the SHORT WAVE LEAGUE

ry member of the SHORT WAVE LEAGUE wants to hitly himself in some way. For your convenience the gue directors have prepared suitable letterheads, lapel tons, stickers, etc. In addition there are many short-e accessories, such as maps, globes, etc., which the gue offers only to members at special prices. Take r choice from this advertisement. THESE ESSENTIALS SOLD ONLY TO LEAGUE MEMBERS.



LEAGUE LETTERHEADS

A beautiful, official letterhead has been dealgned for members correspondence. The letterhead is invaluable when it becomes necessary to real with the radio produce of the letterhead is invaluable when it becomes necessary to real with the radio produce of the letterhead is necessary to real when the letterhead is also aboutely essential when writing for verification of the letterhead is also aboutely essential when writing for verification of the letterhead is also aboutely essential when writing for verification of the letterhead is also aboutely essential when writing for verification of the letterhead is also aboutely essential when writing for verification of the letterhead is also aboutely essential when writing for verification of the letterhead is also about the letterhead is also

A—S HORT WAVE
LEAGUE letterheads, 50c

WORLD GLOBE

WORLD GLOBE

This important essential is an ornament for every den or study. The second of the secon

D-Globe of the World Prepaid 89c

D-89c each

SHORT WAVE MAP OF THE WORLD

This beautiful map, measuring 18x26 in, and beinted in 18 colors is indispensable when hung in sight or placed "under the glass" on the table or wall of the short were enthusiast. It contains a wealth of information of the country in which a broadcast station is located, etc., and from the manner in which the map is lincked off gives the time in different parts or the world at a glance.



WORLD RADIO MAP AND STATION FINDER

The finest device of its kind published. The world's map on heavy board is divided into 23 sections, while the rotary disc shows you immediately the exact time in any foreign country, invaluable to log-gink foreign stations. Also gives call letters assigned to all nations. Size 11"x22".

C-Radio Map of the World and Station Finder. Prepaid





E-35c each

LEAGUE SEALS

-25c each

E



G-15c for 25

U—15c for 25
These scale or stickers are executed in three colors and measure I I 4 in. in diameter, and are gummed on one side. They are used by members to affix to station. ery, letterheads, envelopes, postal cards and the like. The seal signifies that you are a member of the SHORT WAVE LEAGUE. Sold in 25 lots or multiples only.

only.

G—SHORT WAVE
LEAGUE seals, per 25.

Prebaid

15c

for October, 1938

This beautiful button is made in hard ename! in four colors, red, white, blue and gold, it measures three guarters of an inch in diameter. By wearing this button, other members will recognize you and it will give you a professional air. Made in bronze, gold filled, not plated, Must be seen to be appreciated.

E-SHORT WAVE LEAGUE lapel button Prepald

EE—SHORT WAVE LEAGUE lapel button, like the one described above but in \$2.00

SHORT WAVE LEAGUE 99-101 Hudson St., New York, N. Y.

| | ludson | | New | York. N. | Υ. | 10.3 |
|--------------------------------|--------|-----------|---------|---------------------|------------------------|--------------|
| Gentlemei D I a D Please | ım a n | me app | licatio | SHORT TO THE LEAGUE | WAVE LE/ lemhership | GUE in th |
| listed in | this a | dvertlser | nent: | | wave esse | |
| | | | | | · | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| or which | ı I en | close \$. | | he | rewith, | |
| Vame | | | | | | |
| Address | | | | | | |
| Cily and | State | | | | | |
| Cine I, | EAGUE | accepts | mone | v order. | cash or ne | rw U. B |

Low Cost A.C. Transceiver

(Continued from page 354)

3/16 of an inch copper tubing. The diameter of the coil is 2 inches. For unity coupling the grid coil is placed inside of the plate coil and consists of ordinary hook-up wire. The center tap of the grid coil is brought out through a hole in the tubing.

The tuning is accomplished with the aid of a 15 mmf, variable condenser of the low-loss type. Since both the rotor and the stator plates of this condenser are above ground potential, the unit is mounted away from the control panel to eliminate possible body capacity. An insulated extension shaft permits the control of this condenser at a distance.

The unit is designed for operation from hatteries or from an A.C. power-pack. The filament of the tube should be operated from a 6-volt storage battery or from a step-down transformer, supplying 6.3 volts. For plate potential, any voltage from 60 to 100 volts will serve. Any standard type power-pack, designed for use with shortwave radio sets, may be employed.

The 500,000 ohm variable resistor controls regeneration for reception. It has no effect on transmission. The setting of this control is critical, but once adjusted, it will require but little further change.

The antenna recommended for use with any transceiver should be an odd-multiple of a quarter-wave length. This means that the antenna may be 4, 12 or 20 feet long.

Before placing the transmitter portion in operation, it is advisable to check the transceiver on reception. Placing the switch in the "receive" position and connecting the proper power supply, the variable resistor should be set at a point where the characteristic rushing noise of the super-regenerative receiver is loudest. The dial should now be turned slowly until the point is reached where the hissing noise ceases. This point indicates that the station has been tuned in. The variable resistor is then adjusted to the point of maximum response.

The advanced Ham, as well as the begin ner, will find this excellent transceiver well adapted for their requirements and can obtain the required parts, as well as drilled panels completely matched for easy assembly and proper operation.

This article prepared from data supplied by courtesy of Allied Radio Corp.

List of Parts

Knight A.C. Operated Transceiver

- 1-Foot 3/16" copper tubing, B2476
- 1—Hammarlund Star 15 mmf, variable condenser, B5328
- I—Hammarlund Isolantite 1 prong socket, B5342
- 1-Knight .006 nifd. mica condenser, B7823
- 1-Knight .00025 mfd. mica condenser, B7833
- 1-DPDT toggle switch, B5459
- 1-Knight 75.000 ohm 1/2 watt resistor, 134990
- 1-Knight 500.000 ohni potentiometer, B5970
- Insulated coupling, B4570 1-Insulated shaft, B4584
- -3" Kurz Kasch dial, B6200
- 2-Knobs, B6208
- 2-Pair tip jacks, B4069 1-25 ft. roll hookup wire, B3560
- 1—7¼ x 6¼" drilled bakelite panel, N2236 1—5 6/7" x 4" drilled bakelite panel, N2234 1—7¼" x 6¾" x ¾" plywood baseboard, N2233
- 2-Feet 4 conductor battery cable, B3502 1-Hardware kit. N1610
- 1-6A6 R.C.A. tube, B175
- 2-.001 nif. mica condensers, B7837 1-Plug, B1807
- 1-1/4 Wave brass rod, N2448
- 1-Bull's eye indicator, B6388
- 1-Pilot bulb, 6.3 volts, B1253

Good Instruments!

GOOD RESULTS DEMAND



4" Modernistic Square
Instrument . . . A.C. and D.C.
Fan or Twin Cases

SELECT A RIPLET 18 STYLES 2" to 7"

MOST MODELS AVAILABLE WITH FRONT OR REAR ILLUMINATION

Today's Most Modern Instruments . . . New methods and extremely accurate processes are embodied in Triplett instrument designs. The first considerations are for dependable accuracy, simplicity, and the hest aphilication of the fewest number of parts. An example is the long research in developing a super-magnet (the heart of the instrument) by means of which it has been possible to eliminate extra pole pieces. This achievement has brought from prominent laboratories, graphs that prove Triplett magnets give more uniform scale characteristics. Magnet air gaps are absolutely uniform because they are made without tolerance in size after the magnet is hardened by thoroughly proved exclusive Triplett processes. The same painstaking methods apply to aging of all materials after processing to relieve strains and assure proper adjustments; care in selecting Divots and jewels and applying them in exact alignment. Infinite care in every form is exercised throughout in Triplett's modern, fully air-conditioned plant under the supervision of engineers of long standing instrument building experience. This unique instrument set-ub is available to you as a most reliable complete organization where full confidence may be had in valuing such products to your needs.

Ask Your Jobber or Write for Complete Ostalog

Section 2810

TRIPLETT ELECTRICAL INSTRUMENT CO. Bluffton, Ohio

Formulas and Recipes FOR THE PRACTICAL MAN

CONTENTS OF BOOK

CONTENTS OF BOOK

1. Adhesives: Glues, Cements, Gums, Mucilages, Lubricants. 2. Cleansing: Stain Removers, Paint Removers, Bleaches, Cleaning Fluids. 3. Metal Craft: Coloring, Oxydizing, Plating. Repairing, Welding. Polishes, Alloys, Solders, Amalgams. 4. Paints: Colors, Stains, Varnishes, Enamels. Luminous Paint, Washable Paint: Paint-Removing, Waterproofing, Fireproofing. 5. Glass-Working: Cutting, Drilling, Boring, Bending, Blowing, Etching, Engraving, Frosting, Silvering, etc. 6. Wood-craft: Fillers. Fireproofing, Acid-proofing, Waterproofing; Furniture Polishes, Finishes, etc. 7. Inks: Recipes, Eradicators, Ink Stain Removers; Special Inks; Colored, Indelible Sympathetic, Invisible, Hectograph. 8. Photography: Developers, Emulsions, Fixers, Sensitizing, Toning, Printing, Photographic Paper, Blueprint Paper. 9. Antidotes for Poisons, Remedies for Burns and Scalds, Disinfectants, First-Adid in Accidents, Emergency Remedies. Home Remedies. 10. Preparation, Manipulation, Handling, Mixing, Measuring, Weighing, Filtering, Straining Solutions; List of Technical Substances; Emulsifying; Use of Hydrometer, Use of Thermometer: Tables of Weights and Measures, Decimal System, Useful Tables.

PRICE 50c Postpaid Send stamps, cash, check or Money Order

TECHNIFAX

Division SWT-1038
558 W. WASHINGTON BLVD. CHICAGO. ILL.




4 inch diameter metal stide rule (with case). Eduvalent scale length is about 12 inches. Pecomputations. Roots, logs, sines, etc. Endorsed by colleges. Accurate. handy. Price \$2.00 prepaid. S-inch diameter metal. Special **METAL SLIDE RULES!** 8-inch diameter metal. Special-large scale divisions, easy read-ing, equivalent scale length about 20 inches. Price, with case, \$5.00.


DATAPRINT CO., Lock Box 322a, Ramsey, N.J

FOUR NEW 10 & RADIO BOOKS

R ADIO FANS EVERYWHERE—these little ten cent text books give you an excellent foundation for the study of radio. They are clearly written, profusely illustrated and contain over 15,000 words in each book. You'll be amazed at the wealth of information these volumes have. They are handy for review or reference books.




FAMOUS GERNSBACK EDUCATIONAL LIBRARY



NO. 7-HOW TO READ RADIO DIAGRAMS

NO. 5-BEGINNERS' RADIO DICTIONARY

Are you puzzled by radlo language? Can you define frequency? Kilocycle? Tetrode? Screen grid? Bame? If you cannot define these very common radio words and dozens of other, more technical, terms used in all radio magazines and instruction books, you need this book in your library. It's as modern as tomorrow—right up to the minute. It tells you in simple language just what the words that nuzzle you really mean. You cannot fully understand the articles you read unless you know what radio terms mean. This is the book that explains the meanings to you. Can you afford to be without it, even one day longer?



ADDS FOUR NEW BOOKS!



NO. 6-HOW TO HAVE FUN WITH RADIO

Stunts for Parties. Practical jokes, scientific experiments and other amusements which can be done with your radio set are explained in this faschating volume. It tells how to make a newspaper talk—how to produce silent music for dances—how to make visible music—how to make a "silent radio" unit, usable by the deafened—how to make toys which dance to radio music—sixteen clever and amusing stunts in all. Any of these can be done by the novice, and most of them require no more equipment than can be found in the average home. Endless hours of added entertainment will be yours if you follow the instructions given in this lavishly illustrated book.

MAIL COUPON TODAY!!

| | RADIO PUBLICATIONS, Dept. R&T-10-38 101 HUDSON STREET, NEW YORK, N. Y. |
|-------|--|
| | Gentlemen: Please send immediately, POSTPAID, the book numbers circled below. I am enclosingcents—each book being 10c. |
| | $ \begin{tabular}{lllllllllllllllllllllllllllllllllll$ |
| | Name |
| | Address |
| OLO L | City |

NO. 8-RADIO FOR BEGINNERS

Hugo Gernsback, the internationally famous radio pioneer, author and editor, whose magazines, SHIJRT WAVE & TELEVISION and R.DIO-CRAFT are read by millions, scores another triumph with this new book. Any beginner who reads it will get a thorough ground work in radio theory, clearly explained in slimple language, and through the use of many Illustrations. Analogies are used to make the mysteries of radio as clear as "2+2 is 4". It also contains diagrams and instructions for building simple radio sets, sinhable for the novice. If you want to know how transmitters and receivers work, how radio waves traverse space, and dozens of other interesting facts about this nost modern means of communication, this is the book for You!

Other Titles in This Series!

Other Titles in This Series:
Our other volumes in this ten-cent radio book series—
ach on a popular subject—are available. The titles are:
No. 1—HOW TO BUILO 4 DOERLE SHORT.WAVE
SETS
NO. 2—HOW TO MAKE THE MOST POPULAR ALLWAVE 1-ANO 2-TUBE RECEIVERS
NO 3—ALTERNATING CURRENT FOR BEGINNERS
No. 4—ALL ABOUT AERIALS

Every book in the GERNSBACK EDUCATIONAL LIBERRY has 32 pages—with illustrations varying from 30 to 66 in number. Each title volume contains over 15,000 words. Positively radio's greatest book buys! If you do not think these books worth the price asked, return them in 24 hours and your money will be instantly refunded.

RADIO PUBLICATIONS NEW YORK, N. Y. **101 HUDSON STREET**

Fourth Silver Trophy Award

(Continued from page 345)

at Columbia University taking an E.E. course. Got interested in radio about 10 years ago and progressed through the xtal sets, hattery sets and the like. Got my ticket in 1934, and got on 160 phone with a pair of 59's, suppressor modulated. Since I was cursed with an experimental nature. the rig was rapidly rebuilt and torn down 19 times in one year! I tried suppressor, grid, and plate modulation, controlled carrier and tried out several antennas. I had the best luck with a 250 ft. center-fed job. We didn't use over 60 waits on 160. In 1935 I got my class A and stuck the rig on 14 mc. phone. As you can guess, the parallel 46's didn't put out much, so the rig was ripped down. I rebuilt it 9 times before I was satisfied! I tried 46's, an 825, 203A. 242A, 211, 852, and finally ended up with the 805. After this I got ideas on oscillators and tried all of 'em. After I blew up a couple xtals with hi-powered oscillators, I decided the 41 pentode oscillator was best. I messed around with buffers, and finally stuck in a RK39 as a doubler with 600 v. on it. It works wonderfully, and I can drive the 805 to 50 grid mills. During this time I messed around on 56 mc. with W2HXD (he heard the five meter sigs of G5BY a few years ago). I also tried 20, 80, and 160

The receiver has only been changed about five times, but it seems to be OK now.



That's about all there is about the station. I've handled a little flood tfc. (traffic) and took messages from the "Morrisey," took messages from the "Morrisey," W1OXDA, but I don't regularly do much tfc. handling. My main interest, when the rig is in working order, is to experiment with antennas and work DX on phone.

Just thought I'd let you know about S.W.&.T. I've been reading it since it came

out every other month. Remember?

What Do You Think?

(Continued from page 344)

2:17 a.m. PST so I'm hooking up with a Canadian friend, a 200 watter, who comes Canadian friend, a 200 watter, who comes in here like a house afire! I take in my antenna when I have him on! (Say, a lot of us are fair liars too.) But I get good reception here year around; east is good too. We, my pardner and I, are busy day and nite; not much money, but boy we "go to town" anyway. We trade around quite a let and horrow each other's stuff.

lot and borrow each other's stuff.

Say, "ed," pardon me taking your time to spill the ink, but I thought I should tell you what S.W.&T. has meant to us here on the west coast. Through your magazine.

I've bought other publications too.

A photo of the shack soon—it's somewhat "tore up" at present, so the delay is necessary.

M. E. VAN NATTAN. 6151 Walnut Ave., N. Long Beach, Calif.

Prize of 1 year's subscription to Radio & Television given each month for best "listening post" photo.

Short Wave League -On the Ham Bands

(Continued from page 342)

| | | | | (Commune |
|----------------------------|-------------------------|---------------------------------|---------------------------------|-------------|
| Call | Freq. | R | S | |
| VS6AG | R. Wood = 14,084 | Obs e rver 4 | for 6 | Minnesota |
| Howard EA9AH | Kemp O 13.99 | hserver 1 | | Connecticut |
| K6KPM | 14.22 | 3 | 6 | |
| F8FN EI6G | 14.07 | 4 | - 6 | |
| VR6AY | 14.40 14.34 | 3 4 | 5 | |
| F8MA | 14.12 | 3 | 4 | |
| ZS1AA F8VI ⁱ | 14.09 14.10 | .3 -4 | 4 | |
| F8NT | 14.08 | 1 | 6 | |
| M. I. 3 | Markuson- | Ohearves | for | Colorado |
| CEIAG | 14.0±0 | 5 | 4 | Colorado |
| CEIBC KAIME | 14.350 14.230 | 5 | 5 | |
| KA2OV | 14 230 | 1 | 5 4 5 5 | |
| KAHIF K6 O QE | 14.225 14.230 | 555755 | | |
| _ | | | 6 | |
| FA8CC | allagher (14.120 |)b-crver 5 | | Yew York |
| FA311C | 14.280 | 4 | 7 | |
| XU8RB OZ5G | 14.080 14.300 | 4 5 | 6 | |
| OZ3U | 14.340 | 4 | 7 6 | |
| PK1PK SU1RK | 14.030 | 3 | 7 | |
| SUICH | 14.330 14.390 | 5 | 6 8 | |
| ZT6P* | 14.265 | 3 4 5 3 5 5 4 | 6 | |
| SM5SD YR5KW | 14,270 14,120 | 5 5 | 7 6 | |
| KAIMG | 14.310 | 1 | 7 | |
| SPICC VR6AY | 14.340 14.350 | 4 5 5 | 8 | |
| LA8C | 14.125 | 5 | 7 | |
| SV1KE HA8N | 14,300 14,125 | 4 5 4 | 7 | |
| VU2LL | 14.340 | 7 3 | 7 | |
| VU2CQ HKN | 11.100 | 5 | 8 7 7 7 9 7 7 | |
| J7CB | $\frac{14.360}{14.310}$ | 4 | 6 | |
| CN8AM CN8AU | 14.090 | 5 | 7 | |
| CN8AU | 14.130 | 4 | 7 | |

14.310 14.090 14.130 *The QRA of this station is in doubt in the mind of "yours truly." Will someone write and tell me where it is?

Here's Your Button

Call

The illustration shows the beautiful design of the Official Short Wave League button, which is available to everyone who becomes a member of the League. The button measures 3/4 inch in diameter and is inlaid in enamel—3 colors—red, white and blue. The requirements for joining the League are explained in a booklet, copies of which will be mailed upon request.

Please note that you can order your button at once—Short Wave League supplies it at cost, the price, including the mailing, being 35 cents. A solid gold button is furnished for \$2.00 prepaid. Address all communications to SHORT WAVE LEAGUE, 99-101 Hudson St., New York.

| Call | rieq. | м | | |
|-------------|-------------|----------------------------|------------------|-------------|
| Clarence | Hartzell O | bserver | for F | ennsylvania |
| F8AF | 14.075 | 3 | 5 | 21111 |
| F30 X | 14.078 | 4 | 5 7 5 7 | |
| PAOMZ | 14.038 | | | |
| VK4VD | 14.148 | 4 5 4 5 3 2 | 2 | |
| VK2UĆ | | 3 | | |
| EASAH | 14.134 | - 1 | 6 | |
| | 13.996 | 5 | 9 | |
| FA3HC | 14.105 | 3 | 6 | |
| PK1MX | 14.300 | 2 | 4 | |
| Edmond | H. Davenpo: | rt –Ohse | rver | for Vermont |
| A NEABN | | 4 | 6 | |
| CT1ZZ | 14.050 | 4 | 6 | |
| SUIKG | | 3 | 4 | |
| VP3WA | 14,150 | 3 5 | ż | |
| | | - | | |
| Rober | t Hatcher (| Observer | for | Virginia |
| ZB1R | 14,050 | _ | 7 | |
| AC4AN | | _ | 5 | |
| FA3HC | | - | 7 | |
| TF3C | | | 6 | |
| FASHT | | _ | | |
| AH2BU* | 14.410 | 5 | 6 | |
| ZD2B | 14.410 | | 8 | |
| 7.17233 | | _ | - | |
| C2 1 L 4 Th | 4 4 4 4 0 | | _ | |
| ZBIR | 14.410 | 3 | 5 | fone |
| ZB1R | 14.410 | 3 5 | 5 7 | fone cw |
| | | 3 5 5 | 5 7 7 | |

"This is also a new one to yours truly and I would like to have its QRA from someone,

| Call | Freq. | R | S | |
|-------|--------|---|---|-----|
| PK6XX | 14.200 | _ | 8 | |
| KA3AA | | - | _ | CW |
| KA7EF | 14.70 | - | 7 | CVV |
| KAICS | 14.75 | _ | 8 | CW |
| ZKłaa | | _ | _ | |
| J7CR | | _ | 6 | |

Excellent results on the five meter band have been reported by Owen Shepherd, Jr., who is Observer on five meters for the State of Connecticut. This is the only band which Owen is working under the call of W11J. During the month of July, he has reported as hearing every district in the United States except the 7th. In Canada, he has received stations in the 3rd and 9th districts. We wish to congratulate W11J upon his accomplishments on the five meter band, and we hope that he will continue to show reports like the one received here last month. Part of his report is as follows:

| W4EDD FLH AUU | 5 | CSI EK ML | [| . 5 4 4 |
|--|--|-----------------------------|---|---------------|
| W5ZS | 4 | W6D | NS | 7 |
| WIOXDA F3OX PAODGA K4ENT OA4C F3HM E12L ON4AM K4ENY LU4AD | 14.155 14.200 14.255 14.345 14.165 14.100 14.210 14.237 14.210 | 53443455555 | 7 5 9 5 7 7 7 8 6 | v York |
| Charles H HH2B HK3LC PY5BL LU8AB | Fuller— C 14.155 14.200 14.200 14.150 |)bserve 5 5 5 5 | r for Ne 8 9 6 | ew York |

In order to reduce the reports to include only real, good px, the following distances have been decided upon, to be considered in publishing these reports. There is no need in reporting stations which may be heard at almost any time of day or night. For the 160 meter band, 1000 miles has been set as the minimum distance, and for the 80 meter band, 1500 miles. For the 20 meter band, 2000 miles has been established and the same distance for the 10 meter band.

Once more, may I remind you to include the approximate frequency, readability, and signal strength in your reports.

The Life of a Busy Ham

(Continued from page 339)

the local hams dropped in about two o'clock, to find out how the "rig" had been working, and upon seeing the log from 7:01 p.m. to the present time, 2:05 p.m. they knew that the transmitter was at least working across the ocean!
Three o'clock and once again I

alone, ready to start all over again. Back over the band again, but many attempts to contact someone proved unsuccessful. I began to look over the rig, to make sure everything would be in order for this evening. A few slight alterations and everything was completed. Leaving instructions

to wake me up for supper, I went to bed. Six o'clock and supper on the table. After a hurried meal I rushed downstairs and again put the transmitter and receiver on, got out the call book, log book and scrap pad, sharpened half a dozen pencils, and prepared for the evening ahead of me. I began by working Cuba. South America, Ireland and the Netherlands-all within the next hour.

Seven o'clock rolled around and with it the end of one of the busiest twenty-four hours of activity I had experienced for a long time.



CASH

ON YOUR SPARE TIME!



MAIL ORDER PLANS S BRAND NEW BOOK 40,000 WORDS in TEXT! TESTED MONEY MAKERS **BUSINESS SECRETS** in TEXT!
In "CASH IN"
you get ALL
the real money-SUCCESS SCHEMES 7mhhawww the real moneymakers — dozens
of profitable tested
mail order plans,
confidential business
secrets, dozens of practical tested formulas, successful tested schemes—actual experiences
with less than \$10 capital.

Buyers of This Book Tell Us-

... "Biggest value I've yet to see. Book is worth at least a dollar." S. Buda, B'klyn, N. Y.
... "Your book is as good if not better than others selling at \$1.00."

George Brunet, Montreal, Can.

... "CASH IN is the best value I have yet to see in the mail order field."

LAWRENCE FOX. Brooklyn, N. Y.

"CASH IN" contains only tested ideas covering every type of full—or spare-time enterprise—it's a "masterpiece" in business ventures. 25 CENTS per copy. Sent POSTPAID anywhere upon receipt of 25 cents U.S. stamps or coin.

NATIONAL PLANS INSTITUTE 246-T FIFTH AVENUE NEW YORK, N. Y.

Please say you saw it in RADIO & TELEVISION

himself; otherwise, he can contact almost anyone in the radio line to help, especially if you happen to be a shut-in."
"Even though arthritis has made it virtu-

ally impossible for me to move around," said Pop, "I still manage to work my fingers and with them I am able to press buttons. And so when I wish to go on the air I snap And so when I wish to go on the air I snap the button just below the microphone. Should anything go wrong with the set, it is so constructed that it shuts off automatically. There really isn't much to operating it, but never-the-less one needs a background for it. While all the building was taking place, in the meantine I was busy being taught the ABC's of shortwave. I listened intently to the boys whenever they made the slightest remark related to this field. I read several text books and after this field. I read several text books and after about 11 months of study I thought I was sufficiently prepared to take a test for a short-wave operator's license." "They certainly must have had a swell

time carrying your bed up the stairs leading

to the Federal Communications Commissioner's office when you went to take your test," I commented.

"Why, no. I didn't even have to leave the house. I simply wrote to the Commission stating that I would like to take a test, but that I was a shut-in. And so I filled out a Class C application, which signifies that a person is mable to come down for the even person is unable to come down for the examination; therefore, the Commission sends an amateur out to your home to give you the test—that is if you live within a radius

The World Comes to My Room

(Continued from page 336)

of 100 miles. There is no expense involved

in taking the test.' in taking the test.

Continuing, he says, "And now you come to the point where you face the nusic. You have your set; you've been studying pretty hard, and now the test. Two sentinels hard, and now the test. Two sentinels guard the sacred entrance. They stop you and ask, 'Halt who goes there?' The first one is the code-which requires one to be able to take the Continental Morse Code at 13 words a minute. You must pass this in order to take the next step—a question and answer quiz to determine whether or not you are thoroughly acquainted with the mechanical parts of a transmitter. If you are successful in both, the sentinels step aside and cheerfully utter, 'You may pass.' But sometimes these tests are like big trailers out on a highway—you fail to pass them and I fell into this category. But shucks, after one waits three months, he can try again."

Conducts "Coal Business" by Telephone

Brring! Brring! It's Pop's telephone-a cradle type that is affixed to a bracket. When this bracket spreads out towards him, the receiver comes to rest at a point slightly over his ear and the mouthpiece at an angle below his chin. This eliminates the holding

of the telephone, which he is unable to do. The call happened to be an order—a coal order. For while radio is his hobby, he never-the-less keeps abreast in business. At first he used to sell post cards, automobile polish and several other items, but now a sign out on his porch reads, "Coal orders taken." During the past few years he has built up a lucrative business.

Thrilled by First "Out-of-Town" Contact

"And the stirring interest in getting your first out-of-town station; and then those from other states. I felt chills go up and down my spine. Here I was lying in bed, talking to a fellow away down in Texas hundreds of miles away, who perhaps may be a wealthy ranchman or just a cow rustler. A half hour later I tuned in a lad in Alabama, who earns his bread pickin' the little balls of cotton."

In addition to broadcasting over his amateur station, Pop has also been on the air over a commercial station WJAY (now WCLE), Cleveland.

Shut-ins and other listeners bombarded the station with letters and cards. They had found a leader. They liked to listen to his advice and all agreed that it was an inspirational program. Pop's card file has increased steadily and he has added people from all walks of life to his list, including such celebrities as Gene and Glenn, radio stars, Joe E. Brown, Tony Wons and many others.—Courtesy Outwitting Handicaps MAGAZINE.

SHORT SHOOT WAVE RADIO WAVE RADIO **QUIZ BOOK** AND KINKS. QUIZ BOOK AND KINKS 100 QUESTIONS ANSWERS 50 99 HUDSON STREET . NEW YORK, N. Y

FREE BOOKS—AND HOW YOU

HERE is a brand new book—with an unusually interesting content. The text—prepared by the Editorial Staff of RADIO AND TELEVISION, contains a variety of material which only experts could select and incorporate in such an excellent volume.

"SHORT WAVE RADIO QUIZ BOOK AND KINKS" cannot be bought—it is sent to you absolutely FREE with your subscription to RADIO AND TELEVISION at the Special Rate of Seven Months for One Dollar. (Old subscribers may get this book by extending their subscription.) The book contains 64 pages with a heavy flexible colored cover. It measures $5\frac{1}{2} \times 8\frac{1}{2}$ inches, and includes hundreds of photographs and diagrams. The contents are outlined

below.

Contents of the "QUIZ BOOK"

Questions and Answers Covering S-W transmitters.

Questions and Answers Covering S-W Receivers.

Ultra-Short-Wave Transmit-

ters and Receivers.
S-W "Kinks"—Short-cuts
and Practical Wrinkles,
Coil Winding Data.
How to Add an Audio Amplifier to a Small S-W Re-

How to Connect an R.F. Stage Ahead of Your Pres-ent Receiver.

Dozens of Novel New Hook-Ups for the S-W Experimenter.

Clear diagrams showing how to connect the latest type tubes in place of your old tubes, so as to obtain greater DX.

HOW TO "HOOK UP"-

S-W Converters Noise Silencers Power supplies Modulators Beat Oscillators Antennas Pre-selectors 5-meter receivers

99 Hudson Street • NEW YORK, N. Y. RADIO AND TELEVISION •

RADIO AND TELEVISION, 99 Hudson Street, New York, N. Y. Name,..... Address..... Address..... City..... State..... State..... Sand your remittance by check or money order. If you sand each or unused U.S. postage stamps, please be sure to register your letter for your own protection.

□ S.W. RADIO QUIZ BOOK AND KINKS

ABC OF TELEVISION

SHORT WAVE GUIDE

2 Other FREE Books ABC OF TELEVISION



Contains istest material on Television developments. It covers theory of scanning: simple seem the eye sees: the photo-electric ce 11; meon lamps; need for broad channel width in transmission of high-fidelity television signals; cathode ray tube and television transmission. a nd other important features.

G

SHORT WAVE GUIDE

Covers hundreds of Short-Weve questions and answers: Illustrates popular Short-Wave kinks: gives instructions for building simple the short-wave kinks: gives type of antenna to use: diagram and construction details for building a simple "ham" transmitter; practical hints on Short-Wave tuning.



R&T-1038 ______

Let's Listen In with Joe Miller

(Continued from page 347)

registered, with return receipt, elicited a reply from the commercial phone's offices. and we were assured our report would be passed on to the Amateur Society. Sure enough, 2 weeks later we received ZGE's card

QSL states frequency is 6.135 mc. (tho now 6.24 mc.), and schedule is Tues., Fri. and Sun., 6:40-8:40 am. EST.

DX GOSSIP

ZHP, Singapore, has now changed to 9.68 mc., where it is heard almost daily up to 9:45 am. by Ashley Walcott, W6. Look for

this catch.

JAPAN—JZL, 17.785 mc., Nazaki, is heard daily, 6-6:30 am., while JVH, 14.60 mc., is reported on Sats, at 11 pm, transmitting baseball

PAPUA-VHPM, using freqs. of 8.08 mc. and 6.54 mc., at Port Moresby, has been reported testing between 5:30-6:30 am. Here is a real DX catch, and a new country

for all, so keep a sharp watch for it, daily. INDIA—VVN, 13.35 mc., Fort St. George, heard calling VVS, in Burma, with a very strong signal, at 6 am. but VVS, tho on,

did not reply.

CHINA—LATE FLASH—Roy Myers.

W6, reports a Shanghai fone on 15.46 mc., working in clear speech with JVE, 15.66 mc., 4-6 am. As speech from Shanghai is also Japanese, transmitter must be operated by Japanese occupants of Shanghai.

Asiatic ham sigs died down during these hot months, but we look with the certainty of past experience to a very decided improvement for the PK's, VS's, and KA's, etc., beginning with Sept., and continuing throughout the cool months.

Many FB catches are reported from the West, where oxers log those rare 'uns, undaunted by varying seasons, due to their proximity to those coveted ox signals.

Those reported from Asia are:
BURMA: XZ2EX, "England-Xray," 14060;
XZ2PB, "Portugal Boston," 14035; XZ2DX,
"Denmark-Xray," 14045; XZ2EZ, 14350, by
Roy Myers, Max Fisher, and Jas. Moore,

CHINA: XU6TL, 14120; XU8ET, 14160; XU8RJ, 14110 and 14340; XU8AM, "America, Mexico," 14080; XU8RB, 14100; XU6DL, 14000. XU8RB QSLs here with 2 FB QSLs and a very courteous 6 page letter, relating his most interesting experiences in China, which we cert wish we could describe here, but would require far



PK4DG-SUMATRA-This FB Ham QSLs with a nice card, red lettering and border.

more space than we could command. Many tux, Reggic, OB, for ur FB reply, and best o' luck to you out there!

VS6AG. 14090; and HONGKONG:

HONGKONG: VS6AG. 14090; and VS6AF, 14300, reported. In the Federated Malay States, VS2AE, 14360.

PHILIPPINES: KA1YL. H.F.20 m.: KA1MH, 14200; KA1FH, 14100; KA4LH, 14100; KA7EF, 14150; KA3DT, 14228, last by Ye Ed.

JAVA: PK4JD. 11010, Sumatra; PK3AA, 14360; PK1JR, 14300; PK2JN, 14310; PK1VY, 14270, with a V-beam on America, and, of course, PK6XX, located at Hollandia, Netherlands New Guinea, which station is well heard all over the U. S., and uses a 1 kw. rig, which they may vary duruses a 1 kw. rig, which they may vary during tests, as on one occasion when power was altered between 25 watts and 1 kw.

A rotary beam is used, ½ wave long, and also a V-beam, 465 feet long, stretched over the water. Operator is W2BVB, Harold Ramm. Frequency ordinarily used is 14020, but also heard on 14190. Commercial freq. used are 11.355 mc. and 6.425 mc.

The station is used by its sponsor, the Archbold Expedition of the American Museum of Natural History, to keep in constant communication with the museum "H.Q." in the U.S. QSL cards are not available, and anyone reporting them risks failure. Reports can be sent to ARRL "H.Q." or to W2BVB's home QRA, but no guarantee of a QSL is made.

French Indo-China offers FI8AC, 14070.

Straits Settlements: VS1AI, 14090;

VS1AF, 14070; VS1AB, 14060.

Murray Buitekant reports a QSL from VS7RF, Ceylon, a FB "bx" catch for a W2! Congrats, OM!

7 MC.: Ashley Walcott reports some unusual px in the way of Javanese 7 pm forces.

will ashley Walcott reports some unusual DX in the way of Javanese 7 mc, fones, heretofore unreported by a U. S. DXer. Listed are: PK3WI, 7010; PK3GD, 7040, 7120, 7200, 7260; PK1MO, 7280; PK1SK, 7030-7070; PK1PK, 7020. All speak in Dutch only, on this band. Congrats, Ashley, on some FB "DX"! some FB "px

NEW GUINEA: VK9WL, 7090, reported Ashley, along with many other Aussie

VK's on this band.

GILBERT & ELLICE ISLANDS: VRIAR and VRIAS, both located in this group of

other on 7.00 mc., often near 3 am.

3.5 MC.: From New Zealand, Ashley reports the following FB DX on this unusual DX band: ZL2BX. 3964; ZL2BE. 3900; ZL2BT. 4000; ZL2NP. 3830; ZL3AY, 3630; ZL1GZ, 3987; ZL2JT, 3780; ZL3CV, 3530. Ashley adds hearing several VKs on this band, and even a Russian fone. Some this band, and even a Russian fone. Some real by there!

AFRICA

CR7MF, L.F. 20 m., variable freq., reported by Roy Myers, announcing as "Mexico France." This is a rare catch, from Mozambique.

From South Africa: ZS5AW, 14100; ZS2DY, 14360; ZS1BL, 14370; ZS1AX, 14250; ZS2EF, 14080; ZS6ED, 14010. From Southern Rhodesia, ZE1JR, 14350.

Not much from Africa this month. Asiatic and African reports are courtesy of: Ashley Walcott, Roy Myers, Max Fisher and Jas. Moore.

A new country on 20 m. fone is French Guiana, where FY8AC is located. Ye Ed was fortunate enough to log OM FY8AC on his very first fone QSO, and he is the first FY8 to go on phone. The card illustrated this month was promptly mailed to us for our report.

Rotary Beam Kits At a Price You Can Afford

PREMAX CORULITE

ROTARY BEAM

FOR 10 AND 20 METERS

Tremendous gain in power transmitted in a given direction over ordinary type of antenna; marked increase in received signal; great reduction in unwanted signal; simplest construction; universal utility; better than average efficiency. Recom-mended because of outstanding performance at W2AZ, W2GYL, W3CHO, W2DKJ, W8JK and other stations.

Fully telescoping; meets all amateur requirements. Kit contains 4 17½-ft. telescoping Corulite Elements, 8 combination mounting brackets and soldering lugs, complete drawings and a comprehensive bibliography of directional arrays, matching sections, transmission lines, etc. Length, collapse, 6 ft. Weight 10 lbs. See your jobber or lapse, 6 ft. write direct.

PREMAX PRODUCTS

DIV. CHISHOLM-RYDER CO., INC. NIAGARA FALLS, N. Y. 3854 HIGHLAND

Westinghouse **Power Generator**

Manufactured for U. S. Signal Corps 200 Watt. 110 V. AC



A. C. ELECTRICAL POWER

from a Windmill, from available Waterpower, from your Automobile, from your Motorcycle, from your Bicycle, Footpedals or Handerank (for transportable Radio Transmitters, Strong Floodlights, Advertising Signs); do you want to oberate AC Radio sets from 32 V. DC farm light systems; operate two generators in series to get 200 V. AC; obtain two phase and three phase AC, etc., etc.

There Are Over 25 Applications

There Are Over 25 Applications

Some of which are:

A.C. Dynamo lighting from eight to ten 20 Watt 110
Volt lamps, Short Wave Transmitter supplying 110 Volts
AC for operating "Ham" transmitter, Operating 110 V.
AC 60 Cycle Radio Receiver in DC districts, Motor Generator, Public Address Systems, Electric Sirens on motor hoats, yachts, etc. Camp Lighting, Short Wave artificial "fever" apparatus, Television, Pelton Waterwheel for lighting or other purposes, Airplane; for lighting strong searchlights or electric signs, Laboratory work, etc., etc.

14 to 12 H.P. needed to run generator.

BLUE-PRINT 22 x 28 in, and Four-Page 8/2 x 12 in, INSTRUCTION SHEETS
FREE with Generator.

Generator, as described, including four replacement carbon brushes. Blue-Print and \$790
instructions

Send \$2.00 deposit, balance C.O.D.

Shipping weight 18 lbs.

(Replacement carbon brushes bought separate \$1.50 per set of four, Set of instructions bought separate \$1.00.)

MONEY-BACK GUARANTEE

WELLWORTH TRADING COMPANY 560 West Washington Blvd. Dept. SW-1038 Chicago, III.

Please say you saw it in RADIO & TELEVISION

COMMERCIAL NOTICES 10 WORD

Under this heading only advertisements of a commercial nature are accepted. Remittance of 10c per word should accompany all orders. Copy should reach us not later than the 10th of the month for the second following month's issue.

AGENTS WANTED

JOIN NOW — MEMBERSHIP Card, Copy Membership Directory, Listing in next issue, 20c. Universal All-Ware League, P. O. Box 8363, Pittsburgh, Pa.

CORRESPONDENCE COURSES

500.000 USED CORRESPONDENCE Courses and Educational Books. Sold. Rented. Exchanged. All subjects. Satisfaction guaranteed. Cash paid for used courses. Complete details and bargain catalog free. Send name. Nelson Company, 3485 Manhattan Building. Chicago.

INSTRUCTION

RADIO ENGINEERING, BROAD-casting, ariation and police radio, servicing, marine and Morse telegraphy taught thoroughly, All expenses low, Catalog free. Dodge's Institute, Colt St., Valparaiso, Ind.

AMATEUR RADIO LICENSES, home study course in code and theory, Reasonable, efficient and thorough, Results guaranteed. American Radio Institute, 200 Broadway. New York, N. Y.

MISCELLANEOUS

AGENTS WANTED

300% l'ROFIT SELLING GOLD
Leaf Letters for Store Windows; Free samples, Metallic Co., 416 North Clark, Chicago

CLUBS

CLUBS

JOIN NOW — MEMBERSHIP
Card, Copy Membership Directory, Listing in next issue, 20c. Universal All-Wave League, l' O Box 8363
Pittsburgh, l'a.

CACHESTONNE MESSES COURSES.

MISCELLANEUUS

MISCELLANEUUS

MISCELLANEUUS

MISCELLANEUUS

MISCELLANEUUS

MISCELLANEUUS

3½ INCH TR. 0-125 VT. A.C. teach, Weston D.C. 0-72 and 0-120 Voltmeter, 2½" with 9 pt. D.P. Switch meter, 2½" on MISCELLANEUUS

2.75. Natl. MB27-4 Stg. T.R.F. Chassis and Thord, 45 P.P. Pack. 87.50. 10" MUTER DYN. SPKR. \$3.00 Victor 72" Hi-Fi Orthophonic Horn. Mag. and Acoustic Pick-ups, \$10.00, but a purpose of the proposed of the propos

Ramsey N J

WE OFFER SUBJECT TO PRIOR
sale 7 mm lacquered cable used by
the Government. It is an ideal cable
for high voltage, low current service,
such as used in radio transmitters,
amplifiers, etc. It is a special steel
wire, 20 gauge, with very heavy rubber
insulation. Worth 12c a foot Special
price 50 ft \$2,00, 100 ft \$3,00.

FOB N Y. Gold Shield Products,
350 Greenwich St., New York City.

PATENT ATTORNEYS

PATENT ATTORNEYS

INVENTORS—PROTECT YOUR
rights before disclosing your invention
to anyone. Form "Evidence of Conception": "Schedule of Government
and Attorneys' Fees" and instructions
sent free. Lancaster. Allwine & Rommel. 436 Bowen Building. Washington,
D. "."

SONG PREMS WANTED

SONG POEMS WANTED

WANTED ORIGINAL POEMS.
songs for immediate consideration.
Send poems to 'olumbian Music Publishers, Ltd., Dept. K49, Toronto, Can.

QSL-CARDS-SWL

100 NEAT SWL CARDS PRINTED with your name and address sent postpald for \$1. Bunch of samples and RST Chart for five cents in stamps. WIBEF, 16 Stockbridge Ave., Lowell.

SHORT WAVE LISTENER'S AT-tractive reply getting cards, QSLs Samples (Stamps), W-8-E-S-N, 1827 Cone. Toledo. Ohio

RADIO EQUIPMENT

FOR SALE—ONE 60 WATT WEB-ster amplifier used four months \$140.00 Also transmitter and receiver parts of all kinds. Write us your needs. Keith Sound Service. Newton, Iowa

BARGAINS —5 tube new radio complete with hynamic Speaker \$3.95, 7 tube Superhet 12½ to 35, 34 to 120 180-550 meters \$14.95. Values cannot be duplicated. Fully guaranteed. II. G Young, 127 Liberty St. New York.

SHORT WAVE RECEIVERS

USED DOERLE'S. D-38. BS-5. 7C reconditioned by factory. 40% off. See January Short Wave & Television for description. Kusterman, 68 Barclay St., New York

PLANS 18 DISTANCE RECORD Crystal Seta—with "Radiobuilder" — year. 25c. Laborstorles, 7700-A East 14th. Oakland, Calif.

FOR SALE (NON COMMERCIAL)

¢ word Under this heading we accept advertisements only when goods are offered for sale without profit. Remittance of 3c per word should accompany all orders. Copy should reach us not later than the 10th of the month for the second following month's issue.

USED C.T.S. AIR CONDITIONING ourse for sale at \$2.95. Information addy supplied. Wacker, 3727 West 8th. Chicago, Illinois.

SW3 \$9.00. SKY BUDDY \$17.50. Silver 5C \$29.00. Breting 12 \$59.00. W9ARA, Butler, Missouri.

SELL BATTERY RADIO WITH supply, crystal, W3FLY, 3418 North two tubes and batteries \$6.25. Alfred Niemi, 220 East Spruce St., Chisholm. Minnesota.

prinnesota.

2500 MILE CRYSTAL SET KIT
\$1.00; metal tube receiver kit \$2.00.
Information on request. Weingarten,
satt transmitter, tubes, coils, power

BARTER MOEXCHANGE -

NO ADVERTISEMENT TO EXCEED 35 WORDS, INCLUDING NAME AND ADDRESS

Space in this department is not sold. It is intended solely for the benefit of our readers, who wish to buy or exchange radios, parts, phonographs, cameras, bicycles, aporting goods, books, magasines, etc.
As we receive no money for these announcements, we cannot accept responsibility for any statements made by the readers.

the benefit of our readers, who wish to buy or language radios, parts, phonographs, cameras, bicycles, ring goods books. magazines, etc.

We receive no money for these announcements, we can except responsibility for any statements made by the cacept responsibility for any statements made by the company of these columns freely. Only one advertisement can be copy should reach us not later than the 10th of the month for the second following month's issue,

Copy should reach us not later

HAVE RADIO PARTS, MAGAzines-Open Road, SW Craft, SWAT,
Radio-Craft, Modern Mechanics, and
stamps. Want receiver (3 or more
tubea) or? F. H. Frantz, 30 N. 4th
SK., Coolsy, Pa.

HAVE 7J ELGIN POCKET WAIN'H
slightly used, Will trade for model
gasoline engine, Have 8" Utah spkr.
with rectifier, also radio parts and
new tubes, what have you? Send
description, Elihue Thompson, Koeciusko, Miss.

TRADE PHONOGRAPH PLAYER,
record container compariment, Webster
plck-up, 20 meter Billey crystal, or
what do you want for good dynamic
microphone or small portable transmitter. Carl A. Kowalski, 1238 Kinsmoor Ave., Fort Wayne, Ind.

WANTED-FIVE METER TRANScelver, small 20 meter transmitter,
16mm projector, or photography equipment. Have complete NST taxidermy
course, 10 copies Short Wave Craft,
Television, new speaker unit, radio
parts, John Antonio, Box 32, Elkiand,
Penna.

WILL S W A P WINCHESTER
model 67—22 rife, or Springfield 20

Penna.

WILL S.W.A.P. WINCHESTER
model 67—22 rifle, or Springfield 20
gauge shorigun, both in A-1 condition, for good candid camera with fast
shutter. Trade either or both. Ray
Cecil., Winters Lane. Cold Springs. Cecil. W Kentucky

Cecil. Winters Lane, Cold Springs., Kentucky.

HAVE: CUSTOMBUILT CRYSTAL controlled transmitter: receivers; dynamic speaker; extra parts; coins; books; World War relies; other things. Want: World War relies, candid cameras, typewriter or? 1st Lt. W. Devere Johnson. 1115—68 St., Kenoaha. Wis.

HAVE: 21" BAYONET. GEAR shift clock, pedometer. Sheffield hunting knife, electric table stove. cost \$12.00, burglar alarm for car. For: binoculars. Civil War sword. cap and hall Colt. no Parts, stamps, coins. R. Linville, 147 Vienna Ave., Niles. Ohio.

WANTED: ALL KINDS OF MODern test equipment. Buy or trade. Have 44 QST masazines from 1930 to 1934. Have DeVry model K-1 snapshot camera. Send full particulars. C. Fortier. 368 Besserer. Ottawa. Ont. TRAIDE DOERLE 7C 5 TUBE receiver. 9½-1500 meters. 2 months old; for a 4 or 5 tube 5 meter transceiver. Frank Hamill, Hixson. Tenessee.

TRADE—PATTERSON ALL WAVE preselector for what. Trade 48 acres Michigan Lake land for Scott 30 tube or McMurdo Silver Masterplece VI receiver. Don Newbold, 218 Locust St., Akron. Ohlo. or McMurdo receiver. Don Akron. Ohio.

Akron. Ohio.

TRADE: NEW 6" PHOTOELECtric cell comblete in metal cabinet with
power supply, tubes, and relay, cost
\$40.00; 1997 to 1999 newspapers;
stamp collection 1200 different; magazines; for rrystal, xmitter, or parts.
George Brown. Carnesville, Ga.

WILL TRADE, KEYSTONE 16 MMprojector, 13" dynamic speaker and
over 2,000 U.S. and foreign stamps for
a good complete 3 or 4 tube SW recelver. A. Conlin. 83 Westfield Rd.,
Holyoke, Mass.

NEW ZEISS IDEAL, B 6" F:4:5
lens, tripod, filter, pan, tilt headlights, changing bag, daylight tank,
\$180.00, Want short wave receiver
same value, Bert Kavanaugh, 516 West
36 St., N.Y.C., N.Y.

WANT—PORTABLE TRANSCEIV-

same value, hert Rayanaugh, 516 west 136 St., N.Y.C. N.Y.

WANT-PORTABLE TRANSCEIVef, power tools, 3x5 printing press,
Have-Wollensack 250 power microscope, sporting goods, old U.S. coins,
mounted specimens of Adirondack
wildlife to offer, Vern A. Scharf, St.
Regis Falls, New York.

FRESHMIAN 5-TUBE MASTERplece, Freed-Eisemann 6-tube set, 1tube battery set, Freed-Eisemann
speaker, headphones, tubes, parts,
4x6 printing press, 25 golf clubs, Trade
for anything equal value, E. G. Bartlett, Atlanta, Mo.

HAVE WOOD AND METAL working tools, QNT's, Radio News, Radio Eng., LC.S., course in Radio, book Principles of Radio by Kinney. When 8 or 18 mm movie apparatus. F. W. Johnson, Antwerp, Ohio.

F. W. Johnson. Antwerp. Ohlo.

WANTED: USED BLILEY CRYStals in Perfect condition. State type. frequency, and lowest price. Also will swap 3 tube 5 meter receiver. Glenn Godwin, WSQIIX, 5 Mildred Ave., Binghamton. N. Y.

WILL TRADE FULL SIZE VIOlin, value \$65,00, original oil paintings by professional artist, for ham equipment. W91MJ, 616 N. Central Ave., Chicago. III.

HAVE: WURLITZER GUITAR.

HAVE: WURLITZER GUITAR, boy's books, mounted pheasant. Want: Beagle rabbit dog or what have you? Joseph C. Kubik. 37 Pine Street. Gt. Barrington, Mass. WANT HUNTING AND FISHING

equipment, also camera and field glasses. Have books, typewriter, radio and other articles. Samuel Prokipchak, Box 77. Moscow, Pa.

BOX 77. Moscow, Pa.

WANTED TRANSMITTER. PREfer Utah kit ready assembled or any other make, will trade Leedy trap drum outfit complete. William Tletz. 1610

Mahan Ave., Brons., N.X.C.

LIKE TO SWAP SWL CARDS with all fellows all over the world. Will QSL 100%. Would also like to join all radio clubs the world over. Bob Larson, 618 North June St., Los Angeles, California, U.S.A.

SWAP 25 WESTERN Oft LOVE story magazines for "The Book of Old Ships" by Culver and Grant. Want Indian head pennies. Warf E. Williams. 1414 10th Ave., Lake Charles, La.

SWAP: USED DRIVER TWELVE

Williams, La.

SWAP: USED DRIVER TWELVE inch band saw for Sky Buddy or other good make short wave radio. Keith Neal. 115 Pifth Street, Clear Lake.

(Continued on opposite page)

Amateurs Record Bird Calls

(Continued from page 332)

island is enshrouded in a dense fog. From the microphone the voice of the birds was run through a field amplifier constructed by Mr. Paul Kellogg of Cornell University. From the amplifier it was continued through an insulated cable to the amateur radio station a quarter of a mile away. The difficulties of preventing extraneous sounds and so-called "feed back" taxed the skill and ingenuity of the radio department.

Thomas A. Gross, W1JZM, gives an interesting account of the ham radio station on Kent's Island, in the third annual report of the Bowdoin Scientific Station (Bowdoin College, Brunswick, Me).

Metal Horn Focuses Ultra Short Waves

(Continued from page 332)

by Dr. Barrow in May, 1936, in connection with the transmission of telegraph, telephone and television signals through the inside of hollow metal pipes. The development of the horn was continued intensively from both experimental and theoretical angles, until it is now possible to design horns for particular applications with an engineering precision of perhaps higher degree than results for antennas of more conventional construction. One reason for the excellent agreement between calculations and experiment is that the waves, which start from a small rod placed in the throat of the horn, are forced to follow the guiding surfaces of the horn straight out into space and cannot easily go back on connecting wires, supports and the like to be radiated in unintended directions.

Prof. Barrows' experiments range in frequency from 300 mc. to 4.300 mc. (wavelengths from 1 meter to 7 cm., or 39" to

2.8").


Compared to other directive antennas that are used at micro wavelengths, the horn developed at M.I.T. is peculiarly easy to operate, since there is only one simple adjustment to make. The simplicity of construction of the horn, which can be made from sheet copper or galvanized iron, makes it an economical system to build. The fact that no insulators are used contributes to efficient operation and relatively permanent mechanical strength.

One feature of the electromagnetic horn of rectangular cross-section is that the sharpness of the beam in the two directions at right angles to its length can be controlled by varying the flares of the two sets of opposite sides. In this way, a fan-shaped beam may be sent out that is sharp in one plane and broad in another. By changing the shape of the horn a cigar-shaped beam can be radiated.

Waves may be started in the horn by locating a small rod antenna only a few inches long directly in the throat. Waves may also be started by connecting a hollow pipe carrying the ultra-short radio waves so that it opens into the throat, thus pouring the waves into the throat, where they broaden out through the horn and into the outer space. The first method may be likened to an old style phonograph, where the diaphragm and needle excited the sound waves directly in the throat of the now antiquated phonograph horn. The second method resembles a speaking tube connected to the small end of a horn.

Already this horn antenna is being applied to the "blind" landing of airplanes in a research carried on at the Massachusetts Institute of Technology for the

Bureau of Air Commerce.



OSCILLATOR DOUBLER KIT

 CRYSTALS being rather expensive, for work on the higher frequencies, an oscillator doubler is an adjunct which affords efficiency with economy for almost any "ham" rig. Such a circuit, in foundation kit form, has just been brought out by Hanmarlund Mfg. Co. under the designation of Model OD-10. The outfit is primarily designed for use with other of the manufacturer's units such as the BD-40 and PA-300 with which it forms a 300-watt all-band transmitter of modern design. It can also be used as a beginner's rig. In the latter instance, it is capable of producing outputs as high as 25 watts on two bands. Two bands are obtainable although a single crystal only is used. The manufacturer stresses the fact that the OD-10 is an excellent unit for the beginner; not only is he able to use it as a low-power transmitter in order to get on the air promptly and at moderate cost, but as his ability and finances enable him, he may add to it, making a more elaborate and powerful transmitter. The other units may be added without changing the unit.


All hardware is completely drilled and has

a handsome satin finish.

The special isolantite crystal socket fits into the top of the coil form, so that both may be changed in a single operation. All connecting leads in the unit are short and direct, as the layout has been carefully engineered. The circuit shown in Fig. 1 is a standard "ham" circuit and uses any a standard "ham" circuit and uses any suitable pentode or tetrode, depending upon the power output desired. The unit, which measures $8\frac{1}{4}$ "x $7\frac{1}{2}$ "x $3\frac{1}{4}$ " is entirely selfsupporting and fastens directly to a panel

with four mounting screws,

This article prepared from data supplied by courtesy of Hammarlund Mfg. Co.



Hook-up of Oscillator Doubler.

BARTER and EXCHANGE FREE ADS (continued)

SWAP USED HIGH SCHOOL echanical drawing course and a rse and . Want a one mechanical orawing compass. Want a one or two tube S.W. receiver or radio parts. Whatcha say? W. Morton, 1331 Flint St., Gastonia, N. C. SHODET, WAVE TRETUNEDS IN

Film St., Gastonia, N. C.

SHORT WAVE LISTENERS IN
U.S.A. and foreign countries, Would
like to exchange my SWL card for
yours. I will QSL 100%, Edmund
Brummer, 34-21. Suth Street, Jackson
Heishts, Long Island, New York.

Heights, Long Island, New York.

20W. FONT: CW MASONITE RACK transmitter. SW15 comblete. Thordarson T-5381, T-8322 modulation transformer. SW27 comblete from December 1931, 80 issues. Low power transmitting parts, 210's. Want 35mm candid cantera, tank, enlarger, W8IZS, 421 Wayne, Johnstown, Penna.

WANTED—COLLINS 30 DXB, 32B or other model transmitter, Island.

WANTED—COLLINS 30 DNB, 32B or other model transmitter, Hallicrafter Super Rider, Challenger H or National HRO, Trade 03A's, new unused 809's for good candid camera, Eastman Bantam Special, Recomar or Retlina, Radio WSOQU, Wellsville, N. Y.

Retina, Radlo WSOQU, Wellsville, N. Y.

WILL TRADE FOR SMALL superhet, A.C. table model, one. SW3 comblete set coils power pack 11 stage amp.) and speaker. Kenneth Torkeson, Box 67. Carby, Orek.

WANTED, A BICYCLE MOTOR for cash or trade, Send for list and describe motor. Raymond Zitta. 28-26 47 st.. Long Island City, N. Y.

HAVE CIVIL WAR NEWSPAPERS, book, bayonet, scalbbard and sabre, Ice skates, Philico model 20 chassis, little repair, no tubes. Want Ilaili-crafter or? Lionel Decker, 89 Lockman Ave., Marlners Harbor, New York, N. Y.

N. Y.
WILL TRADE ONE CRAFTSMAN
ombination wood plane, slightly used,
ith 23 cutters, for a 135 or 180 volt
arter Genemotor in good condition
sen Wolf, Rt. one, Box 108, Burnet

Texas.

HAVE NEW \$10 PHILCO OUTPUT meter (model 012), 90 foreign stamps. 10 U.S. recent commens, and radio tubes. Want 4&0 prg. Hammarlund plug-ins, Offers? T. Smolar, Route No. 2, Box 21-M, New Brunswick. N. J.

WILL EXCHANGE A U.S stamp book (new, unused) or many good carpenter tools for a 2 or 3 tube receiver or foreign stamps and radio parts. Will answer all letters, charles Chaple. Crookston. Minnesota.

WANTED — GOOD SHORTWAVI. electrical receiver or sender in tradifor \$28 Gibson Kalamazoo guitar and case, good stamp collection in \$7 Scott album, Everything A1, Frank Anderson, 49 Fershing Drive, Rochester, N. Y.

Anderson, 75 A. C. A. A. C. A. A. C. A. C.

HAVE RADIO PARTS AND ALSO 22 rife, 16 mm projector. Wanted printing supplies of all kinds. Free Word, P.O. Box 255, Falfurrias, Texas, for full list of parts and infor-

Word, P.O. Box 255, Faifurrias, Texas, for full list of parts and information.

WOULD LIKE TO EXCHANGE post cards, exchange one of my location for one of yours, in U.S. or foreign, exchange with girls and boys. Let's hear from you. 73. Burdett B. Trine. Sheridan, Ore.

USED AND UNINED U.S. COMmemoratives to trade for other U.S. stamps, stamp for stamp, also trade radio parts and old Detective, Western magazines for U.S. stamps, or? Oscar E. Tangen. Greenbush. Minnesota.

WANTED TO BUY A JUNIOR Candler code course and a code sending machine, must be reasonable. Louis Edward Rothman, C.C.C. (c). 1299. Crouch, Idaho.

ATTENTION, S.W. LISTENERS of the world. I will swap "shack" fotos with anyone; will exchange SWL cards and correspondence with foreign listeners 100% here. QRA: L. M. Carling, 1601 s. 15th Avene, Maywood. Illinois, U.S. A.

POSTUARD (OLLECTORS. WILL exchange card for one from your locality. Please autograph picture side hefore sending. H. Van Deventer, Sloux Lookout. Ont., Canada.

TRADE RCA 8-INCH SPEAKER model A-100 in handsone metal cabinet, 48 issues Boys Life, Open Road for Boys for what have you, radio equipment, parts, ct. Clinton Shisher, Jr., 906 Stewart Ave., Raaonke, Va.

WILL TRADE 1937-38 ISSUES OF Popular Science and Modern Mechanics.

WILL TRADE 1937-38 ISSUES OF Popular Science and Modern Mechanics for radio magazines, books, or what have you? Louis Levine, Lake City, S. Car.

have you? Louis Levine, Lake S. Car.

DO YOU HAVE A GOOD 5 AND 10 meter receiver you want to trade for a good All-Star Jr. Superhet? John Melvin, c/o Traffic Survey, 3731 Cedar Ave., Cleveland, Ohio.

WANTED: A GOOD TUBE TEST-er, Itder Manuals, Good phonograph motor and pickup. Used Radlo tubes, Must be good also, What have you P.A. parts? Joseph Geviado, 159 Sabin St., Pawincket, R. I.

P.A. parts? Joseph Geviago, 100 Saon.
St., Pawincket, R. I.

T.R.A.D.E. DEVELOPING printing outfit, complete with practically new Eastman adjustable monel tank and chromium ferrotype plate, for code comes, typewriter, test instruments. Will pay difference if necessary. Howard Doane, 151 Montelair, Knoxylle, Tenn.

WANT 20 METER JOHNSON "Q."

WANT 20 METER JOHNSON "Q." bug WANT 20 METER JOHNSON "Q."
"hug" key, Kuntter metes, Have
"A" and "B" FB7 gc coils and other
recelving equipment, Terence O'Rouark,
1832 Vancouver Drive, Honolulu, T.H.
WANT A-1 RADIO PARTS.

1832 Vancouver Drive, Honolith, T. H. WANT A-1 RADIO PARTS, micro-anmeter 4In2 controls for autoradio, etc. Swap elec, clipper for dry shaver. Have tools, typewriters, dozens of items, send your list, Geo. Keil, 1832 W. Spring, Freehort, III.

TRADE ANTENNATROLL, straight line frequency variable condenser, 0005, cap., voltage regulator 0-3 dc., A.C. H. sharp tuner vernler dial, All new parts. Want radio books, or what have you's Alexander Podstehny, 217 Pine 81. Phila, Penna.

SWL'S AND HAMS, LET'S SWAL.

SWL/S AND HAMS, LET'S SWAP cards, I QSL 100%, Harry Link, 618 Academy Street, New York City, New York.

York.

ATTENTION SWL'ERS, WOULD like to receive cards from any and all SWL's especially Tennessee and vicinity, QRA William Scott, 213 W. Holston Ave., Johnson City, Tenn.,

TRADE 6L6 NTAL TRANSMITTER, volume controls, tubes, variable condensers, resistors, Write for list of hundreds of parts for trade, Want microphone transformer of WillAE, 913 Jefferson, Jonesboro, Ark, WANT INSTRUCTOGRAPH CODE machine with tapes, Will pay cash or give ham equipment for it. A. Morris Ryrd, 119 N. Delsea Dr., Glassboro, N. J.

machine with tapes. Will pay easilor give ham equipment for it. A. Morris Byrd. 119 N. Delsea Pr., Glassboro. N. J.

HAVE LEEDS 3564 KC, CRYSTAL, with holder for 49 meter crystal, 5 meter equipment or what have you. Also have 35 diff. Issues SWC and SW&T. Frank Zsilayetz, W21.KE, 894 Rogers Pl., New York City.

I WANT TO EXCHANGE SWL and Stamis, What say, O.M., 52 G-SWL, R. G. Auckland, 69 Tottenham Lane, Hornsey-N8, London, Edg.

WANTED GOOD 5 AND 10 METER receiver, Will swap very good All Star Jr. Super-Heterodyne receiver, complete coils 13-565 M. special, metal cabinet (16x12x8) less speaker. El-wood Brooks, 1636 East 36th St., Cleveland, Ohlo.

SWAP ONE TIBE 5 METER transceiver, Vess 53 tube. Complete with tube but less power supply. A small compact transceiver. For bug, crystal mike, or what have you? Raymond Twardzik, 41 Van Derveer St., Amsterdam, N. Y.

I HAVE A BROWNING "35" To give in exchange for a good standard make and keyboard typewriter, portable preferred, or for a fast camera. Edward M. Weaver, 123 Tenth Arenue South, Seattle, Washington.

WANTED 5 METER TRANSceiver, also photographic equipment enlarger, etc. Traile for used radio tubes most types, power transformers, 2 6", 2 5", 1 14" dynamic speakers, etc. Anthony Ceracche, 103 Dryden Rd., Ithaca, New York.

SHORT WAVE LISTENERS IN U.S.A.

HAVE ARROWHEADS, SPEAR heads, small tonalbawk, ther Indian relies to trade for collectors' firearms.

U.S.A.

HAVE ARROWHEADS, SPEAR heads, small tomahawk, niher Indian relies to trade for collectors' firearms, stamps or books, W. G. Conley, R.F.D. 4, Ozark, Ark.

HAVE CODE MACHINE, A VERY good transceiver 3 tube using 2-42s and 76 speech, Would like to trade for 10 meter crystal or some transmitter parts. Steve Vargo, Jr., 2374 Riverview Ave., Dayton, Ohio, SWI/S AND HAMS JETTS SWAP

SWL78 AND HAMS, LET'S SWAP cards, I QSL 100% hr. Want cards from all parts of U.S. and foreign countries, QRA—Bruce H. Stribling, N. Clemson Ave., Clemson, S. C. U.S.A.

T.S.A.

TRADE RALTIMORE NO. 9
printing press, hand operated, assortment of type, for 2 or 3 tube A.C.
or A.C.D.C. Sw set with tubes, coils, or what have you? Henry Botkin, Jr., 118 N. Main St., St. Marys, O., U.S.A.

HAVE A.C. SW3. 20, 40, 80 BAND spread coils. Speaker. Four tube dual band A.C. receiver. 16mm motor driven projector. All perfect condition. Trade for good communication super. Bill Sausen. 255 So. Syndicate, St. Paul. Minnesota.

ARGUS CAMERA, PERFECT CONdition, only used for three rolls film, complete with leather case. Will trade for 5\(^4\)502 centimeter film pack camera. Give full particulars. J. F. Newman, 17211 Millorn Ave., Cleveland, Obio. CANOE, STURDY, 16 FT., GREEN, arrangement for sall, Will trade for an oscilloscope, auto-radio of good make, Rider's manuals, Servicemen's or Candler's Code Course, or phone transmitter. II. William Propsner, Solebury, Ienna.

WANTED: RECORDING EQUIP

NANTED: RECORDING FQUIPment, Will trade transformers, speakers, auto radio, etc. I will answer all
letters and cards. Seddon A. Strouse,
289 E. Brinsburst St., Germantown,
Philadelphia, Pa.

MALAYA, ASIA, WANTED SWLS
anywhere, Swap stambs, cards, and
correspondence. All mails answered
100%, Tan bin Hussain, Munlebal,
100%, Perak, F.M.S.

WILL TRADE TEN LESSON
course in taxidering, good shape, for
one tube plug coil radio, or Trimm
phone 24,000 ohms, What have you?
All letters answered, Abraham Bissonnette, Tilbury Box 161, Ontario,
Canada.

WILL TRADE FOR VALUETED

Canada.

WILL TRADE FOR XMITTER, transcelver or xmitter parts. I have NRI \$100 radio course, 53 Radio News. 43 Radio-Craft. 20 SW&T. 13 Popular Science, etc. Write W9MNF, Madison. Wisconsin.

WANTED: TOY MOLDS, RADIOS, WANTED: TOY MOLDS, RADIOS, movie films and machines, etc., binoculars, testing instruments, windcharger. Have radios, record changers, amplifiers, anything, Warren W. Wigner, 1220 Fairview, Fort Wayne, Ind. WANT-2 TUBE U.H.F. PRODucts Ultra Air Rover. Buy or swap. Swap 2 W.E. 211, Weston switch-board voltneter 0-15-150. Robert Leple, 3026 S. St. Louis Ave., Chicago, III.

Leple, 3026 S. St. Louis Ave., Chleago, III.

WANTED—RADIO PARTS, SHORT wave revr., camera equipment or what have you. Have Junior Instructograph with two tapes, also stamps, All letters answered. Harold Tucker, Qrs. 342, West Point, N. Y.

WANTED FOR HORRY COLLECTION—early type receiving tubes, Meyer cartridge, two clement diodes, Navy and Audion with candelabra base, etc. Let me know what you have. All correspondence answered. Charles Gossiek, Fairfield, Iowa.

HAVE ONE 12" AND ONE 10" dynamics, power packs from lit'A and Brunswick, radio parts and tubes, Wint test entipment or what have you? M. H. Wells, 2090 Blvd. Dr., N. E. Atlania, Ga.

WANT TO TRADE—HAM RADIO parts, good all wave Westinghouse, etc. Write—Walter D. Keith, Newton, Iows.

Write—Walter D, Keith, Newton, Iowa.

WILL SWAP PICTURE POSTeards with anyone from U. S. or
foreign countries. I will send you my
eard as soon as I receive yours. Bob
Svatos. 3476 N. Holton St., Milwaukee,
Wis., U.S.A.

WANTED: USED SMALL ONE
cylinder Rasoline engine in good working condition. Will pay eash. Send all
particulars to K. Voss. 666 Onderdonk
Ave., B'klyn, N. Y.

WILL SWAP KOLSTER POWER
transformer for good short wave receiver. SWL's will exchange cards with
you from U.S.A. and foreign countries
at 100%. Albert Bratoan, South Acton,
Mass.

HAYE SPRINGFIELD SINGLE

at 100%. Albert Braman. South Acton, Mass.

HAVE SPRINGFIELD SINGLE shot .22; metal tube ten meter converter; 4 tube midget T.R.F. receiver; 16mm projector and films. Want crystal, power transformer, other radilo or photographic equipment. Saul Weingarten. Rt. 1. Box 94. Saugus, Calif. TRADE TWO NEW \$8.00 R.DDIO bugs, 50 wait ew transmitter 53 xtal. dub., 61.60 final. Supreme 85PL tube, condenser and continuity tester, 6800 stamps. Want: receiver (SW3 or?) and other ham parts. Dawson, 1308-F. The Dalles. Oregon.

WILL SWAP 5. METER SUPER

Dalles, Oregon.

WILL SWAP 5 METER SUPER regen receiver complete with power supply and 5 meter transmitter complete with modulator for what have you. Columbias Emma, W60CC, 6539 Gaviota Ave., Van Nuys, Calif.

SHORT WAVE LISTENERS OF the world. Swap cards. All QSL's answered promptly. Bob Liggett. 824 Passmore St., Philadelphia, Pa.
WILL SWAP TEN UNCUT ARIZONA SNORY TOPACK for mike, phono pickup, radio parts or what have you? Wayne Dickey, Wintersburg, Ariz.

Warne blokey, Wintersours, Ariz.

HAVE SET OF 12 GAVGE REloading tools for paper shot shells
Crimper, etc., fair used condition.
Trade watsa? W S. Crooks, WSLVG,
Box 15. Stow. Ohlo.

WILL EXCHIANGE JIG SAW A
condition, standard track with bridges,
stamps, etc., for transeeiver, reporter
or what have you? Jack McCoulric,
26 Chestnut St., Salem, New Jersey,
(Continued on following page)

Please say you saw it in RADIO & TELEVISION

BARTER and EXCHANGE FREE ADS (continued)

I WISH TO HEAR FROM ALL stamp collectors wishing to exchange or swap. I will do typewriting or mimeographing for good used or mint stamps. Elvin W. Person, Esther, Alberta, Canada.

Alberta, Canada.

WANTED: SUPERSKYRIDER
(1935 or later) will pay cash—or cash
and trade a late model BCL Phileo
superhet. Frank L. Garkus. 218 Wayland St., San Francisco, Calif.

TRADE—2 TUBE, 637-12A7. ACDC short wave set, coils, 2 General
type 231-A amplifying transformers.
new. Want volt-ohn-milliammeter or
point to point tester or? J. A. Ketchum, Hamilton Place, Nashville, Tenn.
WOULD LIKE TO EXCHANGE

WOULD LIKE TO EXCHANGE SWI-QSL or fotos in U.S. or foreign countries. All cards received will be answered. All mail acknowledged. Frank Gregor. W9LYK, 1921 W. 14 Ave., Gary, Ind.

Ave., Gary, Ind.

TRADE 38/55 LEVER ACTION
Marlin rifle (\$7), for radio parts, two
tube sw battery receiver, 2—"955"
tubes, carbon mike, what have you.
Preferably parts or tubes. Vernon Preston, R. No. 2, Arlington, Wash.

301-A STEWART WARNER CON-verter swap for short wave receiver, power supply or parts. Write Dale Cryderman, 13557 Vaughan. Detroit.

TRADE. ANSCO-MEMO CAMERA f-6.3 tenses with one-hundredth shutter stop. With case and Al condition for SW-3 receiver or other similar receiver. W3HIY, R. W. Sommers, 310 Ellis St., Glassboro, N. J.

SWAP — DRUM OUTFIT FOR high powered binoculars or crystal microphone or what have your Will answer all mail. Frank J. Garang 25-2

SWAP — DRUM OUTFIT FOR high powered binoculars or crystal microphone or what have your Will answer all mail. Frank J. Garone, 252 Navy St., Brooklyn, N. Y.

CORRESPONDENCE WANTED from all foreign countries. Will swap stamps, posteards, photos and nature specimens. All letters answered, Maylan Wilbur, Weld, Maine, U.S.A.

Ian Wilbur, Weld, Maine, U.S.A.

WANT USED NATIONAL DIAI.
type "BM" or "B" or Crowe 4*
vernier dial. Will trade used 12A7
tube and 8-8 mfd, filter condenser.
John W. Creamer, 423 East Third.
Chillicothe, Missourt.

SWAP:—COMPLETE PUBLIC ADdress system with two speakers: "B"
eliminator, several small radios and
many radio parts. What have you to
offer? Riehard Kelley, 1034 Elm St.,
Franklin, Pennsylvania.

WANTED—AUTO AND TABLE

WANTED AUTO AND TABLE codel radios. Have stamps and all inds radio parts. Terrenee Gines. ox 14, Fort Lawn, S. C.

WOULD LIKE TO EXCHANGE SWL cards with any SWL in U.S. or foreign countries. All cards received here will be answered with our card. QRA John L. Ballin, 40 East 68 St., New York, N.Y.

Wha John L. Ballin, 40 East 66 St., New York, N.Y.

WANTED, SMALL A.C. GENERAtor around 200 to 500 watts, also gasoline engine ½ to 2 H.P. suitable for
driving generator, James N. Glass,
R.R.1. Box 17. Eddyville, Ky.

SWL POREIGN AND U.S. I SWAPcards 100%. Also want July and Augtust 1936 issues of SW&T. will swapother radio magazines for same. Victor
Samardza, 1044 Longfellow Ave.,
Bronx, N. Y.

HAVE SHOTGUN, 12-GAUGE,
double barrel, Winchester 38-40 carbine, Waitham 17-jewel, 16 stze, gold
watch, Want late model radio or?
C. Moore, 211 East 108 Street, Los
Angeles, Calif.

HAVE BRAND NEW UNIVEX
camera and madel new Camera and madel

HAVE BRAND NEW UNIVEX camera and projector that have had but 2 rolls of film run through them. Anyone got a Skybuddy or Sky Chief or? R. E. Fuller, Ypsilanti, Michigan.

WILL SWAP COMPLETELY communications superhet; short-wave equipment; test equipment; radio books and magazines; tennis racket; kodak. Want a portable typewriter. Or wint hare you? John J. Vilkas, 1515 South 49th Court, Cicero.

HAVE MOTOR DRIVEN 16MM projector to trade for electric trains and equipment or model alrelane gas motor. Also have radios, amplifiers, transmitters, etc., to trade, Write Johnny Newsome, Box 725, Wake Forest, North Carolina.

HAVE ANGORA RABBITS. PIGEons, shortware kit. radios, courses, firearms, stamps; want saxophone, xplophone, 22 riffes, caries, lovebirds, pets? Hillary A. Munk, Somers, Conn.

HAVE RELOAD IN G TOOL. stereoscope with 100 views 35 years old. camera. Simplex typewriter, books, radio parts, for cheap ministure cameras, value \$4.00, jig saw, microscope, rifle scope, chromatic harmonica. Soius Anderson, Lankin, N. D.

HAVE THREE CHEAP CANDID cameras, back issues technical and fiction marazines in good condition. Want stamps, first day covers, radio parts, or? All letters answered, Jack Towne, 1519 California St., Redding, Calif.

EXCHANGE RADIO PARTS, BIcycle parts and two ¼ H.P. A.C.
motors for any small radio sets or
35mm film equipment and films.
Joseph Geract, Jr., 3338 East 132nd
St., Cleveland, Ohio.

SWL'S-1 WOULD LIKE TO
trade my SWL card for one of yours,
1 QSL 100%, QRA Roger Mais, 132
E. 8th St., Mishawaka, Indiana,

WANTED OLD AUTOMOBILE
name plates and U.S. stamps in quantities of one to a hundred. Advise
what you wish in exchange, Have large
mimeographed swap list, Ruddiph Zak,
2509 East 89th, Cicreland, Ohio.

ENGLAND CALLING, Wanted.

ENGLAND CALLING. Wanted small batches of foreign stamps. U.S.A. West Indies or South America, in exchange for English stamps uncommon values. Write S. Miles, 3: Freshwater Rd., Reading, England.

WILL SWAP MAGIC BOOKS which are in good condition for 40 or 80 meter crystal or other radio parts. Will answer all letters. Lloyd Gelser, 562 Beech St., Pottstown, Ps.

FOR TRADE—5 METER SUPER-regenerative receiver. Have heard Ken-osha. Wisconsin. with it. 6C5 det.—76 audio—42 output. Want 40 meter xtal. meters, xmitter parts. W2LFJ, Curtis Purdy, 50 Cleveland St., White Plains, N. Y.

meters, xmitter parts, W2LFJ, Curtis, Purtly, 50 Cleveland St., White Plains, N. Y.

HAVE—B climinators, speakers, tubes, SW-2 receiver, teleseope, microscope, cartridges, plux-in colls. Want—electric razor, developing outsit, camera, photograph course, 16mm films, Hawalian guitar, movie camera or? Stanley, 2748 Meade, Detroit.

TRADE: NEW \$10-\$15 VALUE electric razors for—Radio physics course and Modern Radio Servicing, watchmakers tools, AC, powerpack, s.w. receiver, test equipment, or? State condition, etc. All offers considered. Miner. Oakdale, 16wa.

HAVE 100 FICTION MAGAZINES, SW. receiver, detective, short stories, Bluebook, etc.) to swap, Want power supply for small set, SW receiver or what have you? Laurence Wolcik, 117 N. Sprink Street, Bloomfield, New Jersey, SWAP DETROLA 3 TUBE, SW. converter, two Zenith doublet antenna kits, Kodak Jiffy 6-20 camera, 800 volt power supply. All in A-1 condition. What am 1 offered in trade? Jack Israel, 319 Peshine Ave., Newark, N. J. WILL SWAP A FIVE INCH DY-namle speaker, for a three inch magnetic speaker and a 3:1 ratio audio transformer. Warren Harding Wilson. Glen Ullin, N. Dak.

I WILL SWAP A FIVE INCH DY-namle speaker, for a three inch magnetic speaker and a 3:1 ratio audio transformer. Warren Harding Wilson. Glen Ullin, N. Dak.

I WILL SWAP \$15 ELECTRIC Tazor for candid camera, Argus preferred, Also swap 35MM Super X 40 exposures on roll, on daylight loading comera Magazine '35, 36, 37, Also some Radio-Craft and Radio News

HAVE THREE YEARS COMPLETE SWEAT MASSAIRE 35, 36, 37, Also some Radio-Craft and Radio News mags. Want single button hand mike or transceiver hand set good condition. Jack Klein, 1983 Bryant Ave., Bronx, N. Y.

Jack Klein. 1983 Bryant Ave., Brink.
N. Y.

SWAP ALL-STAR SENIOR REceiver complete (without cabinet) for factory-built short wave set. Cash extra if necessary. A. E. Klimeldorf. 1487 Vyse Ave., Bronx. N. Y.

WANTED: 34, 2 OR 5 MFTER transceiver or transmitter also 3 or 4 tube S.W. receivers. trade about anything radio line. tubes, "B" supplies, and Schulz. Jr., 431 45th Street. Molline. Illinols.

WILL SWAP STAMP COLLECtion value exceeds \$3.50 for a pair of Baldwin. Western Electric, or other type of kood earthones. William John Paley, Jr., 39 Ontario Street, Albany, New York.

New York.

New York.

WANTED: S.W. SUPER-HETEROdyns receiver. Must have 10 meter
hand; band-spread; beat oscillator and
R.F. stage. Describe fully and state
price. G. H. Thoupson, 531 So. Main
St., Pittston. Pa.

TRADE 130 U.S. VALUABLE
commemorative stamps, 4 rare vatican
stamps and others, for 40 or 80 meter
crystal or key or what have you? Carl
Wack. 323 Miaml St., Piqua. Ohlo.

SWL'S AND HAMS IN U.S.A.
and foreign countries. Will exchange
my SWL card for one of yours. I
QSL 100% (QRA) Joseph Uhing Jr.,
1322 West Rush St., Phila., Pa.,
U. S. A.

SWAP SWL CARDS AND USEW.

SWAP SWL CARDS AND VIEW cards with foreign and U.S. listeners. Wanted photograph equipment. C. K. Guffey, 111½ So. 15th St., Unionville, Mo.

WANT UNITED STATES COMmemoratives in blocks and first day
covers. Ilave kovernment postals,
World War censored covers, T.B. seals,
coins and stamps. Mervyn II. Iteynolds. Assistant Educational Adviser,
198th Company CCC, Southwest Harbor, Maine.

WANTED: ANY KIND OF CAMera coulpment such as camera, enlarger
or anything else. Will trade a \$35
Ukelin for equilpment. Ukelin used
very little. In good condition. All letters answered. Geo. Chatfield, Box 93,
Wolcott, N. Y.

BUNDLE UP YOUR OLD OR NEW
postcard views and send to me. For
each one I'll forward one piece old
Mexican money. (Not spendable now.)
No two cards allke please. Harold
Maniss, Colorado. Texas.

SHORT WAYE LISTENERS
everywhere. I would like to exchance
swill cards with all. Foreism cards are
specially wanted. Cyrus Will. 651
Brier Street, Kenliworth. Illinois.

WANTED—JEWELL ANALYZER
type 1-665 and Jewell pattern 579

Brier Street, Kenliworth, Illinois.

WANTED—JEWELL ANALYZER
type 1-665 and Jewell pattern 579
service test panel with remote control.
Ilave microphones, meters, generators,
lettergraph, xmitting parts, gas engine, etc. Write Stanley J. Nicewicz,
79 Church St., Broad Brook, Conn.

HAVE 40 STOCK ORCHESTRAtions past song hits arranged for dance
band. Also have solotone, harmon,
plunger, eup muter for trumpet. Would
Ilike Pilot "Super Wasp" A.C. complete, or? James Birch, Box 141. Barstow, Calif.

HAVE ONE AND TWO TUBE

HAVE ONE AND TWO TUBE radios, erystal sets, oil paintings, Want radio parts, rifles, good field glasses, etc. John Haynes, Doo flun, Mo.
TWENTY PIECE AMERICAN
Fiver electric train set, 67 consecutive weekly Philatelic Gossips, many boys' books (Tom Swift, etc.), all A-1 condition. Want Candler course, "buk." radio technical course or books, transmitter. Byron Britt, Alliance, Nebraska.

Braska.

HAVE STAMP COLLECTION value about \$50,00. Will trade for test equipment, battery operated. Also have parts for 6v. B Battery eliminator. S. S. Tyndall. Senlac. Sask., Canada.

I WILL TRADE A TWO TUBE Philmore battery set for a desk mike stand with a 5 or 6 inch ring with springs. Richard Kershaw. 846 University St., Springfield. Mo.

I HAVE AN 110 VOLT AC CODE practice set and a good 8" dynamic speaker (will handle 6 or 8 watts). Am interested in transmitting erystals or other equipment or? Please wire to: Douglas Gates. Seguin. Texas.

WANT OLD TYPEWRITERS (such as Oliver, etc.), wrist watch. "Radio Amateur Course," printing press, SW radio, radio books and magazines. Send for list of swaps. M. Konon, 48 Edwards St., Patchogue, N. V.

WILL TRADE ARGUS CAMERA 4.5 lens plus cash for Gross 3 tube Stand-By receiver complete with al coils. W2LHZ. CCC No. 3205. Ashton, coils. Idaho.

SWL'S—I WOULD LIKE TO EX-change SWL cards with any SWL in U.S. or in foreign countries. All cards received will be answered promptly. (QRA) Richard J. McCormick. 10 Bowmans. Mahanoy City. Pa., U.S.A.

HAYE GOOD AUDITORIUM guitar and new candid camera 16 pletures to roll. Trade for low power phone xmitter or 5 meter xmitter and receiver. Robert Taggart, 62 Orchard. Kansas City, Kansas.

WOULD LIKE TO TRADE FOR A 2 tube sw recr. a correspondence course in Radio. The recr. must be as dc. Will answer all mail. A. Radesky, CCC 297 F-55, Lolo Creek. Missoula. Montana.

I WILL QSL 100% TO ANYONE In U. S., Canada and foreign countries who sends his or her card. Will join radio clubs. QRA—Aime Groslouis. 1429 Main St., West Warwick, Rhode Island, U. S. A.

TRADE: RACK-PANEL POWER supply uses 2 R.C.A. 866's and has Weston 0.500 volt meter and variable voltage control. F.B. for class B work. Write W9TME. Chicago, Illinois. 2901 N. Kilbourn Ave.

HAVE MISC. SERVICE MANUALS on Wells-Gardner (Airline). Crosley, and Zenith radios. Will trade for re-sistors, condensers. wire, etc. Paul Bahr. 1205 W. 10th St., Marion, Ind.

SWAP-POSTAL PRESELECTOR, complete course in Accounting from International Correspondence School, lots of radio parts. What am I offered in trade? Charles G. Hoffman. RRS, Box 300B. Terre Haute, Ind.

WILL SWAP SWL CARDS. Send your cards. We will send our cards. A. J. Schwartz, P. O. Box 695, Albany, N. Y.

Advanced H.-F. Receiver

(Continued from page 352)

tional crystal circuit at this frequency is not entirely satisfactory due to the large detuning effect experienced from the phasing control. In this circuit, a dual 50 mmf. condenser is used for phasing and is so altered that when one section is at full capacity the other is at minimum. This alteration is easily accomplished by sawing the rotor shaft in half between the two rotor sections and soldering the ends into a ½ inch length of tight-fitting tubing so that the sections are 180 degrees analytics.

the ends into a ½ inch length of tight-fitting tubing so that the sections are 180 degrees apart.


A shield can ½½" x 4" x 3" deep houses the units indicated on the crystal circuit. The crystal holder plugs in at the top and the phasing condenser and the 15 mmf. unit (used as a selectivity control) project through the front and through suitable holes in the receiver panel. The 50 mmf. variable unit is reached through the side of the case; it is set at about ½ capacity and left there. The two 50 mmf. fixed units in series across the secondary of T3 are midget micas. Note that all these components are insulated from ground. Also be sure to disconnect the built-in tuning condensers on the secondary of T3 and the primary of T4, as they are not required.

TUBES

TUBES

The 954 first detector is made regenerative, thus adding a tremendous amount of gain to the receiver and also aiding in image suppression.

Bandspread of the H.F. coils is accomplished by tapping the main tuning condensers down toward the lower end of the coils. This makes it necessary to use small tank condensers across each secondary to set the bands properly. 100 mmf. units were used on the 40 and 20 meter coils and 50 mmf. units on the 10 meter coils. A 15 mmf. panel trimmer on the grid coil of V1 compensates for slight changes in antennas and the like. V8 is electron-coupled to the cathode circuit of V1 giving efficient mixing with no trace of detuning or pulling effects.



Front Panel "Controls."

Passing over the crystal filter which has already been described, we come to the two I.F. tubes, V2 and V3. These are 6LT's, chosen for their superior results as a.v.c. controlled tubes. With the grids connected as shown, less voltage is needed for A.V.c. than would be the case if 6K7's were used, while the gain is entirely adequate.

1.F. Gain Gentrol: I.F. gain is varied by cathode voltage control of the 6L7's, while the tuning meter is of the forward-reading bridge-type, and when the series of the forward-reading bridge-type, and when the series is first placed in operation, must be adjusted to zero setting by means of the associated 1.000 ohm variable resistor. This resistor is mounted on the chassis below the "It meter" and must be adjusted when the tubes are warmed up and the R.F. gain centrol is set at the zero resistance setting, with no signal input to receiver. The A.V.C. switch shorts this meter when the A.V.C. circuit is grounded.

Tube V4 is the second detector, A.V.C. tube and noise-silencer and it certainly handles all its functions efficiently. The noise-silencer control is on the panel, of course.

Audio output from V4 goes through the A.F. volume control to the grid of one triode section of V5. The output of the triode goes through the fone jack to V6, the output tube. The second section of V5 is used as both B.F.O. and monitor, as previously noted. The B.F.O. is cut out by shorting the panel control, accomplished by bending one corner of a rotor plate. The B.F.O. is connected through a shielded lead to the 6H6 plate.

Coil Construction: The basis of each coil set is a 6½" x 2½" x ½" thick aluminum plate, which fits into a hole of this size in the front panel. The coil forms are 5-prong isolantite units. 1½" dameter. These are held firmly with their tops against 2½" x 1½" pieces of bakelite or, preferably, Victron. Brass rods 1/16" diameter are soldered into two of the coil form pronss, the upper ends being threaded and passing through bushings or sections of ½" brass tubing of the proper leng

DATAPRINTS

Only 331/3c each in orders of 3 at 81 BUILD YOUR OWN-SAVE MONEY!



RADIO CONTROL FOR MODEL BOATS, PLANES, ETC.

Circuit data50e

ELECTRIC LODGE & PARTY TRICKS. Fun Galore!

'How to Do 'Em'' Data 50c





S-W DIATHERMY (Artificial Fever)

Dataprint giving Constructional data for Small, Medium and Large size App. (All 3)....50c

Induction PIPE & ORE LOCATOR Construction Data......50e





RECORD VOICE OR CODE on Steel Wire!

Telegraphone Data, for Voice or Code......50c

TESLA COIL DATA:

Data print—drawings and data for building 36-inch apark Teala...50c Exciter—1 K.W. 20,000 Vt. Transf.



More DATAPRINTS You Need!

More DATAPRINTS You Need!
Water Turbines
Water Wheels
100 Mechanical Movements
Motor Circuits (20)
Telephone Hookups (20)
Telephone Hookups (20)
Magnets and Solenoids—
Solenoids—
Solenoids—
Solenoids—
Get our list
Weatstone Bridge
Inch Spik data
Electric Chime Ringer fits
any clock

Welding Tit 2 K W 110 V. Felm 18 V. See She Welding Trf. 2 K.W. 110 V. Prlm. 18 V. Sec. ... 50c

5 prints \$1.50 or 10 for \$2.00; single prints 50c

The **DATAPRINT** Co.

Lock Box 322

RAMSEY, N. J.

REE BOOK EVERYONE IN RADIO 1938 CRAFT brinks of radio—servicing public and radio—servicing public construction and decrease of radio—servicing construction of radio—servicing construction of radio—servicing construction of readers of the radio of radi RADIO REFERENCE ANNUAL their present subtion seven months Remit ONE DOLLAR by check, money order or stamps for your FREE BOOK and Seven Months' Subscription to RADIO-CRAFT. ADIO-CRAFT 99T HUDSON STREET, NEW YORK, N. Y.

RADIO-CRAFT Size 2½ x 4 \$150 per 1000

Printed in RED & BLUE with your name & address. Regular \$3.50 value. SAMPLES.

SAMNICK 305 E. 45th St., New York City

Write for prices on printing.

for October, 1938

The shortwave listener will doubtless have no interest in the monitor but he *should* incorporate all the other features.

Coil Table T2 T1 BS Cath. Turns Turns Tap Tap 5 22 4 114 4 1014 2 1 3 5 1 12 and T9 spaces 1 12 BS Cath. Turns Tap Tap 5 4 40 M. 22 1034 20 M. 4 10¹4 2 1 10²4 1 1²5 1 1 1 1²5 1 1 1 1²5 1 1 1 1²5 1 1 1²5 1 1 1 1

or enameled.

T2 close wound No. 28 SSC.

Taps may need slight adjustments because of circuit and component variations.

BS—Handspread.

List of Parts

BLILEY

1-CF1 crystal unit, 1600 kc.

TRIPLETT

1—227 R meter (0-Ima.) 1—227 rectifier type a.c. meter (0-1 V.) (both with rear illumination)

2—954 tubes (V1, V2) 1—6H6 tube (V4) 2—6L7 tubes (V2, V3) 1-6F8G tube (V5) 1-6V6 tube (V6) 1-5T4 tube (V7)

PAR-METAL

1—19" x 834" x ½" panel, No. 3722 (original painted French Gray)
1—Cabinet No. SC-128
1—Chassis No. 15215 (original painted French Gray)

1—Bracket No. SB-713 (original painted French Gray) 1—Speaker case No. SC-996

HAMMARLUND

4—HF15 trimmer condensers 6—CF5M coil forms

6-S8 sockets 2-S900 sockets

2-S900 sockets
3-S5 sockets
1-S4 socket
2-SWC-40 coils (monitor 10 and 20 meter bands)
1-SWC-41 coil (monitor 40 meter band)
1-MTCD-250C tuning condenser (main tuning)
6-APC50 padding condensers
1-HFD50 double 50 mmf. condenser (alter as per text)

per text)

CORNELL-DUBILIER

12—01 mf. 600 V. paper condensers
7—.25 mf. 600 V. paper condensers
7—100 mmf. midget mica condensers
2—50 mmf. midget mica condensers
1—.004 mf. midget mica condensers
3—8 mf. 600 V. paper condensers. No. PE-B608
2—40 mf. 150 V. electrolytic condensers,
No. RR4015

40 mt. 150 V. electrolytic condensers, No. BR4015
-25 mf. 25 V. electrolytic condensers, No. BR252

I.R.C. (Resistors)

I.R.C. (Resistors)
1-25M ohm BT½
2-2M ohm BT½
2-300 ohm BT½
2-25 megohm BT½
1-2.0 megohm BT½
1-5 megohm BT½
4-50M ohm BT½
1-1M ohm BT½
1-1M ohm BT½
1-13M ohm BT½
6-10M ohm BT½

1—25M ohm BT2
2—100M ohm BT2
1—250 ohm BT2
1—50.000 ohm type EPA
1—500 ohm type DHA
1—50M ohm variable
1—1M ohm variable
2—10M ohm variable
2—1 mex. ohm variable
1—2M ohm variable
3—SPST switches. No. 21

ALADDIN

ALADDIN
1—G1601, 1600 kc. 1.F. transformer (T3)
2—G1600, 1600 kc. 1.F. transformer (T4. T5)
1—G1604, 1600 kc. 1.F. transformer (T5)
1—S3729 1600 kc., B.F.O. oscillator (T7)

GUARDIAN 1—6.3 V. relay, series 110, 4 pole D.T.

CROWE

1—No. 296 vernier dial 10—No. 591 knobs with pointers

JEFFERSON

1-463-431 power transformer 2-466-430 shielded chokes

CINAUDAGRAPH

-6" speaker No. MA6-8 with universal output transformer

BLAN

6-shield cans.

YAXLEY

1-Circuit-opening jack

MISCELLANEOUS

6—Handles for coil sets

1—SPDT center position off toggle switch (C-H)

1—DPST toggle switch (C-H)


1—Shield can 2½" x 4" x 3" shield

3—Aluminum plates 6½" x 2½" x ½"

1 Set name plates (Gordon)

Hardware, etc.

Please say you saw it in RADIO & TELEVISION



U. S. ARMY SIGNAL LAMPS

The lamp of 100 uses

Scout Signalling Night Bowling Alleys Trailer Lamp Night Motor Boat Races Auto, Truck and Trailer Camps Tractor Light Camp Light
Barnyard Lighting
Night Fishing
Radio Shacks Bungalows Picnics, etc.



Picnics, etc.

Large size—124/a" wide. 51/a" deep, 13" high inriuding socket, fitted with 10" sliver into reflector into glass, nothing to break. Parked in local reflector into carrying case, with high control of the carrying case, with high control of the carrying case, with high carrying case with high carrying case with high carrying case contains when the carrying case contains when the carrying case and the carrying case. With high carrying case, with high carrying case, with high carrying case.

Scott a signalization of the carrying case. Signalization contains the carrying case. Signalization of the carrying case. Shipping weight 18 had a us at 5 hipping weight 18 had carrying carrying carrying case.

Scott a signalization carrying deep, 13" high inriuding carrying case. Signalization carrying case. Signalization carrying carrying

\$25.00 3 for \$10.00 Large lamp, with bulb, but with out case and extra fittings 10 for \$10.8 N.Y. out case and extra fittings 10 for \$10.8 for \$5.00 Small size—6" wide, 5" deep, 10 for \$1.00 for \$

These lamps will make an attractive souvenir of the World War for Your Club. Motor Boat. House, Den. Radio Shack or Country Home. They will also be an acceptable gift to any of Your friends.

An Accurate, Eight Inch White Wood **SLIDE RULE** With A, B, C, D, C1 and K Scales

Nicket Silver Framed In-dicator with integral fric-tion springs. Scales calibrated directly on well-seasoned wood will retain accuracy re-gardess temperature or humidity changes. Instructions and illustra.

Features
In. tions of primary operations clearly printed on tions clearly printed on back side of rule for ready reference or teaching the following rule in a durable ture pocket carrying case for convenience and protects.



The extremely low price of these slide rules and helr absolute accuracy makes them ideal for the tudent as well as the working man who has always wanted to learn to use a slide rule.

Price 25c plus 5c postage.

20 Page Book of Instructions for using a flide rule. Sc each, plus postage 36 page Book of 300 Examples and Answers. 10c each, plus postage.



STURDY BINDERS

for any size magazines.
Covered with black corrugated fabricold. Has two stamped metal ends with 12 Spring Wire separators.
Magazines can be inserted and removed in a liffy.
12 ln mod News. etc. ... 80c
10 %grx? fits Popular Mechality of the separators.

Radio News. etc. ... 50c
8 %grx? fits Readers
Digest. etc. 60c

STOPPANI COMPASS

A Precision Instrume made in Belgium. Pur chased by the U. S. Government at more than \$30.00 cach. Ideal for Radio Extory, also may be used as a Galva-nometer for detecting electric currents in radio circuits. Ruby jeweled, solld bronze, 4 inches square, fitted in a hardwood case




383

Also used by hunters and surveyors. Our Price prepaid \$4.50

Send for catalog containing full descriptions of these items and many other unusually interesting and worthwhile merchandise.

GOLD SHIELD PRODUCTS New York

350 Greenwich St.



 Mass-produced for new low prices, HYVOL Mass-produced for new low prices, H1 VOL capacitors for transmitting and other high-voltage applications are now available in oil-filled (heavy-duty) and wax-filled (normal-duty) types. ♥ Welded steel can. Hightension pillar terminals. Conservative ratings. 600 to 3000 v. D.C.W. ♥ Compare prices. Compare quality—at your local



CHASSIS — CABINETS PANELS & CANS

STANDARD SIZES ON HAND SPECIAL SIZES MADE TO ORDER KORROL RADIO PRODUCTS CO.

350 Greenwich St. New York City

biggest opportunities still ahead

In a decade radio has become a giant industry. The opportunities created are being enjoyed by trained men. The International Correspondence Schools Radio Course. prepared by leading authorities and constantly revised. WILL MAKE YOU A TRAINED MAN! A fascinating book - FREE.

| | _ | | 0 | Dinne | |
|------|------|----------|----------------------------|---------|---------------------------|
| Send | me—/ | reo-info | Seranton. rmation on Radio | subject | checked Man incer |
| Name | | | | | |

World S-W Stations

(Continued from page 350)

| 1400 | | inned from page 350) | |
|--------------|--------|---|---|
| Mc. 6.360 | HRPI | SAN PEDRO SULA, HONDURAS, | L |
| 6,340 | них | 47.19 m. 7.30-9.30 pm. CIUDAD TRUJILLO, D. R., 47.32 m. Sun. 7.40-10.40 am., daily 12.10- 1.10 pm., Tues, and Fri. 8.10-10.10 | A |
| | | pm. lues, and Fri. 8.10-10.10 | A A |
| 6.135 | OAXIA | ICA, PERU, 47.33 m., Addr. La Voz de Chiclayo, Casilla No. 9. 8- 11 pm. | Α |
| 6.324 | COCW | HAVANA, CUBA, 47.4 m., Addr. La Voz de las Antillas, P. O. Box 130. 6.55 am1 am. Sun. 10 | B |
| 6.310 | HIZ | am10 pm. CIUDAD TRUJILLO, D. R., 47.52 m. Daily except Sat. and Sun. 11.10 am2.25 pm., 5.10-8.40 pm. Sat. 5.10-11.10 pm. Sun. 11.40 am1.40 | B |
| 6.300 | YV4RD | MARACAY, VENEZUELA, 47.62 m. 6.30-9.30 pm. exc. Sun. | 0000 |
| 6.295 | OAX4G | LIMA, PERU, 47.63 m., Addr. Apartado 1242. Daily 7-10.30 pm. | CCC |
| 6.290 | HIG | TRUJILLO CITY, D. R., 47.67 m. 7.10-8.40 am., 11.40 am2.10 pm., 3.40-8.40 pm. | D |
| 6.280 | COHB | SANCTI SPIRITUS, CUBA, 47.77 m., Addr. P. O. Box 85. 9-11.30 am., 12.30-1.30, 4-7, 8-11 pm. | E |
| 6.270 | YVSRP | CARACAS, VENEZUELA, 47.79 m., Addr. "La Voz de la Philco." Daily to 10.30 pm. | F |
| 6.255 | YV5RJ | CARACAS, VENEZUELA, 47.18 m. | G |
| 6.243 | HIN | CIUDAD TRUJILLO, D. R., 48 m., Addr. "La Voz del Partido Dom- inicano." 12 n2 pm., 6-10 pm. | |
| 6.235 | HRD | LA CEIBA, HONDURAS, 48.12 m., Addr. "La Voz de Atlantida." 8-11 pm.; Sat. 8 pm1 am.; Sun. 4-6 pm. | H |
| 6.225 | YVIRG | VALERA, VENEZUELA, 48.15 m. 6-9.30 pm. | 1 |
| 6.210 | _ | SAIGON, INDO-CHINA, 48.28 m., Addr. Radio 8oy-Landry, 17 Place A. Foray. 4.30 or 5.30-9.15 am. | 1: |
| 6.210 | TG2 | GUATEMALA CITY, GUAT., 48.28. m., Addr. Dir. Genl. of Electr. Commun. Relays TGI MonFri. 6-11 pm., Sat. 6 pm1 am. Sun. 7-11 am., 3-8 pm. | J |
| | | 6-11 pm., Sat. 6 pm1 am. Sun. 7-11 am., 3-8 pm. | ŀ |
| 6.205 | YVSRI | CORO, VENEZUELA, 48.32 m., Addr. Roger Leyba, care A. Urbina y Cia. Irregular. CIUDAD TRUJILLO, D. R., 48.36 | ŀ |
| 6.200 | HISQ | CIUDAD TRUJILLO, D. R., 48.36 m. Irregular. | V |
| 6.200 | ZGE | KUALA LUMPUR, FED. MALAY ST., 48.36 m. Sun., Tue. and Fri. 6.40-8.40 am. | 7 |
| 5.185 | HIIA | SANTIAGO D. R., 48.5 m., Addr. P. O. Box 423. 7 am5 pm. | N |
| 6.171 | XEXA | MEXICO CITY, MEX., 48.61 m., Addr. Dept. of Education, 7-11 pm. | NN |
| 6.156 | YV5RD | CARACAS, VENEZUELA, 48.71 m. 11 am2 pm., 4-10.40 pm. | |
| 6.153 | HISN | MOCA CITY, D. R., 48.75 m. 6.40- 9.10 pm. | C |
| 6.150 | CJRO | WINNIPEG, MAN., CANADA, 48.79 m., Addr. (See 11.720 mc.) Daily 6 pm12 m., Sun. 5-10 pm. | P |
| 6.150 | ZPI4 | VILLARRICA, PARAGUAY, 48.75 m. 5-6 pm. | |
| 6.147 | ZRD | DURBAN, SOUTH AFRICA, 48.8 m., Addr. (See ZRK, 9.606 mc.) Daily exc. Sat. 11.45 pm12.50 am.; Daily exc. Sun. 3.30-7.30 am., 9 am3.45 pm.; Sun. 5.30-7, 9-11.30 am., 12 n3.20 pm. Also 4-5 am., 3rd Sun. of month. | RRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRRR |
| 6.147 | ZEB | BULAWAYO, RHODESIA, S. AFRICA, 48.8 m. Mon., Wed., and Fri. 1.15-3.15 pm.; Tues. II am12 n.; Thurs. 10 am12 n. Sun. 3.30-5 am. | 020202020 |
| 6.145 | HJ4ABE | MEDELLIN, COL., 48.79 m. La Voz de Antioquia. 11 am12 n., 6- 10.30 pm. | 07020202 |
| 6.140 | W8XK | PITTSBURGH, PA., 48.83 m., Addr. Westinghouse Electric & Mfg. Co. Relays KDKA II pm12 m. | ו ת ת |
| 6.137 | CR7AA | LAURENCO MARQUES, PORT. E. AFRICA, 48.87 m. Daily 12.05-1, 4.30-6.30, 9.30-11 am., 12.05-4 pm., Sun. 5-7 am., 10 am2 pm. | T |
| 6.130 | VP38G | GEORGETOWN, BRIT. GUIANA. 48.94 m. From 5 pm. on. | 1 |
| 6.130 | COCD | HAVANA, CUBA, 48.94 m., Addr. 8ox 2294. Relays CMCD 7 am. | |
| TI | inter | l am. | a |

Those interested in lower-frequency stations can refer to last month's list.

Please say you saw it in RADIO & TELEVISION

Index to Advertisers

| ı | , |
|---|--|
| | ABC Radio Laboratories |
| | Barter & Exchange Free Ads. 380, 381, 382 Bliley Electric Co. 362 Browning Labs. Inc. 366 Brush Development Co., The 369 Bud Radio, Inc. 364 |
| i | C . |
| | Candler System Co. 374 Centralab 363 Chemical Rubber Publ. Co. 372 Commercial Notices 380 Cornell-Dubilier Electric Corp. 359 Coyne Electrical School 323 |
| | Dataprint Company |
| | First National Television |
| | Gold Shield Products |
| | Hammarlund Manufacturing Co., Inc. 371 Henry Radio Shop 364 Hudson Specialties Company 370 |
| | Instructograph Company 372 International Correspondence Schools 384 International Resistance Company 361 |
| | Jarnak. Paul369 |
| | Korrol Radio Products Co |
| | M Mass. Radio School |
| | N |
| | National Company, Inc Inside Back Cover National Plans Institute 377 National Radio Institute 321 National Schools 372 New York YMCA Schools 372 |
| | |
| | Omnigraph Mfg. Co |
| | Omnigraph Mfg. Co |
| | P Paramount Prod. Co. 369 Premax Products 379 R Radio Amateur Course Inside Front Cover Radio & Technical Publ. Co. 372 Radio Publications 378 Radio Training Assn. of America 372 RCA Institutes. Inc. 372 RCA Manufacturing Co., Inc. Back Cover |
| | P Paramount Prod. Co. 369 Premax Products 379 R Radio Amateur Course Inside Front Cover Radio & Technical Publ. Co. 372 Radio Craft 383 Radio Publications 376 Radio Training Assn. of America 372 RCA Institutes Inc. 372 RCA Manufacturing Co., Inc. Back Cover S Samnick 383 Sargent E. M. Co. 365 Scientific Diathermy Corp. 365 Short Wave League 374 375 Sprague Products Co. 377 Sprayberry Academy of Radio 373 |
| | Paramount Prod. Co. 369 |
| | P Paramount Prod. Co. 369 Premax Products 379 R Radio Amateur Course Inside Front Cover Radio & Technical Publ. Co. 372 Radio Publications 376 Radio Publications 376 Radio Publications 376 Radio Training Assn. of America 372 RCA Manufacturing Co., Inc. Back Cover S Samnick 383 Sargent E. M. Co. 365 Scientific Diathermy Corp. 365 Short Wave League 374 375 Solar Mfs. Corp. 369 Sprague Products Co. 377 Sprayberry Academy of Radio 373 T |

(While every precaution is taken to insure accuracy, we cannot guarantee against the possibility of an occasional change or omission in the preparation of this index.)



THREE YEARS OLD-

and still a "Best Buy"

Three years brings obsolescence to most radios, but to the NC-100 it has brought increasing popularity. Time has proved the soundness of its design, its versatility, and its dependably high performance. As with other National products, details have been changed from time to time in line with our policy of constant improvement. There is a new direct-reading dial, a new meter. The cabinet is different. But there is never any change in the thoroughbred quality that has won so many friends, and held them.



NATIONAL COMPANY, INC., MALDEN, MASS.



Foreign Reception At Its Best!

Here's a treat for short-wave listeners!

Listen in on this 16-tube receiver direct to stirring events happening in foreign countries. That's exactly what you can do with the ACR-111 Amateur Communication Receiver, and here are the reasons why: It's easy to operate—very selective—extremely sensitive and quiet in operation.

Judge for yourself what the ACR-111 has to offer. See it... Tune it... Examine it—at your nearest RCA Amateur Equipment Distributor, or write direct for full particulars.

For maximum performance at minimum cost-use RCA radio tubes

RCA presents the Magic Key every Sunday, 2 to 3 P. M., E.S.T.

on the NBC Blue Network

RCA MODEL ACR-111 FEATURES:

16-tube superheterodyne circuit.

Special broad band-spread tuning control.

Ultra selective crystal filter for those hard to get station announcements when other station interference occurs.

Noise Suppression eliminates most types of local noise.
"Magic Eye" for accurate tuning. Indicates received sig-

nal strength thus determining reception conditions for your favorite stations.

Beat Oscillator to locate the wave of weak stations.

All popular wave lengths from 10 to 540 meters.

Professional-like appearance.

Connections for headphones to enjoy late programs.

Complete with tubes, speaker—ready to operate, \$129.50 f.o.b. factory.



RCA MANUFACTURING CO., INC., CAMDEN, N. J.

A Service of the Radio Corporation of America